INDEX TO VOLUME 22

AUTHOR INDEX

A

AMURE, B. O., and GINSBURG, M. Effects of chlorpromazine and bromolysergic acid diethylamide on gastric secretion of acid induced by histamine in rats, 520

ARMITAGE, A. K., and VANE, J. R. Sensitive method for the assay of catechol amines, 204

ASSARSON, N., and EMMELIN, N. Leakage of transmitters in salivary glands, 119

B

BARRETT, A. M. Adventitious factors affecting the concentration of free fatty acids in the plasma of rats, 577

BASIL, B., BLAIR, A. M. J. N., and HOLMES, S. W. Action of sodium 4-hydroxybutyrate on spinal reflexes, 318

BENELLI, G., DELLA BELLA, D., and GANDINI, A. Angiotensin and peripheral sympathetic nerve activity, 211

BENFEY, B. G., and VARMA, D. R. Vasoconstrictor action of tolazoline, 66

——, ——. Influence of methyldopa on central effects of reserpine, 366

BERGMANN, F., PARNAS, I., and REICH, K. Action of the toxin of *Prymnesium parvum* Carter on the guinea-pig ileum, 47

BEVAN, J. A., and SU, C. Sympathetic mechanism in the isolated pulmonary artery of the rabbit, 176

BHAGAT, B. Modification of the effects of guanethidine on cardiac catechol amines by various agents, 238

BHARGAVA, K. P., and CHANDRA, OM. Tranquillizing and hypotensive activities of twelve phenothiazines, 154

——, and JAITLY, K. D. Effect of some phenothiazine tranquillizers on the oestrus cycle of albino mice, 162

BJURÖ, T., and WESTLING, H. Effect of sodium intake on urinary histamine in adrenalectomized rats, 453

BLACKMAN, J. G., and RAY, C. Actions of mecamylamine, dimecamine, pempidine and their two quaternary metho-salts at the neuromuscular junction, 56

BLAIR, A. M. J. N. *See* BASIL, B., *et al.*, 318

BOWMAN, W. C., CALLINGHAM, B. A., and CUTHBERT, A. W. Effects of physostigmine on the mechanical and electrical responses of the cat nictitating membrane, 558

BURN, J. H., and GIBBONS, W. R. Effect of phenoxybenzamine and of tolazoline on the response to sympathetic stimulation, 527

——, ——. Part played by calcium in determining the response to stimulation of sympathetic postganglionic fibres, 540

——, ——. The sympathetic postganglionic fibre and the block by bretylium. The block prevented by hexamethonium and imitated by mecamylamine, 549

BUSFIELD, Dorothy, CHILD, K. J., and TOMICH, E. G. An effect of phenobarbitone on griseofulvin metabolism in the rat, 137

C

CALAM, D. H., and CALLOW, R. K. Histamine protection produced by plant tumour extracts. The active principle of tomato plants infected with crown-gall, 486

CALLINGHAM, B. A. *See* BOWMAN, W. C., *et al.*, 558

CALLOW, R. K. *See* CALAM, D. H., *et al.*, 486

CARLYLE, R. F. Responses of the guinea-pig isolated intact trachea to transmural stimulation and the release of an acetylcholine-like substance under conditions of rest and stimulation, 126

CASTILLO, J. DEL, DE MELLO, W. C., and MORALES, T. Mechanism of the paralysing action of piperazine on ascaris muscle, 463

CHANDRA, Om. *See* BHARGAVA, K. P., *et al.*, 154

CHILD, K. J. *See* BUSFIELD, Dorothy, *et al.*, 137

COX, B. M., and WEINSTOCK, Marta. Quantitative studies of the antagonism by nalorphine of some of the actions of morphine-like analgesic drugs, 289

CUTHBERT, A. W. *See* BOWMAN, W. C., *et al.*, 558

D

DAY, M. D., and RAND, M. J. Some observations on the pharmacology of α-methyldopa, 72

DEL CASTILLO, J. *See* CASTILLO, J. DEL

DELLA BELLA, D. *See* BENELLI, G., *et al.*, 211

DE MELLO, W. C. *See* CASTILLO, J. DEL, *et al.*, 463

DOYLE, D., HARRIS, E. A., and SLAWSON, K. B. Respiratory action of dichlorphenamide, 228

E

EDERY, H. Potentiation of the action of bradykinin on smooth muscle by chymotrypsin, chymotrypsinogen and trypsin, 371

REFERENCES

CHAPMAN, W. P., ARROWOOD, J. G. & BEECHER, H. K. (1943). The analgesic effect of low concentrations of nitrous oxide compared in man with morphine sulphate. *J. clin. Invest.*, **22**, 871–875.

DUNDEE, J. W. (1960). Alterations in response to somatic pain associated with anaesthesia. II. The effect of thiopentone and pentobarbitone. *Brit. J. Anaesth.*, **32**, 407–414.

DUNDEE, J. W., NICHOLL, R. M. & BLACK, G. W. (1962). Alteration in somatic pain associated with anaesthesia. X. Further studies with inhalational agents. *Brit. J. Anaesth.*, **34**, 158–160.

GREY, T. C. (1954). Disintegration of the nervous system. *Ann. roy. Coll. Surg. Engl.*, **15**, 402–419.

HART, E. R. & WEAVER, O. M. (1948). The analgesic and hypnotic actions of barbiturates. *Anesthesiology*, **9**, 276–280.

HEWER, A. J. H. & KEELE, C. A. (1948). A method of testing analgesics in man. *Lancet*, **ii**, 683–688.

KING, E. E. (1956). Differential action of anesthetics and interneurone depressants upon EEG arousal and recruitment responses. *J. Pharmacol. exp. Ther.*, **116**, 404–417.

NEAL, M. J. & ROBSON, J. M. (1964). The measurement of analgesic properties of inhalation drugs given in sub-anaesthetic concentrations. *Brit. J. Pharmacol.*, **22**, 590–596.

SEEVERS, M. A., BENNETT, J. H. & POHLE, H. W. (1937). The analgesia produced by nitrous oxide, ethylene and cyclopropane in the normal human subject. *J. Pharmacol. exp. Ther.*, **59**, 291–300.

WYKE, B. D. (1960). *Principles of General Neurophysiology Relating to Anaesthesia and Surgery*, p. 73. London: Butterworth.

WYLIE, W. D. & CHURCHILL-DAVIDSON, H. C. (1962). *A Practice of Anaesthesia*, p. 1009. London: Lloyd-Luke.

EDGE, N. D. Effects of amphetamine on the responses of the guinea-pig isolated vas deferens preparation to hypogastric nerve stimulation, 408
EISEN, V. Effect of hexadimethrine bromide on plasma kinin formation, hydrolysis of *p*-tosyl-L-arginine methyl ester and fibrinolysis, 87
EMMELIN, N. *See* ASSARSON, N., *et al.*, 119
EVANS, E. R., and WILSON, H. Actions of hemicholinium (HC-3) on neuromuscular transmission, 441
EVANS, M. H. Effects of "paralytic shellfish poison" on frog nerve and muscle, 478

F

FARRANT, J., HARVEY, Judith A., and PENNEFATHER, Jocelyn N. Influence of phenoxybenzamine on the storage of noradrenaline in rat and cat tissues, 164
FLEMING, W. W., and KENNY, A. D. Effect of fasting on the hyperglycaemic responses to catechol amines in rats, 267

G

GANDINI, A. *See* BENELLI, G., *et al.*, 211
GIBBONS, W. R. *See* BURN, J. H., *et al.*, 527, 540, 549
GINSBURG, M. *See* AMURE, B. O., *et al.*, 520
GLOVER, W. E., SHANKS, R. G., and STANFORD, C. F. Peripheral vascular effects of mixtures of isoprenaline and noradrenaline in man, 166
GREEN, A. F., and ROBSON, R. D. Comparison of the effects of bretylium, guanethidine and bethanidine on smooth muscle responses to different rates of sympathetic nerve stimulation, 349

H

HAEFELY, W., HÜRLIMANN, A., and THOENEN, H. Quantitative study of the effect of cocaine on the response of the cat nictitating membrane to nerve stimulation and to injected noradrenaline, 5
HARRIS, E. A. *See* DOYLE, D., *et al.*, 228
HARVEY, Judith A. *See* FARRANT, J., *et al.*, 104
HAWKINS, D. F. Observations on the application of the Robbins–Monro process to sequential toxicity assays, 392
HÖGBERG, K.-G., and LINDVALL, S. Distribution of parenteral iron haematinics in nonpregnant, pregnant and lactating rats, 275
HOLMES, S. W. *See* BASIL, B., *et al.*, 318
HORTON, E. W. Actions of prostaglandins E_1, E_2 and E_3 on the central nervous system, 189
——, and THOMPSON, C. J. Thin-layer chromatography and bioassay of prostaglandins in extracts of semen and tissues of the male reproductive tract, 183
HÜRLIMANN, A. *See* HAEFELY, W., *et al.*, 5

J

JAGO, Margaret. Antibacterial activity of some derivatives of 7-aminocephalosporanic acid against *Staphylococcus aureus* and synergism between these and other antibiotics, 22
JAITLY, K. D. *See* BHARGAVA, K. P., *et al.*, 162

K

KENNY, A. D. *See* FLEMING, W. W., *et al.*, 267
KHAYYAL, M. T. Effects of antimony uptake on the location and pairing of *Schistosoma mansoni*, 342
KOSTERLITZ, H. W., and WALLIS, D. I. Action of morphine-like drugs on impulse transmission in mammalian nerve fibres, 499
KRIVOY, W., and KROEGER, D. Preservation of bradykinin by phenothiazines *in vitro*, 329
KROEGER, D. *See* KRIVOY, W., *et al.*, 329

L

LESLIE, G. B., and MAXWELL, D. R. Some pharmacological properties of thioproperazine and their modification by anti-parkinsonian drugs, 301
LIGHTOWLER, J. E., and RYLANCE, H. J. Anti-inflammatory activity of some substituted phenolic compounds, 221
LINDVALL, S. *See* HÖGBERG, K.-G., *et al.*, 275

M

MAIN, I. H. M. Inhibitory actions of prostaglandins on respiratory smooth muscle, 551
MATTHEWS, E. K., and QUILLIAM, J. P. Effects of central depressant drugs upon acetylcholine release, 415
MAXWELL, D. R. *See* LESLIE, G. B., *et al.*, 301
MAXWELL, G. M. Effects of synthetic eledoisin on the systemic and coronary haemodynamics and metabolism of the intact dog, 585
MORALES, T. *See* CASTELLO, J. DEL, *et al.*, 463
MUSCHOLL, E., and VOGT, Marthe. Secretory responses of extramedullary chromaffin tissue, 193

N

NEAL, M. J., and ROBSON, J. M. Measurement of analgesic properties of inhalation drugs given in sub-anaesthetic concentrations, 590
——, ——. Analgesic properties of sub-anaesthetic doses of anaesthetics in the mouse, 596

P

PARNAS, I. *See* BERGMANN, F., *et al.*, 47
PARRATT, J. R. Comparison of the effects of the plasma kinins, bradykinin and kallidin, on myocardial blood flow and metabolism, 34
PATON, W. D. M., and THOMPSON, J. W. Ganglion blocking action of procainamide, 143
PENNEFATHER, Jocelyn N. *See* FARRANT, J., *et al.*, 104

Q

QUILLIAM, J. P. *See* MATTHEWS, E. K., *et al.*, 415

R

RAND, M. J. *See* DAY, M. D., *et al.*, 72
RANG, H. P. Stimulant actions of volatile anaesthetics on smooth muscle, 356
RAY, C. *See* BLACKMAN, J. G., *et al.*, 56
REICH, K. *See* BERGMANN, F., *et al.*, 47
ROBSON, J. M., and SENIOR, Judith B. 5-Hydroxytryptamine content of the placenta and foetus during pregnancy in mice, 380
——. *See also* NEAL, M. J., *et al.*, 590, 596
ROBSON, R. D. *See* GREEN, A. F., *et al.*, 349
RYLANCE, H. J. *See* LIGHTOWLER, J. E., *et al.*, 221

S

SENIOR, Judith B. *See* ROBSON, J. M., *et al.*, 380
SHANKS, R. G. *See* GLOVER, W. E., *et al.*, 166
SINGH, I. Release of "neurokinin" on nervous and electrical stimulation of a frog stomach muscle preparation, 403
SLAWSON, K. B. *See* DOYLE, D., *et al.*, 228
SMITH, M. W. Some pharmacological properties of uridine nucleotides, 254
STANFORD, C. F. *See* GLOVER, W. E., *et al.*, 166
SU, C. *See* BEVAN, J. A., *et al.*, 176

T

THOENEN, H. *See* HAEFELY, W., *et al.*, 5
THOMPSON, C. J. *See* HORTON, E. W., *et al.*, 183
THOMPSON, J. W. *See* PATON, W. D. M., *et al.*, 143
TOMICH, E. G. *See* BUSFIELD, Dorothy, *et al.*, 137

V

VANE, J. R. *See* ARMITAGE, A. K., *et al.*, 204
VARMA, D. R. *See* BENFEY, B. G., *et al.*, 66, 366
VOGT, Marthe. *See* MUSCHOLL, E., *et al.*, 193

W

WALLIS, D. I. *See* KOSTERLITZ, H. W., *et al.*, 499
WEINSTOCK, Marta. *See* COX, B. M., *et al.*, 289
WESTLING, H. *See* BJURÖ, T., *et al.*, 453
WHITE, T. Observations on a vasoactive material in brain extracts, 113
WHITTLE, B. A. Use of changes in capillary permeability in mice to distinguish between narcotic and non-narcotic analgesics, 246
WILSON, H. *See* EVANS, E. R., *et al.*, 441

SUBJECT INDEX

A

AHR 602. *See* 3-Acetoxy-1-benzyl-1-methylpyrrolidinium bromide

Acetazolamide, response of respiration to, in man, 232

Acetic acid, intraperitoneal, capillary permeability and squirming responses to, effect of anti-inflammatory corticosteroids, central nervous stimulants and narcotic and non-narcotic analgesics on, in mouse, 249

——, ——, squirming response to, effect of stilboestrol on, in mouse, 248

3-Acetoxy-1-benzyl-1-methylpyrrolidinium bromide, effect on release of catechol amines from inferior mesenteric ganglion, 199

Acetylcholine, effect on release of catechol amines from inferior mesenteric ganglion, 199

——, effect on response of cardiac nerve–pulmonary artery preparation to nerve stimulation, 177

——, estimation and identification of, 418

——, release from ganglion and neuromuscular junctions, effect of central nervous depressants, hexamethonium, procaine and tetraethylammonium on, 415

——, release from intact trachea and tracheal muscle preparation during rest and transmural stimulation, 127

——, release from superior cervical ganglion by preganglionic stimulation, effect of procainamide on, 146

——, response of blood pressure to, effect of atropine and phenoxybenzamine on, 262

——, ——, effect of procainamide on, 145

——, response of heart beat to, effect of procainamide on, 152

——, response of hypogastric nerve–vas deferens preparation to, effect of angiotensin on, 213

——, response of nictitating membrane to, effect of atropine and physostigmine on, 564

——, ——, effect of hexamethonium and procainamide on, 147

——, response of pulmonary artery to, effect of atropine, physostigmine and reserpine on, 177

——, ——, effect of bretylium and yohimbine on, 178

——, response of sciatic nerve–tibialis anterior preparation to, effect of hemicholinium on, 445

——, response of small intestine to, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 325

——, ——, effect of bretylium on, 550

——, ——, effect of calcium on, 544

——, ——, effect of carboxypeptidase, proteose–peptone, pseudoglobulin and thrombin on, 376

——, ——, effect of chymotrypsin, chymotrypsinogen and trypsin on, 373

——, ——, effect of morphine on, 53

——, ——, effect of procainamide on, 151

——, ——, effect of *Prymnesium parvum* toxin on, 49, 50

——, response of stomach strip to, effect of catechol amines on, 206

——, response of tracheal muscle preparations to, effect of prostaglandins on, 512

——, response of uterus to, effect of chymotrypsin on, 377

——, ——, effect of *Prymnesium parvum* toxin on, 54

3-*O*-Acetyl-6,14-*endo*-etheno-5,7,8,8-tetrahydro-7α-(2-hydroxypent-2-yl)oripavine, analgesic action of, effect of nalorphine on, 294

3-*O*-Acetyl-6,14-*endo*-, etc. (*cont.*)

——, effect on skin temperature, 296

——, induction of lenticular opacity by, effect of nalorphine on, 291

Acetylsalicylic acid, sodium salt, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246

Activity, voluntary, effect of chlorpromazine and thioproperazine on, in mouse, 306

——, ——, effect of intracerebral prostaglandins on, in cat, 190

Adenosine monophosphate, response of blood pressure to, 116

Adenosine triphosphate, effect on response of goldfish intestine to uridine nucleotides, 258

——, response of goldfish intestine to, 258

Adrenalectomy, effect on action of nicotine on response of blood pressure to angiotensin, 217

——, effect on action of sodium intake on urinary histamine excretion, in rat, 453

——, effect on response of blood pressure to guanethidine, 241

Adrenaline, assay of, in presence of noradrenaline, 208

——, effect on response of small intestine and uterus to electrical stimulation, action of phenoxybenzamine, 109

——, effect on thermal conductivity of skin, in man, 168

——, glycogenolytic and hypoglycaemic actions of, effect of fasting on, in rat, 267

——, release from inferior mesenteric ganglion, at rest and in response to nerve stimulation, 196

——, ——, effect of acetylcholine, AHR 602, angiotensin, bradykinin, dimethylphenylpiperazinium, pilocarpine and tyramine on, 199

——, response of blood pressure to, effect of chlorpromazine and thioproperazine on, 304

——, ——, effect of phenoxybenzamine and pronethalol on, 262

——, ——, effect of procainamide on, 145

——, response of nictitating membrane to, effect of atropine and physostigmine on, 565, 571

——, ——, effect of hexamethonium on, 564

——, response of peripheral blood flow to, in man, 167

——, response of stomach strip to, 206

——, response of uterus to, effect of dichloroisoprenaline and phenoxybenzamine on, 106

——, sialogenous action of, effect of atropine and Hoechst 9980 on, 121

See also Catechol amines

Adrenergic blocking agents, effect on enzymatic destruction of bradykinin by brain extracts, 333

——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335

——, effect on response of blood pressure to guanethidine, noradrenaline and tyramine, 241

Amidopyrine, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246

γ-Aminobutyric acid, effect on convulsant action of picrotoxin and strychnine, 324

——, effect on response of blood pressure to adrenaline and carotid occlusion, 320

——, effect on response of nictitating membrane to sympathetic stimulation, 320

——, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, 325

γ-Amino-butyric acid (*cont.*)
——, effect on response of sciatic nerve–tibialis muscle preparation to nerve stimulation, 320
——, effect on response of small intestine to acetylcholine and transmural stimulation, 325
——, effect on spinal reflexes, 320, 322
——, local anaesthetic action of, 324
——, response of blood pressure to, 320
7-Aminocephalosporanic acid, derivatives of, antibacterial activity of, and synergism with other antibiotics, 22
Aminoguanidine, effect on action of chlorpromazine and iproniazid on histamine-induced acid gastric secretion, in rat, 522
——, effect on histamine-induced acid gastric secretion, and action of iproniazid, in rat, 522
Aminophylline, effect on response of stomach strip to 5-hydroxytryptamine, 208
Amphetamine, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 251
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 408
——, effect on response of vas deferens to noradrenaline, 412
See also Dexamphetamine
Amylobarbitone, effect on acetylcholine release and transmission in ganglion, and action of choline, 415
Anaesthetics, inhalation, analgesic action of, in animals, apparatus for, 590
——, ——, ——, in mouse, 596
——, volatile, effect on response of small intestine to histamine, 361
——, ——, relation between smooth-muscle-stimulant and convulsant actions, 356
Anaesthetic action, local, of γ-aminobutyric acid and meprobamate, 324
——, of halothane and trichloroethylene, effect of nitrous oxide on, 600
——, of hexobarbitone, effect of chlorpromazine and thioproperazine on, 306
Analgesics, effect on impulse transmission in nerve fibres, 508
——, morphine-like, antagonism by nalorphine, 289
——, narcotic and non-narcotic, distinction between, 246
Analgesic action, of chlorpromazine and thioproperazine, 306
——, of inhalation anaesthetics, in animals, apparatus for, 590
——, of inhalation anaesthetics and methadone, in mouse, 596
——, of M 183, methadone, morphine and pethidine, effect of nalorphine on, 294
——, relation to ability to affect capillary permeability, in mouse, 246
Angiotensin, effect on peripheral sympathetic nerve activity, 211
——, effect on release of catechol amines from inferior mesenteric ganglion, 200
——, effect on response of hypogastric nerve–vas deferens preparation to acetylcholine, nerve stimulation and noradrenaline, 212
——, effect on response of splenic nerve–spleen preparation to nerve stimulation, 213
——, effect on response of splenic nerve–spleen preparation to noradrenaline, 214
——, response of blood pressure to, effect of nicotine on, and action of hexamethonium, 215
——, ——, effect of tetramethylammonium on, 215
Angiotensin (*cont.*)
——, response of hypogastric nerve–vas deferens preparation to, 213
——, response of splenic nerve–spleen preparation to, 213
Antiacetylcholine action, of *Prymnesium parvum* toxin, 50
Antiadrenaline action, of dihydroergotamine, 122
Antiadrenaline agents, effect on responses to sympathetic stimulation, 527
Antiamphetamine action, of bulbocapnine, chlorpromazine, methotrimeprazine, prochlorperazine, 9620 RP, thioproperazine and trifluoperazine, 308
——, of thioproperazine, effect of antiparkinsonian drugs on, 310
Antibacterial activity, of 7-aminocephalosporanic acid derivatives, benzylpenicillin and methicillin, and synergism with other antibiotics, 22
Anticholinesterase activity, of phenoxybenzamine and tolazoline, 532
Anticonvulsant action, of chlorpromazine, methotrimeprazine, prochlorperazine, 9620 RP and trifluoperazine, 308
Antiemetic action, of chlorpromazine, prochlorperazine and thioproperazine, 308
Antihistamine action, of extracts from crown-gall-infected and normal tomato plants and of tomatine, 486
——, of solanine, solasonine and tomatidine, 496
Antihypertensive action, of α-methyldopa, 83
See also Hypotensive action
Anti-inflammatory action, of substituted dihydroxybenzenes, 221
Anti-inflammatory agents, steroid, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 251
Antimony potassium tartrate, effect on location and pairing of schistosomes in host, 342
——, uptake and elimination by schistosomes, 342
Antiparkinsonian agents, effect on central action of thioproperazine, 310
Apomorphine, emetic action of, effect of bulbocapnine, chlorpromazine, prochlorperazine and thioproperazine on, 308
——, ——, effect of thioproperazine on, action of antiparkinsonian drugs, 311
Artery, pulmonary, rabbit, sympathetic mechanisms in, 176
——, ——, response to acetylcholine, effect of atropine, physostigmine and reserpine on, 177
——, ——, ——, effect of bretylium and yohimbine on, 178
——, ——, response to atropine, hemicholinium and physostigmine, 178
Ascaris lumbricoides, muscle of, paralysing action of piperazine on, 463
Aspirin. *See* Acetylsalicylic acid
Atropine, effect on response of blood pressure to acetylcholine and uridine nucleotides, 262
——, effect on response of blood pressure to vasoactive material in brain extracts, 115
——, effect on response of cardiac nerve–pulmonary artery preparation to nerve stimulation, 178
——, effect on response of intact trachea to transmural stimulation, 130
——, effect on response of nictitating membrane to acetylcholine, and action of hexamethonium, 564
——, effect on response of nictitating membrane to sympathetic stimulation, 570
——, effect on response of pulmonary artery to acetylcholine, 177

Atropine (*cont.*)
——, effect on response of small intestine to 5-hydroxytryptamine and *Prymnesium parvum* toxin, 52
——, effect on response of vagus nerve–stomach muscle preparations to nerve stimulation, 406
——, effect on sialogenous action of adrenaline, 122
——, response of pulmonary artery to, 178
6-Azauridine diphosphate, response of goldfish intestine to, 256

B

Ba-20227. *See* 1-Diethylaminoethyl-2-*p*-methoxybenzyl-5-nitrobenzimidazole
BW392C60. *See* *N*-*o*-Chlorobenzyl-*N'N''*-dimethylguanidine
BW467C60. *See* Bethanidine
Bacillus anthracis, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Bacterium friedlanderi, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Barium carbonate, induction of kinin formation by, effect of hexadimethrine on, 93
Barium chloride, response of tracheal muscle preparations to, effect of prostaglandins on, 515
Benzethonium, effect on induction of kinin formation by glass, 94
Benztropine, effect on central action of thioproperazine, 310
4-Benzyl-2,6-dibromoresorcinol, anti-inflammatory action and toxicity of, 221
Benzylpenicillin, antibacterial action of, and synergism with other antibiotics, 24
4- *and* 5-Benzylresorcinol, anti-inflammatory action of, 221
Bethanidine, effect on response of smooth muscle preparations to sympathetic stimulation, 349
Biventer cervicis muscle preparation, chick, response to dimecamine and its methiodide, mecamylamine, pempidine and its methiodide and tetraethylammonium, 62
Blood, 5-hydroxytryptamine in, effect of iproniazid on, in mouse, 388
——, ——, effect of pregnancy on, in mouse, 383
——, ——, effect of subcutaneous 5-hydroxytryptamine on, in mouse, 385
Blood cells, red. *See* Erythrocytes
Blood flow, coronary, response to uridine nucleotides, 262
——, myocardial, response to bradykinin and kallidin, 34
——, ——, response to kallikrein, 43
——, peripheral, response to adrenaline and isoprenaline–noradrenaline mixtures, in man, 166
——, resistance to, effect of sympathetic stimulation on action of bethanidine, bretylium and guanethidine, 352
——, response to Hydergine, phenoxybenzamine and piperoxan, in reserpine-treated dog, 69
——, response to isoprenaline, noradrenaline and tolazoline, in reserpine-treated dog, 68
Blood plasma, free fatty acids in, factors affecting, in rat, 577
——, noradrenaline in, effect of dichloroisoprenaline, noradrenaline and phenoxybenzamine on, in cat and rat, 110
Blood pressure, response to acetylcholine, adrenaline, carotid occlusion, histamine, nicotine, noradrenaline and vagal stimulation, effect of procainamide on, 145
——, response to acetylcholine and uridine nucleotides, and effect of atropine and phenoxybenzamine on, 262
Blood Pressure (*cont.*)
——, response to adenosine monophosphate and uridine phosphates, 116
——, response to adrenaline and carotid occlusion, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 320
——, response to adrenaline and noradrenaline, effect of chlorpromazine and thioproperazine on, 304
——, response to adrenaline and uridine nucleotides, and effect of phenoxybenzamine and pronethalol on, 259
——, response to γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate, 320
——, response to angiotensin, effect of nicotine on, and action of hexamethonium, 215
——, ——, effect of tetramethylammonium on, 215
——, response to bradykinin, 36
——, response to brain extracts, effect of atropine, hexamethonium, mepyramine, methysergide, phenoxybenzamine and pronethalol on, 114
——, response to carotid occlusion, effect of α-methyldopa on, 75
——, response to carotid occlusion and noradrenaline, effect of phenothiazine derivatives on, 158
——, response to chlorpromazine and thioproperazine, 304
——, response to clupeine sulphate, histone, potassium chloride, salmine sulphate and sodium glutamate, 116
——, response to eledoisin, 585
——, response to guanethidine, effect of adrenalectomy on, 241
——, response to guanethidine, noradrenaline and tyramine, effect of BW392C60, bretylium and cocaine on, 241
——, response to hemicholinium, 442
——, response to Hydergine, phenoxybenzamine and piperoxan, in reserpine-treated dog, 69
——, response to kallidin, 40
——, response to kallikrein, 43
——, response to kidney and liver extracts, 115
——, response to α-methyldopa, 78
——, response to α-methylnoradrenaline, noradrenaline and tyramine, effect of α-methyldopa on, 78
——, response to noradrenaline and tyramine, effect of α-methyldopa, α-methyldopamine and α-methylnoradrenaline on, in reserpine-treated cat, 79
——, response to procainamide, 144
——, response to prostaglandins, 516
——, response to tyramine, effect of α-methyldopa-α-methyldopamine and α-methylnoradrenaline on, in reserpine-treated rat, 80
See also Antihypertensive action *and* Hypotensive action *and* Pressor action
Blood serum, enzymatic destruction of bradykinin by, effect of chlorpromazine on, 333
Blood vessels, myocardial, response to bradykinin, 36, 40
——, ——, response to kallidin, 40
——, peripheral, response to sympathetic stimulation, effect of bretylium, bethanidine and guanethidine on, 350
——, response to eledoisin, 585
——, response to uridine nucleotides, 262
——, response to vasoactive material in brain extracts, and effect of phenoxybenzamine on, 116
See also Cardiovascular action *and* Vascular effects *and* Vasoconstrictor action *and* Vasodilator action

Bones, localization of iron in, after parenteral iron haematinics, in rat, 275
Bradykinin, bioassay of, 331
——, effect on blood pressure, heart rate, metabolism, myocardial blood flow and vascular resistance, 34
——, effect on release of catechol amines from inferior mesenteric ganglion, 200
——, enzymatic destruction of, by brain extracts, effect of adrenergic and ganglionic blocking agents, hydroxyzine, phenothiazine derivatives, phenoxybenzamine and tranquillizers on, 329
——, response of small intestine to, effect of albumin, Bacto-peptone, carboxypeptidase, plasmin, proteose–peptone, pseudoglobulin and thrombin on, 376
——, ——, effect of *Prymnesium parvum* toxin on, 50
——, response of small intestine and uterus to, effect of chymotrypsin, chymotrypsinogen and trypsin on, 371
——, response of uterine strips to, 331
——, response of uterus to, effect of chymotrypsin, chymotrypsinogen and trypsin on, 376
Brain, carboxypeptidase-B-like activity in, 334
——, extracts of, enzymatic destruction of bradykinin by, effect of adrenergic and ganglionic blocking agents, phenothiazine derivatives, phenoxybenzamine and tranquillizers on, 331
——, ——, vasoactive material in, effect on action of acetylcholine on response of sciatic nerve–gastrocnemius preparation to nerve stimulation, 116
——, ——, ——, effect on response of sciatic nerve–gastrocnemius preparation to nerve stimulation, 116
——, ——, ——, effect on response of small intestine and uterus to acetylcholine, 116
——, ——, ——, extraction, chromatographic purification, properties and stability of, 113
——, ——, ——, response of blood pressure to, effect of atropine, hexamethonium, mepyramine, methysergide, phenoxybenzamine and pronethalol on, 114
——, ——, ——, response of blood vessels to, and effect of phenoxybenzamine on, 116
——, ——, ——, response of small intestine and uterus to, 116
Bretylium, effect on response of blood pressure to guanethidine, noradrenaline and tyramine, 241
——, effect on response of cardiac nerve–pulmonary artery preparation to nerve stimulation, 178
——, effect on response of periarterial nerve–ileum preparation to acetylcholine, nerve stimulation and nicotine, 549
——, effect on response of periarterial nerve–ileum preparation to nerve stimulation, and action of hemicholinium, hexamethonium and pentolinium, 552
——, effect on response of pulmonary artery to acetylcholine, 178
——, effect on response of smooth muscle preparations to sympathetic stimulation, 349
Bretylium-like action, of mecamylamine and pempidine, 554
2-Bromolysergic acid diethylamide, effect on histamine-induced acid gastric secretion, and action of aminoguanidine and iproniazid, in rat, 520
——, effect on response of vagus nerve–stomach muscle preparations to nerve stimulation, 406
——, inhibition of imidazole-*N*-methyl transferase activity, 522
4-Bromo-5-methylresorcinol, anti-inflammatory action and toxicity of, 221
Bronchoconstrictor action, of histamine and vagal stimulation, effect of prostaglandins on, 516
***Brucella* spp.,** activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Bulbocapnine, effect on apomorphine-induced emesis and dexamphetamine-induced agitation, 308
——, induction of catatonia by, 308
N-Butylveratramine toxicity of, 394
γ-Butyrolactone, effect on spinal reflexes, 322

C

Calcium, effect on release of noradrenaline from postganglionic fibres, 547
——, effect on response of periarterial nerve–ileum preparation to nerve stimulation and noradrenaline, and action of magnesium, 540
Capillary permeability, response to dextran, kallikrein, ovomucoid trypsin inhibitor, permeability factor and tetrahydrofurfuryl alcohol, effect of hexadimethrine on, 99
——, response to hexadimethrine, 99
——, response to intracutaneous kaolin, effect of hexadimethrine, mepyramine, permeability factor and soya-bean trypsin inhibitor on, 98
——, response to intraperitoneal acetic acid, effect of anti-inflammatory corticosteroids, central nervous stimulants and narcotic and non-narcotic analgesics on, in mouse, 246
Carboxymethylcellulose. *See* Sodium carboxymethylcellulose
Carboxypeptidase B, destruction of bradykinin by, effect of chlorpromazine on, 333
——, hydrolysis of hippuryl-L-arginine by, effect of adrenergic and ganglionic blocking agents, phenothiazine derivatives, phenoxybenzamine and tranquillizers on, 334
——, ——, effect of chlorpromazine on, 334
——, ——, ——, and action of zinc ions, 337
Cardiac nerve–pulmonary artery preparation, rabbit, response to nerve stimulation, effect of acetylcholine, atropine, bretylium, hemicholinium, physostigmine and yohimbine on, 177
——, ——, ——, effect of reserpine on, 179
Cardiovascular action, of uridine nucleotides, 259
See also Blood vessels
Carotid occlusion, response of blood pressure to, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 320
——, ——, effect of α-methyldopa on, 76
——, ——, effect of phenothiazine derivatives on, 158
——, ——, effect of procainamide on, 145
Catatonia, induction by bulbocapnine, chlorpromazine, methotrimeprazine, prochlorperazine, 9620 RP, thioproperazine and trifluoperazine, 308
——, induction by chlorpromazine and thioproperazine, 307
——, induction by intracerebral prostaglandins, 190
——, induction by thioproperazine, effect of antiparkinsonian drugs on, 310
Catechol amines, effect on response of stomach strip to acetylcholine, dexamphetamine and 5-hydroxytryptamine, 206
——, in heart, effect of guanethidine on, action of hemicholinium, and effect of choline, 241
——, ——, ——, and action of β-methyl xylocholine, 238
——, ——, effect of hemicholinium and β-methyl xylocholine on, 240

Catechol amines (*cont.*)
——, sensitive assay method for, 204
Celite, induction of kinin formation by, effect of hexadimethrine on, 93
Central action, of bulbocapnine, methotrimeprazine, prochlorperazine, 9620 RP and trifluoperazine, 308
——, of chlorpromazine and thioproperazine, and effect of antiparkinsonian drugs on, 306
——, of dexamphetamine, effect of bulbocapnine, chlorpromazine, methotrimeprazine, propchlorperazine, 9620 RP, thioproperazine and trifluoperazine on, 308
——, ——, effect of chlorpromazine, phenoxybenzamine, phentolamine and thioproperazine on, 306
——, of reserpine, effect of methyldopa on, 366
Cephaloram, antibacterial activity of, and synergism with other antibiotics, 22
Cephalosporin C, antibacterial activity of, and synergism with other antibiotics, 22
Cephalosporin C_A (pyridine), antibacterial activity against *Staphylococcus aureus*, and synergism with other antibiotics, 22
Cephalosporin P_1, antibacterial activity against *Staphylococcus aureus*, synergism with other antibiotics, 28
Cetrimide, effect on induction of kinin formation by glass, 94
Chloral hydrate, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, and action of choline, 415
Chlordiazepoxide, effect on enzymatic destruction of bradykinin by brain extracts, 333
N-o-Chlorobenzyl-*N'N''*-dimethylguanidine, effect on response of blood pressure to guanethidine, noradrenaline and tyramine, 242
Chloroform, response of small intestine to, and effect of cocaine, hexamethonium, lachesine and mepyramine on, 358
4-Chloro-5-methylresorcinol, anti-inflammatory action and toxicity of, 221
2-Chloro-1,1,2-trifluoroethyl ethyl ether, response of small intestine to, and effect of cocaine, hexamethonium, lachesine and mepyramine on, 358
Chlorpromazine, effect on enzymatic destruction of bradykinin by brain extracts, 332
——, effect on enzymatic destruction of bradykinin by carboxypeptidase B, chymotrypsin and serum, 333
——, effect on hexobarbitone sleeping time, action of methyldopa, 367
——, effect on histamine-induced acid gastric secretion, and action of aminoguanidine and iproniazid, in rat, 520
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase, and action of zinc ions, 334
——, effect on oestrous cycle, in albino mouse, 162
——, hypotensive, sedative and tranquillizing actions of, 154
——, inhibition of imidazole-*N*-methyl transferase activity by, 522
——, pharmacological actions and toxicity of, comparison with thioproperazine, 301
Chlorpromazine sulphoxide, effect on conditioned and unconditioned responses and forced locomotor activity, 157
Choline, effect on action of central nervous depressants on acetylcholine release and transmission in ganglion, 424
——, effect on action of hemicholinium on effect of guanethidine on catechol amines in heart, 241
Choline (*cont.*)
——, effect on neuromuscular-blocking action of hemicholinium, 446
Chromaffin tissue, extramedullary, secretory responses of, 193
Chymotrypsin, destruction of bradykinin by, effect of chlorpromazine on, 333
——, effect on response of small intestine and uterus to acetylcholine, bradykinin, histamine and 5-hydroxytryptamine, 371
——, effect on response of uterus to acetylcholine, bradykinin and 5-hydroxytryptamine, 376
——, response of small intestine to, effect of mepyramine on, 372
——, response of uterus to, 376
Chymotrypsinogen, effect on response of small intestine and uterus to acetylcholine, bradykinin and histamine, 371
——, effect on response of uterus to bradykinin, 376
——, response of small intestine to, 374
——, response of uterus to, 376
Cinchophen, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
Citric acid, intraperitoneal, capillary permeability and squirming responses to, in mouse, 248
Clam. *See Saxidomus giganteus*
Clupeine sulphate, response of blood pressure to, 116
Cocaine, effect on response of blood pressure to guanethidine, noradrenaline and tyramine, 241
——, effect on response of nictitating membrane to noradrenaline, 5
——, effect on response of nictitating membrane to sympathetic stimulation, and action of reserpine, 5
——, effect on response of small intestine to nicotine and volatile anaesthetics, 359
——, response of nictitating membrane to, effect of reserpine on, 8
Codeine, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
——, response of respiration to, 305
Compound 22. *See* 2-Chloro-1,1,2-trifluoroethyl ethyl ether
Compound 46. *See* 1-Methoxynonafluorocyclohexene
Compound 50. *See* 1*H*,4*H*-Octafluorocyclohexene
Compound 53. *See* 4*H*-Nonafluorocyclohexene
Convulsant action, of leptazol, effect of methyldopa on, 368
——, ——, effect of reserpine on, action of methyldopa, 368
——, of physostigmine, and effect of atropine on, 565
——, of picrotoxin and strychnine, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 324
——, of tryptamine, effect of chlorpromazine, methotrimeprazine, prochlorperazine, 9620 RP, thioproperazine and trifluoperazine on, 308
——, ——, effect of chlorpromazine and thioproperazine on, 306
——, of volatile anaesthetics, relation to smooth-muscle-stimulant action, 360
Corticosteroids. *See* Steroids, cortico-,
Cortisone, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 251
Corynebacterium diphtheriae, activity of benzylpenicillin cephaloram and cephalosporin C against, 24

Cyclopropane, analgesic action of, 596
Cyproheptadine, effect on parturition, in mouse, 388

D

Decamethonium, effect on induction of kinin formation by glass, 94
——, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, 60
Depressants, central nervous, effect on release of acetylcholine from ganglion and neuromuscular junctions, 415
——, ——, ganglion- and neuromuscular-blocking actions of, 419
Desacetylcephalosporin C, antibacterial activity against *Staphylococcus aureus*, and synergism with other antibiotics, 22
Desacetylcephalosporin C lactone, antibacterial activity against *Staphylococcus aureus*, and synergism with other antibiotics, 22
Dexamphetamine, central action of, effect of bulbocapnine, chlorpromazine, methotrimeprazine, prochlorperazine, 9620 RP, thioproperazine and trifluoperazine, 308
——, ——, effect of chlorpromazine, phenoxybenzamine, phentolamine and thioproperazine on, 306
——, response of stomach strip to, effect of catechol amines on, 206
See also Amphetamine
Dextran, effect on capillary permeability, action of hexadimethrine, 99
Dextromoramide, induction of lenticular opacity by, effect of nalorphine on, 291
2,6-Diacetoxy-3,5-dichloro-4-methylbenzoic acid, anti-inflammatory action, preparation and toxicity of, 221
3,5-Diacetoxy-2,4,6-tribromotoluene, anti-inflammatory action, preparation and toxicity of, 221
Diamine-oxidase inhibitors, effect on action of chlorpromazine on histamine-induced acid gastric secretion, in rat, 522
Diamorphine, induction of lenticular opacity by, effect of nalorphine on, 291
2,6-Dibromo-4-methylresorcinol, anti-inflammatory action of, 221
4,6-Dibromo-2-methylresorcinol, anti-inflammatory action and toxicity of, 221
3,5-Dibromo-2,4,6-trihydroxyacetophenone, anti-inflammatory action and toxicity of, 221
Dichloroisoprenaline, effect on action of reserpine on response of blood pressure to tolazoline, 67
——, effect on noradrenaline in blood plasma, in cat and rat, 110
——, effect on noradrenaline in tissues, 106
——, effect on noradrenaline uptake by tissues, in cat and rat, 106, 107
——, effect on response of heart beat to tolazoline, 67
——, effect on response of uterus to adrenaline and noradrenaline, 106
4,6-Dichloro-5-methylresorcinol, anti-inflammatory action and toxicity of, 221
Dichlorphenamide, response of respiration to, in man, 228
1-Diethylaminoethyl-2-*p*-methoxybenzyl-5-nitrobenzimidazole, effect on impulse transmission in nerve fibres, 507
p-Di(2-hydrazinoethoxy)benzene, effect on 5-hydroxytryptamine in foetus and placenta, in mouse, 387
Dihydroergotamine, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
Dihydroergotamine (*cont.*)
——, effect on induction of salivation by parasympathetic stimulation, 122
——, effect on induction of salivation by sympathetic stimulation, 120
——, effect on sialogenous action of guanethidine, 121
——, effect on sialogenous action of methacholine, 124
——, response of tracheal muscle preparations to, effect of prostaglandins on, 513
Dihydroxybenzenes, substituted, anti-inflammatory action and toxicity of, 221
2,4-*and* 3,5-Dihydroxybenzophenone, anti-inflammatory action and toxicity of, 221
3,5-Dihydroxybenzyl alcohol, anti-inflammatory action and toxicity of, 221
2,6-Dihydroxy-4-methyl-3,5-dinitrosobenzoic acid, anti-inflammatory action, preparation and toxicity of, 221
Dimecamine, and its methiodide, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, and action of calcium concentration, neostigmine, *p*H, stimulus frequency and tetanus, 56
——, ——, response of biventer cervicis muscle preparation to, 62
7-(2,6-Dimethoxybenzamido)cephalosporanic acid, antibacterial activity against *Staphylococcus aureus*, and synergism with other antibiotics, 22
[2-(2,6-Dimethylphenoxy)propyl]trimethylammonium, effect on action of guanethidine on catechol amines in heart, 240
——, effect on catechol amines in heart, 240
——, effect on uptake of noradrenaline by heart, 240
1,1-Dimethyl-4-phenylpiperazinium bromide, effect on release of catechol amines from inferior mesenteric ganglion, 199
2-Dimethylsulphamoyl-10-[3-(4-methanesulphonylpiperazin-1-yl)propyl]phenothiazine, effect on dexamphetamine-induced agitation and tryptamine-induced convulsions, 308
——, induction of catatonia by, 308
αα-Diphenyl-γ-piperidinobutyramide, effect on induction of salivation by sympathetic stimulation, 120
——, effect on sialogenous action of adrenaline and guanethidine, 121
——, effect on sialogenous action of Synephrine, 122
Di(2,2,2-trifluoroethyl) ether, response of small intestine to, and effect of cocaine, lachesine, hexamethonium and mepyramine on, 358
Dopa, effect on response of hypogastric nerve–vas deferens preparation from reserpine-treated guinea-pig to nerve stimulation, 79
——, effect on response of small intestine from reserpine-treated rabbit to sympathetic stimulation, 78
Dopamine, effect on response of hypogastric nerve–vas deferens preparation from reserpine-treated guinea-pig to nerve stimulation, 79
——, effect on response of small intestine from reserpine-treated rabbit to sympathetic stimulation, 78

E

Edrophonium, effect on neuromuscular-blocking action of hemicholinium, 446
Eledoisin, effect on haemodynamics and metabolism, in dog, 585
Emetic action, of apomorphine, effect of bulbocapnine, chlorpromazine, prochlorperazine and thioproperazine on, 308

Emetic action (*cont.*)
——, ——, effect of thioproperazine on, action of antiparkinsonian drugs, 311
——, of methyldopa, 369
——, of reserpine, effect of methyldopa on, 369
Ephedrine, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 251
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 412
Erythrocytes, localization of iron in, after parenteral iron haematinics, in rat, 275
Escherichia coli, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Ether, analgesic action of, in mouse, 596
Ethyl chloride, analgesic action of, in mouse, 596

F

Fasting, effect on glycogenolytic and hypoglycaemic actions of adrenaline, noradrenaline and isoprenaline, in rat, 267
Fatty acids, free, in plasma, factors affecting, in rat, 577
Fibrinolysis, effect of hexadimethrine on, 96
Fluopromazine, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on oestrous cycle, in albino mouse, 162
——, hypotensive, sedative and tranquillizing actions of, 154
Fluoromar. *See* 2,2,2-Trifluoroethyl vinyl ether
5-Fluorouridine 5′-mono- *and* -tri-phosphate, response of goldfish intestine to, 256
Foetus, 5-hydroxytryptamine in, effect of monoamine-oxidase inhibitors, season and subcutaneous 5-hydroxytryptamine on, in mouse, 380
——, localization of iron in, after parenteral iron haematinics, in pregnant rat, 275
Frog, stomach muscle of, release of polypeptides from, by direct and indirect stimulation, 403
Fusidic acid, antibacterial activity against *Staphylococcus aureus*, synergism with other antibiotics, 28

G

Gall, crown, tomato plants infected with, extracts of, antihistamine action of, 486
Ganglia, action potentials in, effect of procainamide on, 148
——, inferior mesenteric, release of adrenaline and noradrenaline by, at rest and in response to nerve stimulation, 196
——, ——, ——, effect of acetylcholine, AHR 602, angiotensin, bradykinin, dimethylphenylpiperazinium, pilocarpine and tyramine on, 199
——, superior cervical, acetylcholine release induced by preganglionic stimulation, effect of procainamide on, 146
Ganglion-blocking action, of central nervous depressants, 419
——, of hexamethonium and procainamide, 143
——, of trichloroethanol, 424
Ganglion-blocking agents, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
Ganglion-stimulant action, of methylpentynol carbamate, 420
Gastric secretion, acid, induction by histamine, effect of aminoguanidine and iproniazid on, 522
——, ——, ——, effect of bromolysergic acid diethylamide and chlorpromazine on, and action of aminoguanidine and iproniazid, in rat, 520
Glass, induction of kinin formation by, effect of benzethonium, cetrimide, decamethonium, hexamethonium, pentamethonium, protamine sulphate, soya-bean trypsin inhibitor and toluidine blue on, 94
——, ——, effect of hexadimethrine on, 92
Glutamic acid, sodium salt, response of blood pressure to, 116
Glycogenolytic action, of adrenaline and isoprenaline, effect of fasting on, in rat, 271
Griseofulvin, *in-vivo* and *in-vitro* metabolism of, effect of phenobarbitone on, 137
Guanethidine, effect on catechol amines in heart, action of hemicholinium, and effect of choline, 241
——, ——, and action of β-methyl xylocholine, 238
——, effect on response of nictitating membrane to sympathetic stimulation, 561
——, effect on response of small intestine to sympathetic stimulation, action of α-methyldopa, α-methyldopamine and α-methylnoradrenaline, 82
——, effect on response of smooth muscle preparations to sympathetic stimulation, 349
——, response of blood pressure to, effect of adrenalectomy on, 241
——, ——, effect of BW392C60, bretylium and cocaine on, 241
——, sialogenous action of, effect of dihydroergotamine and Hoechst 9980 on, 121

H

HP 1325. *See* *p*-Di(2-hydrazinoethoxy)benzene
Haematinics, iron, parenteral, distribution of, in lactating, nonpregnant and pregnant rats, 275
Haemophilus influenzae, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Hageman factor, inhibition by hexadimethrine, 90
Halothane, alone and with nitrous oxide, anaesthetic and analgesic actions of, in mouse, 596
——, response of small intestine to, and effect of cocaine, lachesine, hexamethonium and mepyramine on, 358
Heart, catechol amines in, effect of guanethidine on, action of hemicholinium, and effect of choline, 241
——, ——, ——, and action of β-methyl xylocholine, 238
——, ——, effect of hemicholinium and β-methyl xylocholine on, 240
——, noradrenaline in, effect of dichloroisoprenaline and phenoxybenzamine on, 104
——, uptake of noradrenaline by, effect of hemicholinium and β-methyl xylocholine on, 240
——, ——, effect of phenoxybenzamine on, 104
Heart beat, response to acetylcholine, effect of procainamide on, 152
——, response to bradykinin, 36
——, response to eledoisin, 585
——, response to kallidin, 40
——, response to noradrenaline, effect of phenoxybenzamine on, 108
——, response to procainamide, 152
——, response to prostaglandins, 516
——, response to uridine nucleotides, 262, 263
Hemicholinium, effect on action of bretylium on response of periarterial nerve–ileum preparation to nerve stimulation, 554

Hemicholinium (*cont.*)
——, effect on action of guanethidine on catechol amines in heart, and action of choline, 241
——, effect on catechol amines in heart, 240
——, effect on response of cardiac nerve–pulmonary artery preparation to nerve stimulation, 178
——, effect on response of sciatic nerve–tibialis anterior preparation to acetylcholine, 445
——, effect on response of sciatic nerve–tibialis anterior preparation to nerve stimulation, and action of choline, edrophonium and neostigmine, 441
——, effect on uptake of noradrenaline by heart, 241
——, response of blood pressure to, 442
——, response of pulmonary artery to, 178
Heparin, effect on inhibitory action of hexadimethrine on plasma-kinin formation, 94
——, effect on inhibitory action of hexadimethrine on hydrolysis of *p*-tosyl-L-arginine methyl ester by plasma and serum, 96
Hexadimethrine, effect on action of dextran, kallikrein, ovomucin trypsin inhibitor, permeability factor and tetrahydrofurfuryl alcohol on capillary permeability, 99
——, effect on action of intracutaneous kaolin on capillary permeability, 98
——, effect on capillary permeability, 99
——, effect on plasma-kinin formation, hydrolysis of *p*-tosyl-L-arginine methyl ester and fibrinolysis, 87
Hexafluorodiethyl ether. *See* Di(2,2,2-trifluoroethyl) ether
Hexamethonium, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, 427
——, effect on action of bretylium on response of periarterial nerve–ileum preparation to nerve stimulation, 552
——, effect on action of nicotine on response of blood pressure to angiotensin, 216
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on induction of kinin formation by glass, 94
——, effect on response of blood pressure to vasoactive material in brain extracts, 115
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 411
——, effect on response of intact trachea to transmural stimulation, 130
——, effect on response of nictitating membrane to acetylcholine, 147
——, effect on response of nictitating membrane to adrenaline, 564
——, effect on response of nictitating membrane to preganglionic stimulation, 146, 149
——, effect on response of nictitating membrane to sympathetic stimulation, 563
——, effect on response of small intestine to nicotine and volatile anaesthetics, 359
Hexobarbitone, anaesthetic action of, effect of chlorpromazine and thioproperazine on, 306
——, sleeping time due to, effect of chlorpromazine, 5-hydroxytryptamine and reserpine on, and action of methyldopa, 367
Hippuryl-L-arginine, hydrolysis by carboxypeptidase B, effect of adrenergic and ganglionic blocking agents, phenothiazine derivatives, phenoxybenzamine and tranquillizers on, 334
Histamine, bronchoconstrictor action of, effect of extracts from crown-gall-infected and normal tomato plants and of tomatine, 486
Histamine (*cont.*)
——, ——, effect of prostaglandins on, 516
——, ——, effect of rutin on, 492
——, ——, effect of solanine, solasonine and tomatidine on, 496
——, effect on response of small intestine to electrical stimulation, 362
——, in urine, effect of glucose and sodium intake on, in adrenalectomized rat, 453
——, induction of acid gastric secretion by, effect of bromolysergic acid diethylamide and chlorpromazine on, and action of aminoguanidine and iproniazid, in rat, 520
——, response of blood pressure to, effect of procainamide on, 145
——, response of small intestine to, effect of adrenaline, calcium lack, temperature and volatile anaesthetics on, 361
——, ——, effect of carboxypeptidase, proteose–peptone, pseudoglobulin and thrombin on, 376
——, ——, effect of chymotrypsin, chymotrypsinogen and trypsin on, 373
——, ——, effect of procainamide on, 151
——, ——, effect of *Prymnesium parvum* toxin on, 50
——, response of tracheal muscle preparations to, effect of prostaglandins on, 513
Histone, response of blood pressure to, 116
Hoechst 9980. *See* αα-Diphenyl-γ-piperidinobutyramide
Hydergine, response of blood flow and blood pressure to, in reserpine-treated dog, 69
Hydrochloric acid, intraperitoneal, capillary permeability and squirming responses to, in mouse, 248
4-Hydroxybutyric acid, sodium salt, effect on spinal reflexes and other pharmacological actions of, 318
5-Hydroxytryptamine, effect on hexobarbitone sleeping time, action of methyldopa, 367
——, in blood and tissues, effect of monoamine-oxidase inhibitors on, in mouse, 386
——, ——, effect of pregnancy, season and subcutaneous 5-hydroxytryptamine on, in mouse, 380
——, response of small intestine to, effect of atropine and *Prymnesium parvum* toxin on, 50, 52
——, ——, effect of chymotrypsin on, 373
——, response of stomach strip to, effect of aminophylline, metanephrine and normetanephrine on, 208
——, ——, effect of catechol amines on, 206
——, response of uterus to, effect of chymotrypsin on, 377
Hydroxyzine, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 337
Hyoscine, effect on central action of thioproperazine, 310
Hyoscine methobromide, effect on induction of salivation by sympathetic stimulation, 120
Hypogastric nerve–vas deferens preparation, from reserpine-treated guinea-pig, response to nerve stimulation, effect of dopa, dopamine, α-methyldopa-α-methyldopamine, α-methylnoradrenaline and noradrenaline on, 79
——, guinea-pig, response to acetylcholine, nerve stimulation and noradrenaline, effect of angiotensin on, 212
——, ——, response to angiotensin, 213
——, ——, response to nerve stimulation, and effect of amphetamine, ephedrine, hexamethonium and tyramine on, 408
——, ——, ——, effect of phenoxybenzamine on, 532

Hypogastric nerve–vas deferens preparation (*cont.*)
——, ——, response to nerve stimulation and noradrenaline, effect of α-methyldopa on, 75
Hypoglycaemic action, of catechol amines, effect of fasting on, in rat, 267
Hypotensive action, of phenothiazine derivatives, 154
See also Antihypertensive action *and* Blood pressure
Hypothermia, induction by chlorpromazine and thioproperazine, 306

I

Imidazole-*N*-methyl transferase activity, inhibition by bromolysergic acid diethylamide and chlorpromazine, 522
Imipramine, effect on enzymatic destruction of bradykinin by brain extracts, 333
Indoklon. *See* Di(2,2,2-trifluoroethyl) ether
Intestine, goldfish, response to adenosine triphosphate, 258
——, ——, response to uracil, uridine and uridine nucleotides, and effect of adenosine triphosphate on, 256
——, large, response to perfluorobenzene, 363
——, localization of iron in, after parenteral iron haematinics, in rat, 275
——, small, from reserpine-treated rabbit, response to sympathetic stimulation, and effect of dopa, dopamine, α-methyldopa, α-methyldopamine, α-methylnoradrenaline and noradrenaline on, 78
——, ——, noradrenaline in, effect of dichloroisoprenaline and phenoxybenzamine on, 104
——, ——, pendulum movements in, inhibition by sympathetic stimulation, effect of bethanidine, bretylium and guanethidine on, 353
——, ——, response to acetylcholine, effect of morphine on, 53
——, ——, ——, effect of *Prymnesium parvum* toxin on, 49, 50
——, ——, ——, effect of vasoactive material in brain extracts on, 116
——, ——, response to acetylcholine, bradykinin and histamine, effect of chymotrypsin, chymotrypsinogen and trypsin on, 372
——, ——, response to acetylcholine and histamine, effect of carboxypeptidase, proteose–peptone, thrombin and pseudoglobulin on, 376
——, ——, response to acetylcholine, histamine and nicotine, effect of procainamide on, 151
——, ——, response to acetylcholine and nicotine, effect of bretylium on, 550
——, ——, ——, effect of calcium on, 544
——, ——, response to acetylcholine and transmural stimulation, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 325
——, ——, response to bradykinin, effect of albumin, Bacto-peptone, carboxypeptidase, plasmin, proteose–peptone, thrombin and pseudoglobulin on, 376
——, ——, response to bradykinin, histamine and nicotine, effect of *Prymnesium parvum* toxin on, 50
——, ——, response to chloroform, compounds 22, 46, 50 and 53, di(2,2,2-trifluoroethyl) ether, halothane, histamine, nicotine, perfluorobenzene, trichloroethylene and 2,2,2-trifluoroethyl vinyl ether, and effect of cocaine, hexamethonium, lachesine and mepyramine on, 358
——, ——, response to chymotrypsin, and effect of mepyramine on, 372
Intestine (*cont.*)
——, ——, response to chymotrypsinogen, 374
——, ——, response to electrical stimulation, effect of adrenaline and noradrenaline on, action of phenoxybenzamine, 110
——, ——, ——, effect of histamine and perfluorobenzene on, 361
——, ——, response to extracts of semen and of tissues of male reproductive tract, 185
——, ——, response to histamine, effect of adrenaline, calcium lack, temperature and volatile anaesthetics on, 363
——, ——, response to 5-hydroxytryptamine, effect of atropine and *Prymnesium parvum* toxin on, 50, 52
——, ——, ——, effect of chymotrypsin on, 373
——, ——, response to α-methyldopa, 74
——, ——, response to noradrenaline, effect of calcium on, and action of magnesium, 540
——, ——, response to noradrenaline and sympathetic stimulation, effect of α-methyldopa on, 74
——, ——, response to perfluorobenzene, and effect of adrenaline, calcium lack and temperature on, 361
——, ——, response to *Prymnesium parvum* toxin, and effect of atropine and morphine on, 47
——, ——, response to sympathetic stimulation, effect of guanethidine on, action of α-methyldopa, α-methyldopamine and α-methylnoradrenaline, 82
——, ——, response to trypsin, and effect of mepyramine on, 376
——, ——, response to vasoactive material in brain extracts, 116
——, ——, tortoise, response to uridine neucleotides, 259
——, ——, uptake of noradrenaline by, effect of phenoxybenzamine on, 104
See also Periarterial nerve–ileum preparation
Iproniazid, effect on action of aminoguanidine on histamine-induced acid gastric secretion, in rat, 522
——, effect on action of bromolysergic acid diethylamide and chlorpromazine on histamine-induced acid gastric secretion, in rat, 522
——, effect on histamine-induced acid gastric secretion, and action of aminoguanidine, in rat, 522
——, effect on 5-hydroxytryptamine in blood, foetus, placenta and spleen, in mouse, 386
Iron–dextran complex, parenteral, distribution of, in lactating, nonpregnant and pregnant rats, 275
Iron–sorbitol–citric acid complex, parenteral, distribution of, in lactating, nonpregnant and pregnant rats, 275
Isoprenaline, glycogenolytic and hypoglycaemic actions of, effect of fasting on, in rat, 267
——, mixtures with noradrenaline, effect on thermal conductivity of skin, in man, 168
——, ——, response of peripheral blood flow to, in man, 166
——, response of blood flow to, in reserpine-treated dog, 68
See also Catechol amines

J

Junctional transmission, block by central nervous depressants, mechanism of, 415

K

Kallidin-10, effect on blood pressure, heart rate, metabolism, myocardial blood flow and vascular resistance, 34
Kallikrein, effect on capillary permeability, action of hexadimethrine, 100

Kallikrein (*cont.*)
——, kinin formation by, effect of glass on, 94
——, ——, effect of hexadimethrine on, 90
——, response of blood pressure and myocardial blood flow to, 43
Kaolin, induction of fibrinolysis by, effect of hexadimethrine on, 96
——, induction of hydrolysis of *p*-tosyl-L-arginine methyl ester by plasma and serum by, effect of hexadimethrine on, and action of heparin, 95
——, induction of kinin formation by, effect of hexadimethrine on, 93
Kidney, extracts of, response of blood pressure to, 115
——, localization of iron in, after parenteral iron haematinics, in rat, 275
——, uptake of noradrenaline by, effect of dichloroisoprenaline and phenoxybenzamine on, in cat, and rat, 104
——, plasma, formation of, inhibition by hexadimethrine, and effect of heparin on, 87
——, ——, ——, inhibition by soya-bean trypsin inhibitor, 94
Kinin-forming enzyme, activation of, inhibition by hexadimethrine, 90
——, potency of, effect of glass on, 94

L

Lachesine, effect on response of small intestine to nicotine and volatile anaesthetics, 359
Lactic acid, intraperitoneal, capillary permeability and squirming responses to, in mouse, 248
Lamellibranchs, extract of, effect on frog nerve conduction and muscle contraction and toxicity of, 478
Leptazol, convulsant action of, effect of methyldopa on, 368
——, ——, effect of reserpine on, action of methyldopa, 368
Levorphanol, induction of lenticular opacity by, effect of nalorphine on, 291
Lignocaine (*Xylocaine*):
——, effect on response of nictitating membrane to sympathetic stimulation, 562
Liver, extracts of, response of blood pressure to, 115
——, localization of iron in, after parenteral iron haematinics, in rat, 275
Liver slices, from phenobarbitone-treated rat, metabolism of griseofulvin by, 140
Lungs, localization of iron in, after parenteral iron haematinics, in rat, 275
——, resistance to inflation, effect of histamine and vagal stimulation on, action of prostaglandins on, 516
Lys-bradykinin. *See* Kallidin
Lysergic acid diethylamide, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335

M

M 183. *See* 3-*O*-Acetyl-6,14-*endo*-etheno-5,7,8,8-tetrahydro-7α-(2-hydroxypent-2-yl)oripavine
Magnesium, effect on action of calcium on response of periarterial nerve–ileum preparation to nerve stimulation, 542
——, effect on response of periarterial nerve–ileum preparation to nerve stimulation, 542
Mebanazine, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 251
Mecamylamine, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 337
——, effect on response of periarterial nerve–ileum preparation to nerve stimulation, 554
——, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, and action of calcium concentration, neostigmine, *p*H, stimulus frequency and tetanus, 56
——, response of chick biventer cervicis muscle preparation to, 62
Meprobamate, effect on convulsant action of picrotoxin and strychnine, 324
——, effect on response of blood pressure to adrenaline and carotid occlusion, 321
——, effect on response of nictitating membrane to sympathetic stimulation, 321
——, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, 325
——, effect on response of sciatic nerve–tibialis muscle preparation to nerve stimulation, 321
——, effect on response of small intestine to acetylcholine and transmural stimulation, 325
——, effect on spinal reflexes, 320, 322
——, local anaesthetic action of, 324
——, response of blood pressure to, 320
Mepyramine, effect on action of intracutaneous kaolin on capillary permeability, 98
——, effect on response of blood pressure to vasoactive material in brain extracts, 115
——, effect on response of small intestine to histamine and volatile anaesthetics, 359
——, effect on response of vagus nerve–stomach muscle preparations to nerve stimulation, 406
Metabolism, effect of eledoisin on, in dog, 585
——, myocardial, effect of bradykinin and kallidin on, 34
——, of griseofulvin, effect of phenobarbitone on, 137
Metanephrine, effect on response of stomach strip to 5-hydroxytryptamine, 208
Methacholine, sialogenous action of, effect of dihydroergotamine on, 124
Methadone, analgesic action of, in mouse, 596
——, ——, effect of nalorphine on, 294
——, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
——, effect on impulse transmission in nerve fibres, 508
——, effect on skin temperature, and action of nalorphine, 296
——, induction of lenticular opacity by, effect of nalorphine on, 291
Methicillin, antibacterial activity against *Staphylococcus aureus*, and synergism with other antibiotics, 24
Methotrimeprazine, effect on dexamphetamine-induced agitation and tryptamine-induced convulsions, 308
——, induction of catatonia by, 308
1-Methoxynonafluorocyclohexene, response of small intestine to, and effect of cocaine, hexamethonium, lachesine and mepyramine on, 358
α-Methyldopa, effect on action of chlorpromazine, 5-hydroxytryptamine and reserpine on hexobarbitone sleeping time, 367
——, effect on central action of reserpine, 366
——, effect on convulsant action of leptazol, 368
——, emetic action of, 369
——, pharmacological actions of, 72
α-Methyldopamine, effect on action of guanethidine on response of small intestine to sympathetic stimulation, 82

α-Methyldopamine (*cont.*)
——, effect on response of blood pressure to noradrenaline and tyramine, in reserpine-treated cat, 79
——, effect on response of blood pressure to tyramine, in reserpine-treated rat, 80
——, effect on response of hypogastric nerve–vas deferens preparation from reserpine-treated guinea-pig to nerve stimulation, 79
——, effect on response of nictitating membrane to sympathetic stimulation and tyramine, in reserpine-treated cat, 79
——, effect on response of small intestine from reserpine-treated rabbit to sympathetic stimulation, 78
α-Methylnoradrenaline, effect on action of guanethidine on response of small intestine to sympathetic stimulation, 82
——, effect on response of blood pressure to noradrenaline and tyramine, in reserpine-treated cat, 79
——, effect on response of blood pressure to tyramine, in reserpine-treated rat, 80
——, effect on response of hypogastric nerve–vas deferens preparation from reserpine-treated guinea-pig to nerve stimulation, 79
——, effect on response of nictitating membrane to sympathetic stimulation and tyramine, in reserpine-treated cat, 79
——, effect on response of small intestine from reserpine-treated rabbit to sympathetic stimulation, 78
——, potency relative to noradrenaline in various pharmacological preparations, 82
——, response of blood pressure to, effect of α-methyldopa on, 78
Methylpentynol, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, and action of choline, 415
——, vasodilator action of, 424
Methylpentynol carbamate, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, 415
——, ganglion stimulant action of, 420
Methyltrifluoperazine, hypotensive, sedative and tranquillizing actions of, 154
N-Methylveratramine, toxicity of, 397
N-Methylveratramine methiodide, toxicity of, 393
β-Methyl xylocholine. *See* [2-(2,6-Dimethylphenoxy)-propyl]trimethylammonium
Methysergide, effect on response of blood pressure to vasoactive material in brain extracts, 115
Mipafox, effect on response of intact trachea to transmural stimulation, and action of procaine, 130
Molluscs. *See Saxidomus giganteus*
Monoamine-oxidase inhibitors, effect on action of bromolysergic acid diethylamide and chlorpromazine on histamine-induced acid gastric secretion, in rat, 522
——, effect on 5-hydroxytryptamine in foetus, placenta and spleen, in mouse, 386
Morphine, analgesic action of, effect of nalorphine on, 294
——, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
——, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on impulse transmission in nerve fibres, and action of nalorphine, 499
——, effect on response of small intestine to acetylcholine and *Prymnesium parvum* toxin, 53
Morphine (*cont.*)
——, effect on response of vagus nerve–stomach muscle preparations to nerve stimulation, 406
——, induction of lenticular opacity by, effect of nalorphine on, 291
Muscle, cardiac, response to electrical stimulation, effect of tolazoline on, and action of reserpine, 68
——, smooth, respiratory, response to prostaglandins, 511
——, ——, response to bradykinin, effect of chymotrypsin, chymotrypsinogen and trypsin on, 371
——, ——, response to sympathetic stimulation, effect of bretylium, bethanidine and guanethidine on, 349
——, ——, response to volatile anaesthetics, and relation to convulsant action, 356
Mydriatic action, of intracerebral prostaglandins, 190

N

Nalorphine, antagonism of morphine-like analgesics by, 289
——, effect on action of methadone and pethidine on skin temperature, 296
——, effect on action of morphine on transmission in nerve fibres, 504, 505
——, effect on analgesic action of M 183, methadone, morphine and pethidine, 294
——, effect on lenticular opacity induced by dextromoramide, diamorphine, levorphanol, M 183, methadone, morphine and pethidine, 291
Narcotic analgesics, distinction from non-narcotic analgesics, 246
Neisseria gonorrhoeae activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Neostigmine, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on neuromuscular-blocking action of hemicholinium, 446
Nerve fibres, conduction in, effect of paralytic shellfish poison on, 478
——, mammalian, impulse transmission in, and effect of Ba-20227, methadone, morphine and pethidine on, 499
——, membrane potential of, measurement of, 500
——, sympathetic, postganglionic, response to stimulation, effect of bretylium, mecamylamine and pempidine on, 549
——, ——, ——, response to stimulation, effect of calcium on, 540
Neurokinin, release from frog stomach muscle induced by direct and indirect stimulation, 403
Neuromuscular transmission, effect of chlorpromazine and thioproperazine on, 305
——, effect of cobra venom, paralytic shellfish poison and tubocurarine on, 479
Neuromuscular-blocking action, of central nervous depressants, 428
——, of dimecamine and its methiodide, mecamylamine, pempidine and its methiodide, tetraethylammonium and tubocurarine, 58
——, of hemicholinium, and effect of choline, edrophonium and neostigmine on, 441
Nicotine, effect on response of blood pressure to angiotensin, and action of hexamethonium, 216
——, response of blood pressure to, effect of procainamide on, 145

Nicotine (*cont.*)
——, response of small intestine to, effect of bretylium on, 550
——, ——, effect of calcium on, 544
——, ——, and effect of cocaine, lachesine and hexamethonium on, 359
——, ——, effect of procainamide on, 151
——, ——, effect of *Prymnesium parvum* toxin on, 50
Nictitating membrane, response to acetylcholine, effect of atropine on, and action of hexamethonium, 564
——, ——, effect of hexamethonium and procainamide on, 147
——, ——, effect of physostigmine on, and action of atropine, 564
——, response to adrenaline, and effect of atropine and physostigmine on, 565, 571
——, ——, and effect of hexamethonium on, 564
——, response to cocaine, effect of reserpine on, 8
——, response to noradrenaline, effect of cocaine on, 5
——, response to noradrenaline and tyramine, effect of α-methyldopa on, 78
——, response to preganglionic stimulation, effect of hexamethonium and procainamide on, 146, 149
——, response to sympathetic stimulation, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 320
——, ——, effect of atropine, guanethidine, hexamethonium, lignocaine (*Xylocaine*), phentolamine, physostigmine, potassium and tubocurarine on, 558
——, ——, effect of cocaine on, and action of reserpine, 5
——, ——, effect of α-methyldopa on, 75
——, response to sympathetic stimulation and tyramine, effect of α-methyldopa, α-methyldopamine and α-methylnoradrenaline on, in reserpine-treated cat, 79
Nitrous oxide, effect on anaesthetic and analgesic actions of halothane and trichloroethylene, 600
4*H*-Nonafluorocyclohexene, response of small intestine to, and effect of cocaine, lachesine, hexamethonium and mepyramine on, 358
Noradrenaline, assay of, in presence of adrenaline, 208
——, effect on response of hypogastric nerve–vas deferens preparation from reserpine-treated guinea-pig to nerve stimulation, 79
——, effect on response of small intestine from reserpine-treated rabbit to sympathetic stimulation, 78
——, effect on response of small intestine and uterus to electrical stimulation, action of phenoxybenzamine, 109
——, hypoglycaemic action of, effect of fasting on, in rat, 267
——, in blood plasma, effect of dichloroisoprenaline, noradrenaline and phenoxybenzamine on, in cat and rat, 110
——, in tissues, effect of dichloroisoprenaline and phenoxybenzamine on, 104
——, mixtures with isoprenaline, effect on thermal conductivity of skin, in man, 168
——, ——, response of peripheral blood flow to, in man, 166
——, potency relative to α-methylnoradrenaline in various pharmacological preparations, 82
——, release from inferior mesenteric ganglion, at rest and in response to nerve stimulation, 196
——, ——, effect of acetylcholine, AHR 602, angiotensin, bradykinin, dimethylphenylpiperazinium, pilocarpine and tyramine on, 199
Noradrenaline (*cont.*)
——, release from postganglionic nerve fibres, effect of calcium on, 547
——, response of blood flow to, in reserpine-treated dog, 68
——, response of blood pressure to, effect of BW392C60, bretylium and cocaine on, 241
——, ——, effect of chlorpromazine and thioproperazine on, 304
——, ——, effect of α-methyldopa, α-methyldopamine and α-methylnoradrenaline on, in reserpine-treated cat, 79
——, ——, effect of phenothiazine derivatives on, 158
——, ——, effect of procainamide on, 145
——, response of blood pressure and nictitating membrane to, effect of α-methyldopa on, 78
——, response of heart beat to, effect of phenoxybenzamine on, 108
——, response of hypogastric nerve–vas deferens preparation to, effect of angiotensin on, 213
——, ——, effect of α-methyldopa on, 75
——, response of nictitating membrane to, effect of cocaine on, 5
——, response of small intestine to, effect of calcium on, and action of magnesium, 541
——, ——, effect of α-methyldopa on, 74
——, ——, effect of phenoxybenzamine on, 530
——, response of splenic nerve–spleen preparation to, effect of angiotensin on, 214
——, response of uterus to, effect of dichloroisoprenaline and phenoxybenzamine on, 106
——, response of vas deferens to, effect of amphetamine on, 412
——, uptake by heart, effect of hemicholinium and β-methyl xylocholine on, 240
——, uptake by tissues, effect of dichloroisoprenaline and phenoxybenzamine on, in cat and rat, 104
See also Catechol amines
Normetanephrine, effect on response of stomach strip to 5-hydroxytryptamine, 208
Nucleotides, uridine, pharmacological actions of, 254

O

1*H*,4*H*-Octafluorocyclohexene, response of small intestine to, and effect of cocaine, lachesine, hexamethonium and mepyramine on, 358
Oestrous cycle, effect of phenothiazine derivatives and reserpine on, in albino mouse, 162
Opacity, lenticular, induction by dextromoramide, diamorphine, levorphanol, M 183, methadone, morphine and pethidine, effect of nalorphine on, 291
Ovomucoid trypsin inhibitor, effect on capillary permeability, action of hexadimethrine, 99
Oxytocin, response of uterus to, effect of *Prymnesium parvum* toxin on, 54

P

Paracetamol, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
Paraldehyde, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, and action of choline, 415
Paralysing action, of paralytic shellfish poison, 480
——, of piperazine, on *Ascaris* muscle, mechanism of, 463

Paralytic shellfish poison, effect on nerve conduction and muscle contraction, in frog, 478
Paramethasone acetate, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 251
Pecazine, hypotensive, sedative and tranquillizing actions of, 154
Pempidine, and its methiodide, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, and action of calcium concentration, neostigmine, *p*H, stimulus frequency and tetanus, 56
——, ——, response of chick biventer cervicis muscle preparation to, 62
——, effect on response of periarterial nerve–ileum preparation to nerve stimulation, 554
——, effect on response of sartorius nerve–muscle preparation to direct and indirect stimulation, 58
Pentamethonium, effect on induction of kinin formation by glass, 94
Pentobarbitone, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
Pentolinium, effect on action of bretylium on response of periarterial nerve–ileum preparation to nerve stimulation, 554
Perfluorobenzene, effect on response of small intestine to electrical stimulation, 361
——, effect on response of small intestine to histamine, 358, 361
——, response of large intestine and uterus to, 363
——, response of small intestine to, and effect of adrenaline, calcium lack and temperature on, 361
——, ——, effect of cocaine, hexamethonium, lachesine and mepyramine on, 358
Periarterial nerve–ileum preparation, rabbit, response to nerve stimulation, effect of bretylium on, 550
——, ——, ——, effect of bretylium on, and action of hemicholinium, hexamethonium and pentolinium on, 552
——, ——, ——, effect of calcium on, and action of magnesium, 540
——, ——, ——, effect of mecamylamine and pempidine on, 554
——, ——, response to nerve stimulation and noradrenaline, effect of phenoxybenzamine and tolazoline on, 528
Permeability factor, effect on capillary permeability, action of hexadimethrine, 100
——, kinin-forming potency of, effect of glass on, 94
Perphenazine, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on oestrous cycle, in albino mouse, 162
——, hypotensive, sedative and tranquillizing actions of, 154
Pethidine, analgesic action of, effect of nalorphine on, 294
——, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
——, effect on impulse transmission in nerve fibres, 508
——, effect on skin temperature, and action of nalorphine, 296
——, induction of lenticular opacity by, effect of nalorphine on, 291
Phenazone, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
Phenobarbitone, effect on *in-vivo* and *in-vitro* metabolism of griseofulvin, 137
Phenols, anti-inflammatory action and toxicity of, 221
Phenothiazine, derivatives of, effect on enzymatic destruction of bradykinin by brain extracts, 329
——, ——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, ——, effect on oestrous cycle, in albino mouse, 162
——, ——, hypotensive, sedative and tranquillizing actions of, 154
Phenoxybenzamine, anticholinesterase activity of, 532
——, effect on action of adrenaline and noradrenaline on response of small intestine and uterus to electrical stimulation, 110
——, effect on action of reserpine on response of blood pressure to tolazoline, 67
——, effect on central action of dexamphetamine, 306
——, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on noradrenaline in blood plasma, in cat and rat, 110
——, effect on noradrenaline in tissues, 104
——, effect on noradrenaline uptake by tissues, in cat and rat, 104
——, effect on response of blood pressure to acetylcholine, adrenaline and uridine nucleotides, 260
——, effect on response of blood pressure to vasoactive material in brain extracts, 115
——, effect on response of heart beat to noradrenaline, 108
——, effect on response of heart beat to tolazoline, 67
——, effect on response of periarterial nerve–ileum preparation and hypogastric nerve–vas deferens preparation to nerve stimulation, 527
——, effect on response of uterus to adrenaline and noradrenaline, 106
——, response of blood flow and blood pressure to, in reserpine-treated dog, 69
7-α-Phenoxypropionamidocephalosporanic acid, antibacterial activity against *Staphylococcus aureus*, and synergism with other antibiotics, 22
Phentolamine, effect on central action of dexamphetamine, 306
——, effect on response of nictitating membrane to sympathetic stimulation, 561
7-Phenylacetamidocephalosporanic acid. *See* Cephaloram
2-Phenyl-1,4-benzoquinone. *See* Phenylquinone
Phenylbutazone, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
2-Phenyl-1,4-hydroquinone, anti-inflammatory action and toxicity of, 221
Phenylquinone, capillary permeability and squirming responses to, in mouse, 247
Phosphoric acid, intraperitoneal, capillary permeability and squirming responses to, in mouse, 248
Phrenic nerve–diaphragm preparation, rat, response to direct and indirect stimulation, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 325
——, ——, ——, effect of chlorpromazine and thioproperazine on, 305

Phrenic nerve–diaphragm preparation (*cont.*)
——, ——, ——, effect of decamethonium, dimecamine and its methiodide, mecamylamine, pempidine and its methiodide, tetraethylammonium and tubocurarine on, and action of calcium concentration, neostigmine, *p*H, stimulus frequency and tetanus, 56
Physostigmine, convulsant action of, and effect of atropine on, 565
——, effect on response of cardiac nerve–pulmonary artery preparation to electrical stimulation, 178
——, effect on response of nictitating membrane to acetylcholine, and action of atropine, 564
——, effect on response of nictitating membrane to adrenaline, 565, 571
——, effect on response of nictitating membrane to sympathetic stimulation, 558
——, effect on response of pulmonary artery to acetylcholine, 177
——, effect on sialogenous action of pilocarpine, 122
Picrotoxin, convulsant action of, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 324
Pilocarpine, effect on release of catechol amines from inferior mesenteric ganglion, 199
——, sialogenous action of, and effect of physostigmine on, 122
Pipamazine, effect on oestrous cycle, in albino mouse, 162
——, hypotensive, sedative and tranquillizing actions of, 154
Piperazine, paralysing action of, on *Ascaris* muscle, mechanism of, 463
Piperoxan, response of blood flow and blood pressure to, in reserpine-treated dog, 69
Placenta, 5-hydroxytryptamine in, effect of monoamine-oxidase inhibitors, season and subcutaneous 5-hydroxytryptamine on, in mouse, 380
——, maternal blood in, in mouse, 384
——, ——, measurement of, 381
Poison, paralytic shellfish. *See* Paralytic shellfish poison
Polypeptides, release from frog stomach muscle induced by direct and indirect stimulation, 403
Potassium chloride, response of blood pressure to, 116
Potentials, action, in ganglia, effect of procainamide on, 148
——, membrane, of *Ascaris* muscle cells, effect of calcium-lack, chloride, citrate, piperazine and potassium on, 465
——, muscle, effect of paralytic shellfish poison on, 480
Pregnancy, effect of cyproheptadine on, in mouse, 388
——, effect on 5-hydroxytryptamine in blood and tissues, in mouse, 380
Pressor action, of tolazoline, mechanism of, 66
See also Blood pressure
Procainamide, effect on ganglionic action potentials, 148
——, effect on response of blood pressure to acetylcholine, adrenaline, carotid occlusion, histamine, nicotine, noradrenaline and vagal stimulation, 145
——, effect on response of heart beat to acetylcholine, 125
——, effect on response of nictitating membrane to acetylcholine, 147
——, effect on response of nictitating membrane to preganglionic stimulation, 146, 149
——, effect on response of small intestine to acetylcholine, histamine and nicotine, 151
——, ganglion-blocking action of, mechanism of, 143
——, response of blood pressure to, 144
——, response of heart beat to, 152
Procaine, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, 427
——, effect on response of intact trachea to transmural stimulation, 130
Prochlorperazine, effect on apomorphine-induced emesis, dexamphetamine-induced agitation and tryptamine-induced convulsions, 308
——, effect on oestrous cycle, in albino mouse, 162
——, hypotensive, sedative and tranquillizing actions of, 154
——, induction of catatonia by, 308
Promethazine, effect on central action of thioproperazine, 310
——, effect on oestrous cycle, in albino mouse, 162
Pronethalol, effect on response of blood pressure to adrenaline and uridine nucleotides, 262
——, effect on response of blood pressure to vasoactive material in brain extracts, 115
Prostaglandins, effect on bronchoconstrictor action of histamine and vagal stimulation, 511
——, effect on response of tracheal muscle preparations to acetylcholine, barium chloride, dihydroergotamine and histamine, 511
——, pharmacological actions of, 189
——, response of blood pressure and heart beat to, 516
——, response of tracheal muscle preparations to, 513
——, thin-layer chromatographic separation and assay of, in tissue extracts, 179
Prostate glands, extraction and estimation of prostaglandins in, 183
Protamine sulphate, effect on induction of kinin formation by glass, 94
Proteus vulgaris, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Prymnesium parvum, toxin from, effect of light and heat on, 50
——, ——, effect on response of uterus to acetylcholine and oxytocin, 54
——, ——, preparation of, 47
——, ——, response of small intestine to, and effect of atropine and morphine on, 47
Pseudomonas pyocyanea, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Psilocybin, effect on enzymatic destruction of bradykinin by brain extracts, 333
Ptosis, induction by reserpine, effect of methyldopa on, 368

R

9620 RP. *See* 2-Dimethylsulphamoyl-10-[3-(4-methanesulphonylpiperazin-1-yl)propyl]phenothiazine
Reflexes, spinal, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 318
——, ——, effect of γ-butyrolactone and succinic semialdehyde on, 322
——, ——, effect of chlorpromazine and thioproperazine on, 305
Reproductive tract, male, extraction and estimation of prostaglandins in, 183
Reserpine, effect on action of cocaine on response of nictitating membrane to sympathetic stimulation, 17
——, effect on action of dopa, dopamine, α-methyldopa, α-methyldopamine, α-methylnoradrenaline and noradrenaline on response of small intestine to sympathetic stimulation, 78
——, effect on action of tolazoline on response of cardiac muscle to electrical stimulation, 68

Reserpine (*cont.*)
——, effect on convulsant action of leptazol, action of methyldopa, 368
——, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hexobarbitone sleeping time, action of methyldopa, 367
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on oestrous cycle, in albino mouse, 163
——, effect on response of blood pressure to tolazoline, and action of dichloroisoprenaline and phenoxybenzamine, 67
——, effect on response of cardiac nerve–pulmonary artery preparation to electrical stimulation, 179
——, effect on response of heart beat to tolazoline, 67
——, effect on response of nictitating membrane to cocaine, 8
——, effect on response of pulmonary artery to acetylcholine, 180
——, effect on response of small intestine to sympathetic stimulation, 78
——, emetic action of, effect of methyldopa on, 369
——, induction of ptosis by, effect of methyldopa on, 368
——, sedative action of, effect of methyldopa on, 368
Respiration, response to acetazolamide and dichlorphenamide, in man, 228
——, response to chlorpromazine and thioproperazine, 304, 305
——, response to codeine, 305
——, response to eledoisin, in dog, 587
——, response to intravenous prostaglandins, in chick, 191
See also Lungs
Robbins–Monro process, application to sequential toxicity assays, 392
Rutin, effect in histamine shock, 492

S

SKF 5657-A. *See* Methyltrifluoperazine
Salicylamide, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
Salicylic acid, sodium salt, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 246
Salivary gland, leakage of transmitters in, 119
Salivation, induction by parasympathetic stimulation, effect of dihydroergotamine on, 122
——, induction by sympathetic stimulation, effect of dihydroergotamine, Hoechst 9980 and hyoscine methobromide on, 120
See also Sialogenous action
Salmine sulphate, response of blood pressure to, 116
Salmonella typhi, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Sartorius nerve–muscle preparation, frog, response to direct and indirect stimulation, effect of pempidine on, 58
Saxidomus giganteus, extract of, effect on frog nerve conduction and muscle contraction and toxicity of, 478
Schistosoma mansoni, location and pairing of, in host, effect of antimony uptake on, 342
——, uptake and elimination of, antimony by, 342
Sciatic nerve–gastrocnemius preparation, frog, response to direct and indirect stimulation, effect of cobra venom, paralytic shellfish poison and tubocurarine on, 479
——, hen, response to nerve stimulation, effect of acetylcholine on, action of vasoactive material in brain extracts on, 116
——, ——, ——, effect of vasoactive material in brain extracts on, 116
Sciatic nerve–tibialis anterior preparation, cat, response to acetylcholine, effect of hemicholinium on, 445
——, ——, response to nerve stimulation, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 320
——, ——, ——, effect of chlorpromazine and thioproperazine on, 305
——, ——, ——, effect of hemicholinium on, and action of choline, edrophonium and neostigmine, 442
Sedative action, of intracerebral prostaglandins, 189
——, of phenothiazine derivatives, 154
——, of reserpine, effect of methyldopa on, 368
——, of sodium 4-hydroxybutyrate, 320
Semen, extraction and estimation of prostaglandins in, 183
Seminal vesicles, extraction and estimation of prostaglandins in, 183
Shigella shigae, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Sialogenous action, of adrenaline, effect of atropine and Hoechst 9980 on, 121
——, of guanethidine, effect of dihydroergotamine and Hoechst 9980 on, 121
——, of methacholine, effect of dihydroergotamine on, 124
——, of pilocarpine, and effect of physostigmine on, 122
——, of Synephrine, effect of Hoechst 9980 on, 122
See also Salivation
Silicate materials, induction of kinin formation by, effect of hexadimethrine on, 93
Skin, temperature of, effect of M 183, methadone and pethidine on, and action of nalorphine, 296
——, thermal conductivity of, effect of adrenaline and isoprenaline–noradrenaline mixtures on, in man, 168
Sleeping time, due to hexobarbitone, effect of chlorpromazine, 5-hydroxytryptamine and reserpine on, and action of methyldopa, 367
Sodium, intake of, effect on urinary histamine excretion, in adrenalectomized rat, 453
Sodium carboxymethylcellulose, induction of kinin formation by, effect of hexadimethrine on, 93
Sodium glutamate. *See under* Glutamic acid
Sodium 4-hydroxybutyrate. *See under* 4-Hydroxybutyric acid
Solanine, antihistamine action of, 496
Solasonine, antihistamine action of, 497
Soya-bean trypsin inhibitor, effect on action of intracutaneous kaolin on capillary permeability, 98
——, effect on induction of kinin formation by glass, 94
——, effect on plasma-kinin formation, 94
Spleen, 5-hydroxytryptamine in, effect of monoamine-oxidase inhibitors on, in mouse, 387
——, ——, effect of pregnancy on, in mouse, 383
——, localization of iron in, after parenteral iron haematinics, in rat, 275
——, noradrenaline in, effect of dichloroisoprenaline and phenoxybenzamine on, 104
——, uptake of noradrenaline by, effect of phenoxybenzamine on, 104

Spleen (*cont.*)
——, volume of, response to sympathetic stimulation, effect of bethanidine, bretylium and guanethidine on, 351
Splenic nerve–spleen preparation, cat, response to angiotensin, 213
——, ——, response to nerve stimulation, effect of angiotensin on, 213
——, ——, response to noradrenaline, effect of angiotensin on, 214
Squirming, induction by intraperitoneal acetic acid, effect of anti-inflammatory corticosteroids, central nervous stimulants and narcotic and non-narcotic analgesics on, in mouse, 249
——, ——, effect of stilboestrol on, in mouse, 248
——, induction by intraperitoneal phenylquinone, in mouse, 247
Staphylococcus aureus, activity of benzylpenicillin, cephaloram and other 7-aminocephalosporanic acid derivatives, cephalosporin P_1 and methicillin against, 22
Steroids, cortico-, anti-inflammatory, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 251
Stilboestrol, effect on squirming response to intraperitoneal acetic acid, in mouse, 248
Stimulants, central nervous, effect on capillary permeability and squirming responses to intraperitoneal acetic acid, in mouse, 250
Stomach, muscle of, release of polypeptides from, by direct and indirect stimulation, 403
See also Gastric secretion
Stomach strip, rat, response to acetylcholine, dexamphetamine and 5-hydroxytryptamine, effect of catechol amines on, 206
——, ——, response to adrenaline, 206
——, response to 5-hydroxytryptamine, effect of aminophylline, metanephrine and normetanephrine on, 208
Streptococcus pyogenes, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24
Streptokinase, induction of fibrinolysis by, effect of hexadimethrine on, 98
——, induction of hydrolysis of *p*-tosyl-L-arginine methyl ester by plasma and serum by, effect of hexadimethrine on, 95
Strychnine, convulsant action of, effect of γ-aminobutyric acid, meprobamate and sodium 4-hydroxybutyrate on, 324
——, effect on spinal-reflex-blocking action of sodium 4-hydroxybutyrate, 322
Substance P, release from frog stomach muscle induced by direct and indirect stimulation, 404
Succinic semialdehyde, effect on spinal reflexes, 322
Sympathetic mechanisms, in isolated rabbit pulmonary artery, 176
Sympathomimetic action, of nicotine, effect of bretylium on, 550

T

Tachyphylaxis, of response of nictitating membrane to cocaine, 8
Tartar emetic. *See* Antimony potassium tartrate
Tetraethylammonium, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, 427
——, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, 58
Tetraethylammonium (*cont.*)
——, response of chick biventer cervicis muscle preparation to, 62
Tetrahydrofurfuryl alcohol, effect on capillary permeability, action of hexadimethrine, 100
Tetramethylammonium, effect on response of blood pressure to angiotensin, 216
Thermal conductivity, of skin, effect of adrenaline and isoprenaline–noradrenaline mixtures on, in man, 168
Thiopropazate, hypotensive, sedative and tranquillizing actions of, 154
Thioproperazine, hypotensive, sedative and tranquillizing actions of, 154
——, pharmacological actions and toxicity of, comparison with chlorpromazine, 301
Thioridazine, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on oestrous cycle, in albino mouse, 162
Thrombolysin, kinin-forming potency of, effect of glass on, 94
Tolazoline, anticholinesterase activity of, 532
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on response of cardiac muscle to electrical stimulation, and action of reserpine, 68
——, effect on response of periarterial nerve–ileum preparation to nerve stimulation, 527
——, response of blood flow to, in reserpine-treated dog, 68
——, response of blood pressure to, and effect of reserpine with and without dichloroisoprenaline or phenoxybenzamine on, 66
——, response of heart beat to, and effect of dichloroisoprenaline, phenoxybenzamine and reserpine on, 67
Toluidine blue, effect on induction of kinin formation by glass, 94
Tomatidine, antihistamine action of, 496
Tomatine, antihistamine action and toxicity of, 488
——, assay of, 489
——, isolation and purification of, from tomato plants, 488, 491
Tomato plants, normal and crown-gall-infected, extracts of, antihistamine action of, 486
——, ——, ——, preparation of, 488
p-Tosyl-L-arginine methyl ester, hydrolysis by plasma and serum, induction by kaolin, effect of hexadimethrine on, and action of heparin, 95
——, ——, induction by streptokinase, effect of hexadimethrine on, 95
Toxicity tests, sequential, application of Robbins–Monro process to, 392
Trachea, intact, apparatus for measuring volume changes induced by transmural stimulation of, 127
——, ——, release of acetylcholine from, during rest and transmural stimulation, 127
——, ——, response to transmural stimulation, effect of atropine, hexamethonium, mipafox and procaine on, 126
Tracheal muscle preparations, release of acetylcholine from, during rest and transmural stimulation, 133
——, response to acetylcholine, barium chloride, dihydroergotamine and histamine, effect of prostaglandins on, 511
——, response to prostaglandins, 511

Tranquillizers, effect on enzymatic destruction of bradykinin by brain extracts, 333
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
Tranquillizing action, of phenothiazine derivatives, 154
Tranylcypromine, effect on 5-hydroxytryptamine in foetus, placenta and spleen, in mouse, 388
3,5,6-Tribromo-4-methylcatechol, anti-inflammatory action and toxicity of, 221
3,5,6-Tribromo-2-methyl-1,4-hydroquinone, anti-inflammatory action and toxicity of, 221
2,4,6-Tribromo-3-methylphenol, anti-inflammatory action and toxicity of, 221
2,4,6-Tribromo-5-methylresorcinol, anti-inflammatory action and toxicity of, 221
2,4,6-Tribromophloroglucinol, anti-inflammatory action and toxicity of, 221
2,4,6-Tribromoresorcinol, anti-inflammatory action and toxicity of, 221
Trichloroethanol, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, 415
——, ganglion-blocking action of, 424
Trichloroethylene, alone and with nitrous oxide, anaesthetic and analgesic actions of, in mouse, 596
——, response of small intestine to, and effect of cocaine, hexamethonium, lachesine and mepyramine on, 358
2,4,6-Trichloro-5-methylresorcinol, anti-inflammatory action and toxicity of, 221
Trifluoperazine, effect on dexamphetamine-induced agitation and tryptamine-induced convulsions, 308
——, effect on hydrolysis of hippuryl-L-arginine by carboxypeptidase B, 335
——, effect on oestrous cycle, in albino mouse, 162
——, hypotensive, sedative and tranquillizing actions of, 154
——, induction of catatonia by, 308
2,2,2,-Trifluoroethyl vinyl ether, response of small intestine to, and effect of cocaine, hexamethonium, lachesine and mepyramine on, 358
2,4,6-Tri-iodo-5-methylresorcinol, anti-inflammatory action and toxicity of, 221
Troxidone, effect on acetylcholine release and transmission in ganglion and neuromuscular junctions, 415
Trypsin, effect on response of small intestine and uterus to acetylcholine, bradykinin and histamine, 371
——, effect on response of uterus to bradykinin, 377
——, response of small intestine to, and effect of mepyramine on, 376
——, response of uterus to, 377
Trypsin inhibitors. *See* Ovomucin trypsin inhibitor *and* Soya-bean trypsin inhibitor
Tryptamine, convulsant action of, effect of chlorpromazine, methotrimeprazine, prochlorperazine, 9620 RP, thioproperazine and trifluoperazine on, 308
——, ——, effect of chlorpromazine and thioproperazine on, 306
Tubocurarine, effect on response of nictitating membrane to sympathetic stimulation, 561
——, effect on response of phrenic nerve–diaphragm preparation to direct and indirect stimulation, and action of calcium concentration and *p*H, 60
——, effect on response of sciatic nerve–gastrocnemius preparation to direct and indirect stimulation, 480
Tyramine, effect on release of catechol amines from inferior mesenteric ganglion, 200
Tyramine (*cont.*)
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 412
——, response of blood pressure to, effect of BW392C60, bretylium and cocaine on, 241
——, ——, effect of α-methyldopa, α-methyldopamine and α-methylnoradrenaline on, in reserpine-treated rat, 80
——, response of blood pressure and nictitating membrane to, effect of α-methyldopa on, 78
——, ——, effect of α-methyldopa α-methyldopamine and α-methylnoradrenaline on, in reserpine-treated cat, 79

U

Uracil, response of goldfish intestine to, 256
Uridine, response of goldfish intestine to, 256
Uridine 2′,3′-cyclic phosphate, response of goldfish intestine to, 256
Uridine 5′-diphospho-*N*-acetylglucosamine, response of goldfish intestine to, 256
Uridine 5′-diphosphoglucose, response of goldfish intestine to, 256
Uridine phosphates, pharmacological actions of, 254
——, response of blood pressure to, 116
Urine, excretion of iron in, after parenteral iron haematinics, in rat, 275
Uterine strips, response to bradykinin, 331
Uterus, noradrenaline in, effect of dichloroisoprenaline and phenoxybenzamine on, 104
——, response to acetylcholine, effect of vasoactive material in brain extracts on, 116
——, response to acetylcholine and histamine, effect of chymotrypsin on, 377
——, response to acetylcholine and oxytocin, effect of *Prymnesium parvum* toxin on, 54
——, response to adrenaline and noradrenaline, effect of dichloroisoprenaline and phenoxybenzamine on, 106
——, response to bradykinin, effect of chymotrypsin, chymotrypsinogen and trypsin on, 376
——, response to chymotrypsin and chymotrypsinogen, 376
——, response to electrical stimulation, effect of adrenaline and noradrenaline on, action of phenoxybenzamine, 108
——, response to perfluorobenzene, 363
——, response to trypsin, 377
——, response to vasoactive material in brain extracts, 116
——, uptake of noradrenaline by, effect of dichloroisoprenaline and phenoxybenzamine on, in cat and rat, 104

V

Vagus nerve, stimulation of, bronchoconstrictor action of, effect of prostaglandins on, 516
——, ——, response of blood pressure to, effect of procainamide on, 146
Vagus nerve–stomach muscle preparation, dog, response to nerve stimulation, effect of atropine and morphine on, 406
——, frog, response to nerve stimulation, effect of atropine, 2-bromolysergic acid diethylamide and mepyramine on, 406

Vas deferens, response to noradrenaline, effect of amphetamine on, 412
See also Hypogastric nerve–vas deferens preparation
Vascular effects, peripheral, of isoprenaline–noradrenaline mixtures, in man, 166
See also Blood vessels
Vasoactive material, in brain extracts, extraction, chromatographic purification, pharmacological actions, properties and stability of, 113
Vasoconstrictor action, of tolazoline, 66
See also Blood vessels
Vasodilator action, of kallidin, 41
——, of methylpentynol, 424
See also Blood vessels
Venom, cobra, effect on response of sciatic nerve–gastrocnemius preparation to direct and indirect stimulation, 480
Veratramine, toxicity of, 394
Vibrio cholerae, activity of benzylpenicillin, cephaloram and cephalosporin C against, 24

Y

Yohimbine, effect on response of cardiac nerve–pulmonary artery preparation to electrical stimulation, 178
——, effect on response of pulmonary artery to acetylcholine, 178

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

EDITED FOR
THE BRITISH PHARMACOLOGICAL SOCIETY
BY

H. M. ADAM H. BLASCHKO A. S. V. BURGEN F. HAWKING P. HEY
E. W. HORTON G. P. LEWIS W. E. ORMEROD J. M. ROBSON
R. S. STACEY J. R. VANE MARTHE VOGT M. WEATHERALL R. WIEN
G. S. DAWES (Chairman) J. M. WALKER (Secretary)
J G. WIDDICOMBE (Press Editor) JOAN C. MOTT (Assistant Press Editor)
In co-operation with the EDITOR of the British Medical Journal

VOLUME 23, 1964

LONDON
BRITISH MEDICAL ASSOCIATION
TAVISTOCK SQUARE, W.C.1

CONTENTS

No. 1. *AUGUST*, 1964 PAGE

ENGBERG-PEDERSEN, H., MORCH, P. AND TYBRING, L. KINETICS OF SERUM AMINOSALICYLIC ACID LEVELS 1

BOULLIN, D. J. OBSERVATIONS ON THE SIGNIFICANCE OF 5-HYDROXYTRYPTAMINE IN RELATION TO THE PERISTALTIC REFLEX OF THE RAT 14

GOKHALE, S. D., GULATI, O. D. AND JOSHI, N. Y. PARTICIPATION OF AN UNUSUAL GANGLIONIC PATHWAY IN THE MEDIATION OF THE PRESSOR EFFECT OF PHYSOSTIGMINE IN THE RAT 34

BRIMBLECOMBE, R. W., DOWNING, D. F., GREEN, D. M. AND HUNT, R. R. SOME PHARMACOLOGICAL EFFECTS OF A SERIES OF TRYPTAMINE DERIVATIVES . 43

CUTHBERT, M. F. RELATIVE ACTIONS OF QUATERNARY METHYL DERIVATIVES OF TYRAMINE, DOPAMINE AND NORADRENALINE 55

WALKER, J. M. G. AND WEATHERALL, M. CALCIUM IN RELATION TO THE ACTIONS OF OUABAIN AND ADRENALINE ON THE HEART 66

TAKESHIGE, C. AND VOLLE, R. L. A COMPARISON OF THE GANGLION POTENTIALS AND BLOCK PRODUCED BY ACETYLCHOLINE AND TETRAMETHYLAMMONIUM . . 80

BUTTOO, A. S., ELVES, M. W., ISRAELS, M. C. G. AND ROATH, O. S. THE DEMONSTRATION OF THE SITE OF ACTION OF THE ANTIMETABOLITE DRUG 6-AZAURIDINE BY THE USE OF LEUCOCYTE CULTURES 90

BONACCORSI, A., GARATTINI, S. AND JORI, A. STUDIES ON THE HYPERGLYCAEMIA INDUCED BY CHLORPROMAZINE IN RATS 93

BENZI, G., BERTE, F., CREMA, A. AND FRIGO, G. M. ACTIONS OF SYMPATHOMIMETIC DRUGS ON THE SMOOTH MUSCLE AT THE JUNCTION OF THE BILE DUCT AND DUODENUM STUDIED IN SITU 101

FEWINGS, J. D., HODGE, R. L., SCROOP, G. C. AND WHELAN, R. F. THE EFFECTS OF BETHANIDINE ON THE PERIPHERAL CIRCULATION IN MAN 115

GIARMAN, N. J. AND PEPEU, G. THE INFLUENCE OF CENTRALLY ACTING CHOLINOLYTIC DRUGS ON BRAIN ACETYLCHOLINE LEVELS 123

BARLOW, R. B. AND ZOLLER, ANNE. SOME EFFECTS OF LONG CHAIN POLYMETHYLENE BISONIUM SALTS ON JUNCTIONAL TRANSMISSION IN THE PERIPHERAL NERVOUS SYSTEM 131

BOYD, HELEN, BURNSTOCK, G. AND ROGERS, D. INNERVATION OF THE LARGE INTESTINE OF THE TOAD (BUFO MARINUS) 151

BUCKNELL, ANNE AND WHITNEY, B. A PRELIMINARY INVESTIGATION OF THE PHARMACOLOGY OF THE HUMAN ISOLATED TAENIA COLI PREPARATION 164

SAAMELI, K. QUANTITATIVE COMPARISON BETWEEN OXYTOCIN AND FOUR RELATED NEUROHYPOPHYSIAL PEPTIDES ON THE HUMAN UTERUS IN SITU 176

BOWMAN, W. C. AND RAPER, C. THE EFFECTS OF ADRENALINE AND OTHER DRUGS AFFECTING CARBOHYDRATE METABOLISM ON CONTRACTIONS OF THE RAT DIAPHRAGM 184

BERRY, P. A. AND COLLIER, H. O. J. BRONCHOCONSTRICTOR ACTION AND ANTAGONISM OF A SLOW-REACTING SUBSTANCE FROM ANAPHYLAXIS OF GUINEA-PIG ISOLATED LUNG 201

INDEX TO VOLUME 23

AUTHOR INDEX

A

AMUNGEN, E., and NUSTAD, K. Kinin-forming and -destroying activities of saliva, 440

AMURE, B. O., and GINSBURG, M. Inhibitors of histamine catabolism and the action of gastrin in rat, 476

B

BARLOW, R. B., and ZOLLER, Anne. Some effects of long-chain polymethylene bisonium salts on junctional transmission in the peripheral nervous system, 131

BARNETT, Margaret, BUSHBY, S. R. M., and WILKINSON, S. Sodium sulphomethyl derivatives of polymyxins, 552

BARON, R. L., and JOHNSON, H. Neurological disruption produced in hens by two organophosphate esters, 295

BENFEY, B. G., and VARMA, D. R. Inhibition of sympathomimetic effects on the heart, 399

BENZI, G., BERTE, F., CREMA, A., and FRIGO, G. M. Actions of sympathomimetic drugs on the smooth muscle at the junction of the bile duct and duodenum studied *in situ*, 101

BERRY, P. A., and COLLIER, H. O. J. Bronchoconstrictor action and antagonism of a slow-reacting substance from anaphylaxis of guinea-pig isolated lung, 201

BERTE, F. *See* BENZI, G., *et al.*, 101

BHARGAVA, K. P., BHATTACHARYA, S. S., and SRIMAL, R. C. Central cardiovascular actions of γ-aminobutyric acid, 383

——, and SRIVASTAVA, R. K. Nonspecific depressant action of γ-aminobutyric acid on somatic reflexes, 391

BHATTACHARYA, S. S. *See* BHARGAVA, K. P., *et al.*, 383

BISCARDI, A. M., CARPI, A., and ORSINGHER, O. A. Urinary excretion of catechol amines in the rat after their liberation by reserpine or dexamphetamine, 529

BJURO, T., WESTLING, H., and WETTERQVIST, H. Formation of [^{14}C]histamine *in vivo* in normal rats and in rats treated with liothyronine, 433

BONACCORSI, A., GARATTINI, S., and JORI, A. Studies on the hyperglycaemia induced by chlorpromazine in rats, 93

BOULLIN, D. J. Observations on the significance of 5-hydroxytryptamine in relation to the peristaltic reflex of the rat, 14

BOWMAN, W. C., and RAPER, C. Effects of adrenaline and other drugs affecting carbohydrate metabolism on contractions of the rat diaphragm, 184

BOYD, Helen, BURNSTOCK, G., and ROGERS, D. Innervation of the large intestine of the toad (*Bufo marinus*), 151

BRIMBLECOMBE, R. W., DOWNING, D. F., GREEN, D. M., and HUNT, R. R. Some pharmacological effects of a series of tryptamine derivatives, 43

BROWN, D. A., and QUILLIAM, J. P. Effects of some centrally acting drugs on ganglionic transmission in the cat, 241

——, ——. Observations on the mode of action of some central depressant drugs on transmission through the cat superior cervical ganglion, 257

BRUS, R., CHRUŚCIEL, M., CHRUŚCIEL, T. L., and PLECH, A. Sympatholytic drugs and intraperitoneal injections of surface-active agents, 449

BUCKNELL, Anne, and WHITNEY, B. Preliminary investigation of the pharmacology of the human isolated taenia coli preparation, 164

BURNSTOCK, G., and HOLMAN, Mollie E. An electrophysiological investigation of the actions of some autonomic blocking drugs on transmission in the guinea-pig vas deferens, 600

——. *See also* BOYD, Helen, *et al.*, 151

BUSHBY, S. R. M. *See* BARNETT, Margaret, *et al.*, 552

BUTTOO, A. S., ELVES, M. W., ISRAELS, M. C. G., and ROATH, O. S. Demonstration of the site of action of the antimetabolite drug 6-azuridine by the use of leucocyte cultures, 90

C

CARPI, A. *See* BISCARDI, A. M., *et al.*, 529

CHRUŚCIEL, M. *See* BRUS, R., *et al.*, 449

CHRUŚCIEL, T. L. *See* BRUS, R., *et al.*, 449

COLLIER, H. O. J. *See* BERRY, P. A., *et al.*, 201

CRAWFORD, J. M., and CURTIS, D. R. Excitation and depression of mammalian cortical neurones by amino-acids, 313

CREMA, A. *See* BENZI, G., *et al.*, 101

CURTIS, D. R. *See* CRAWFORD, J. M., *et al.*, 313

CUTHBERT, M. F. Relative actions of quaternary methyl derivatives of tyramine, dopamine and noradrenaline, 55

D

DAY, Margaret, and STOCKBRIDGE, Anne. Effects of drugs on the uptake of amines by mast cells, 405
DELLA BELLA, D., GANDINI, A., and PRETI, M. Mechanism of the pressor responses to physostigmine in the rat and their modification by mebutamate and amylobarbitone, 540
DOWNING, D. F. *See* BRIMBLECOMBE, R. W., *et al.*, 43

E

EAKINS, K. E., and RYAN, S. J. Action of sympathomimetic amines on the outflow of aqueous humour from the eye, 374
ELLIOT, R. C., and QUILLIAM, J. P. Some actions of centrally active and other drugs on the transmission of single nerve impulses through the isolated superior cervical ganglion preparation of the rabbit, 222
ELVES, M. W. *See* BUTTOO, A. S., *et al.*, 90
ENGBERG-PEDERSEN, H., MØRCH, P., and TYBRING, L. Kinetics of serum aminosalicylic acid levels, 1
EVANS, C. L. Cobalt compounds as antidotes for hydrocyanic acid, 455

F

FEWINGS, J. D., HODGE, R. L., SCROOP, G. C., and WHELAN, R. F. Effects of bethanidine on the peripheral circulation in man, 115
FIELDEN, R., ROE, A. M., and WILLEY, G. L. Adrenergic neurone-blocking action of some coumaran derivatives, 486
FRIGO, G. M. *See* BENZI, G., *et al.*, 101

G

GADDUM, J. H. An improved microbath, 613
GANDINI, A. *See* DELLA BELLA, D., *et al.*, 540
GARATTINI, S. *See* BONACCORSI, A., *et al.*, 93
GIARMAN, N. J., and PEPEU, G. Influence of centrally acting cholinolytic drugs on brain acetylcholine levels, 123
GINSBURG, M. *See* AMURE, B. O., *et al.*, 476
GOKHALE, S. D., GULATI, O. D., and JOSHI, N. Y. Participation of an unusual ganglionic pathway in the mediation of the pressor effect of physostigmine in the rat, 34
——, ——, and PARIKH, H. M. An investigation of the adrenergic blocking action of chlorpromazine, 508
GRAHAM, J. D. P. Distribution of (2-bromethyl)ethyl-(naph-1-ylmethyl[^{14}C]amine hydrobromide in the rat, 285
GREEN, D. M. *See* BRIMBLECOMBE, R. W., *et al.*, 43
GULATI, O. D. *See* GOKHALE, S. D., *et al.*, 34, 508

H

HALLIWELL, G., QUINTON, R. M., and WILLIAMS, Frances E. Comparison of imipramine, chlorpromazine and related drugs in various tests involving autonomic functions and antagonism of reserpine, 330
HODGE, R. L. *See* FEWINGS, J. D., *et al.*, 115
HOLMAN, Mollie E. *See* BURNSTOCK, G., *et al.*, 600
HUNT, R. R. *See* BRIMBLECOMBE, R. W., *et al.*, 43

I

ISRAELS, M. C. G. *See* BUTTOO, A. S., *et al.*, 90

J

JACKSON, H., PARTINGTON, M., and WALPOLE, A. L. Production of heritable partial sterility in the mouse by methyl methanesulphonate, 521
JOHNSON, H. *See* BARON, R. L., *et al.*, 295
JORI, A. *See* BONACCORSI, A., *et al.*, 93
JOSHI, N. Y. *See* GOKHALE, S. D., *et al.*, 34

K

KARIM, S. M. M. Mechanism of the depressor action of noradrenaline in the cat, 592
KUPERMAN, A. S., and OKAMOTO, M. Relationship between anticurare activity and time course of the endplate potential; a structure–activity approach, 575

L

LOVATT EVANS, C. *See* EVANS, C. L.

M

MØRCH, P. *See* ENGBERG-PEDERSEN, H., *et al.*, 1

N

NUSTAD, K. *See* AMUNDSEN, E., *et al.*, 440

O

OKAMOTO, M. *See* KUPERMAN, A. S., *et al.*, 575
ORSINGHER, O. A. *See* BISCARDI, A. M., *et al.*, 529

P

PAGET, G. E., and THORPE, E. Teratogenic effect of a sulphonamide in experimental animals, 305
PARIKH, H. M. *See* GOKHALE, S. D., *et al.*, 508
PARTINGTON, M. *See* JACKSON, H., *et al.*, 521
PEPEU, G. *See* GIARMAN, N. J., *et al.*, 123
PLECH, A. *See* BRUS, R., *et al.*, 449
PRETI, M. *See* DELLA BELLA, D., *et al.*, 540

Q

QUILLIAM, J. P., and SHAND, D. G. Selectivity of drugs blocking ganglionic transmission in the rat, 273
——. *See also* ELLIOT, R. C., *et al.*, 222
BROWN, D. A., *et al.*, 241, 257
QUINTON, R. M. *See* HALLIWELL, G., *et al.*, 330

R

RAPER, C. *See* BOWMAN, W. C., *et al.*, 184
REGOLI, D., and VANE, J. R. Sensitive method for the assay of angiotensin, 351
ROATH, O. S. *See* BUTTOO, A. S., *et al.*, 90
ROBINSON, B. V., and ROBSON, J. M. Production of an anti-inflammatory substance at a site of inflammation, 420
ROBSON, J. M. *See* ROBINSON, B. V., *et al.*, 420
ROE, A. M. *See* FIELDEN, R., *et al.*, 486
ROGERS, D. *See* BOYD, Helen, *et al.*, 151
RYAN, S. J. *See* EAKINS, K. E., *et al.*, 374

S

SAAMELI, K. Quantitative comparison between oxytocin and four related neurohypophysial peptides on the human uterus *in situ*, 176
SCROOP, G. C. *See* FEWINGS, J. D., *et al.*, 115
SHAND, D. G. *See* QUILLIAM, J. P., *et al.*, 273

SRIMAL, R. C. *See* BHARGAVA, K. P., *et al.*, 383
SRIVASTAVA, R. K. *See* BHARGAVA, K. P., *et al.*, 391
STOCKBRIDGE, Anne. *See* DAY, Margaret, *et al.*, 405

T

TAKESHIGE, C., and VOLLE, R. L. Comparison of the ganglion potentials and block produced by acetylcholine and tetramethylammonium, 80
THORPE, E. *See* PAGET, G. E., *et al.*, 305
TUBARO, E. Possible relationship between tetracycline stability and effect on foetal skeleton, 445
TYBRING, L. *See* ENGBERG-PEDERSEN, H., *et al.*, 1

V

VANE, J. R. Use of isolated organs for detecting active substances in the circulating blood, 360
——. *See also* REGOLI, D., *et al.*, 351
VARMA, D. R. *See* BENFEY, B. G., *et al.*, 399
VOLLE, R. L. *See* TAKESHIGE, C., *et al.*, 80

W

WALKER, J. M. G., and WEATHERALL, M. Calcium in relation to the actions of ouabain and adrenaline on the heart, 66
WALPOLE, A. L. *See* JACKSON, H., *et al.*, 521
WEATHERALL, M. *See* WALKER, J. M. G., *et al.*, 66
WESTLING, H. *See* BJURO, T., *et al.*, 433
WETTERQVIST, H. *See* BJURO, T., *et al.*, 433
WHELAN, R. F. *See* FEWINGS, J. D., *et al.*, 115
WHITNEY, B. *See* BUCKNELL, Anne, *et al.*, 164
WILKINSON, S. *See* BARNETT, Margaret, *et al.*, 552
WILLEY, G. L. *See* FIELDEN, R., *et al.*, 486
WILLIAMS, Frances E. *See* HALLIWELL, G., *et al.*, 330

Z

ZOLLER, Anne. *See* BARLOW, R. B., *et al.*, 131

SUBJECT INDEX

A

AHR602. *See* 3-Acetoxy-1-benzyl-1-methylpyrrolidinium

3-Acetamidocoumarans, synthesis of, 502

3-Acetoxy-1-benzyl-1-methylpyrrolidinium, response of blood pressure to, effect of atropine on, in rat, 36

——, ——, effect of cocaine on, in rat, 37

——, ——, effect of hexamethonium on, and action of atropine and cocaine, in rat, 36

——, ——, effect of nicotine on, in rat, 38

——, ——, effect of P-286 on, in rat, 38

Acetylcholine, detection in blood, 369

——, effect on peristalsis, in small intestine from normal rat, 22

——, ——, in small intestine from tryptophan-deficient rat, 24

——, ganglion potentials and block produced by, and effect of atropine and hexamethonium on, 80

——, ganglion-stimulant action of, effect of central depressants, procainamide and tetraethylammonium on, 258

——, ——, effect of centrally active agents and other drugs on, 262

——, in brain, effect of atropine and its methonitrate, homatropine and hyoscine on, in rat, 123

——, ——, effect of JB 330, JB 336, JB 8035 and JB 8099 on, in rat, 127

——, response of blood pressure to, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 342

——, ——, effect of desmethylimipramine on, 340

——, ——, effect of pronethalol on, 594

——, response of guinea-pig tracheobronchial preparation to, 207

——, response of human bronchus to, 207

——, response of human taenia coli preparation to, and effect of hexamethonium, hyoscine and physostigmine on, 165

——, ——, effect of mepyramine and procaine on, 168

——, response of hypogastric nerve–vas deferens preparation to, effect of bretylium on, 602

——, response of large intestine to, effect of hyoscine on, 355

——, response of large and small intestine and stomach strip to, 352

——, response of rat stomach strip to, effect of blood on, 362

——, response of small intestine to, effect of polymethylenebis(triethylammonium) salts on, 144

——, response of trachea to, and effect of acetylsalicylate on, 207

——, response of toad large intestine to, and effect of adrenergic- and ganglion-blocking agents, cholinergic agents and reserpine on, 157

Acetylcholinesterase activity, inhibition by polymethylenebis(trialkylammonium) salts, 144

Acetylsalicylic acid, and salts, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 208

——, calcium salt, effect on bronchoconstrictor action of bradykinin, prostaglandin and slow-reacting substance produced in anaphylaxis, 206

——, effect on response of trachea to acetylcholine and slow-reacting substance produced in anaphylaxis, 209

Acetylsalicylic acid (*cont.*)

——, sodium salt, effect on bronchoconstrictor action of substance P, 205

Adrenals, release of catechol amines from, effect of SK&F 90,109 and 90,238 on, 496

——, response to tetramethylammonium, effect of SK&F 90,238 on, 496

Adrenalectomy, effect on chlorpromazine-induced hyperglycaemia, in rat, 96

——, effect on release of catechol amines from tissues by histamine, 368

Adrenaline, assay of, in admixture with isoprenaline, noradrenaline and phenethylamine, 363

——, effect on ganglionic transmission, 234

——, ——, and action of azacyclonal, chlorpromazine and ergotoxine, 235

——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of L-thyroxine sodium, 192

——, effect on spontaneous activity and response of large intestine to angiotensin, 353

——, intravitreous, effect on pupil diameter and outflow of aqueous humour from eye, and action of phentolamine, 374

——, response of aortic strip to, and effect of chlorpromazine on, 510

——, response of blood pressure to, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 334, 340

——, ——, effect of chlorpromazine on, and action of cocaine, dichloroisoprenaline and hexamethonium, 513

——, ——, effect of phenoxybenzamine and phentolamine on, and action of atropine, 593

——, ——, effect of pronethalol on, 594

——, ——, effect of SK&F 90,109 and 90,238 on, 496

——, response of blood vessels to, effect of atropine, evisceration, phenoxybenzamine, phentolamine and pronethalol on, 596

——, response of heart beat to, effect of calcium, potassium and sodium concentrations on, 66

——, ——, effect of SK&F 90,109 and 90,238 on, 492

——, response of human taenia coli preparation to, effect of procaine on, 170

——, ——, and effect of pronethalol on, 166

——, response of large and small intestine and stomach strip to, 352

——, response of nictitating membrane to, effect of SK&F 90,109 and 90,238 on, 489

——, response of rat stomach strip to, effect of blood on, 362

——, response of seminal vesicles to, and effect of chlorpromazine on, 513

——, response of small intestine and uterus to, effect of SK&F 90,109 and 90,238 on, 491

——, response of smooth muscle at junction of bile duct with duodenum to, and effect of atropine, dibenamine, dichloroisoprenaline and vagotomy on, 101

——, response of toad large intestine to, 157

——, sialogenous action of, effect of SK&F 90,109 and 90,238 on, 492

——, urinary excretion of, effect of dexamphetamine on, and action of mecamylamine and reserpine, in normal rat and rat without adrenal medullae, 533

Adrenaline, urinary excretion of (*cont.*)
——, ——, effect of mecamylamine on, in normal rat and rat without adrenal medullae, 532
——, ——, effect of reserpine on, and action of mecamylamine and a monoamine-oxidase inhibitor, in normal rat and rat without adrenal medullae, 529
(+)- *and* (−)-**Adrenaline**, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine and pronethalol, 187, 191
(−)-**Adrenaline**, effect on response of phrenic nerve–diaphragm preparation to electrical stimulation, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine, potassium chloride and pronethalol, 187
——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of caffeine, sodium fluoride and theophylline, 193
——, ——, and action of *N*-isopropylmethoxamine and methoxamine, 191
Adrenergic activity, effect of chlorpromazine on, in rat, 96
Adrenergic blocking action, of chlorpromazine, 508
Adrenergic blocking agents, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 158
Adrenochrome, effect on ganglionic transmission, 233
Air, expired, excretion of intravenous (2-bromoethyl)-ethyl(naphth-1-ylmethyl)amine in, in rat, 291
Alcohol, effect on sleeping time, action of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in mouse, 341
——, ——, action of reserpine, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in mouse, 339
Aldosterone, response of large intestine to, 352
Amidopyrine, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Amino-acids, excitation and depression of mammalian cortical neurones by, 313
2 - *p* - Aminobenzenesulphonamido - 4,6 - dimethoxy - pyrimidine. *See* Sulphamoprine
γ-Aminobutyric acid, central cardiovascular actions of, 383
——, depression of cortical neurones by, 313
——, effect on response of nictitating membrane to sympathetic stimulation, 386
——, non-specific depressant action on somatic reflexes, 391
ε-Aminocaproic acid. *See* 6-Aminohexanoic acid
ω-Aminocaprylic acid. *See* 8-Amino-octanoic acid
3-Aminocoumarans, synthesis of, 502, 505
Aminoguanidine, effect on action of parenteral gastrin on acid gastric secretion, in rat, 481
6-Aminohexanoic acid (*γ-aminocaproic acid*):
——, depression of cortical hormones by, 313
γ-Amino-β-hydroxybutyric acid, depression of cortical neurones by, 313
3-Amino-5-, -6- *and* -7-methylcoumaran, effect on adrenergic neurone transmission, 497
——, synthesis of, 501
8-Amino-octanoic acid
——, effect on cortical neurones, 313
(*ω-Aminocaprylic acid*):
Aminophylline, response of heart beat to, and effect of potassium and sodium concentrations on, 75
3-Aminopropane-1-sulphonic acid, depression of cortical neurones by, 313
Aminosalicylic acid, in serum, after administration of various preparations, kinetics of, in man, 1
Amiphenazole, effect on ganglionic transmission, in cat, 250
Amitriptyline, effect in various tests involving autonomic functions and reserpine antagonism, comparison with chlorpromazine, imipramine and other drugs, 330
Amodiaquine, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Amopyroquin, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Amphetamine, effect on behaviour, action of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in rat, 335
——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 190
——, toxicity of, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, in mouse, 341
See also Dexamphetamine *and* Levamfetamine
Amylobarbitone, effect on action of physostigmine on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 544
——, effect on ganglionic transmission, 226
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on ganglion-stimulating action of acetylcholine and carbachol, 260
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, and action of physostigmine, 544
——, effect on response of hypogastric nerve–vas deferens preparation to noradrenaline, 546
——, effect on response of splenic nerve–spleen preparation to nerve stimulation and noradrenaline, 546
——, ganglion-blocking action of, and effect of bemegride, leptazol, nicotine and physostigmine on, 251
——, ——, and relation to anaesthetic action, 241
——, response of blood pressure to, and effect of physostigmine and pilocarpine on, 541
——, response of blood pressure and respiration to, 249
Anaesthetic action, of centrally active agents, relation to ganglion-blocking action, 248
Analgesia, induced by arecoline, effect of amitriptyline, chlorpromazine, chlorprothixene, imipramine and promazine on, 344
Analgesics, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 208
Angiotensin, assay of, sensitive method for, 351
——, in blood, effect of renin on, in nephrectomized rat, 355
——, ——, in nephrectomized and normal rats, 355
——, response of large intestine to, effect of hexamethonium, hyoscine, mepyramine, methysergide, morphine, phenoxybenzamine and reserpine on, 255
——, response of large and small intestine and stomach strip to, 352

Anoxia, effect on action of adrenaline on response of normal and potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 187
——, effect on action of tetanus on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 191
——, effect on heart beat, 71
Anthranilic acid, sodium salt, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Antiacetylcholine action, of polymethylenebis(triethylammonium) salts, 144
——, of SK&F 90,109 and 90,238, 497
Antiadrenaline action, of (2-bromoethyl)ethyl(naphth-1-ylmethyl)amine, relation to distribution and excretion, in rat, 288
Antibacterial action, of colistin and polymyxins and their sulphomethyl derivatives, 552
Anticurare action, of quaternary ammonium compounds, relation to effect on curarized endplate potentials, 575
Antidepressants, effect on autonomic functions and reserpine antagonism, 330
Antidiuretic action, of colistin and polymyxins and their sulphomethyl derivatives, 560
Antihistamines, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 412
Antihistamine action, of SK&F 90,109 and 90,238, 497
Antihypertensive action, of amylobarbitone and mebutamate, mechanism of, 540
Anti-inflammatory agents, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
——, production at site of inflammation, 420
Antimalarials, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Antimetabolic action, of azauridine, site of, 90
Antipyretics, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Antirheumatic agents, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Aorta, localisation of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 291
Aortic strip, rabbit, response to adrenaline and noradrenaline, and effect of chlorpromazine on, 510
Apomorphine, effect on behaviour, action of chlorpromazine, imipramine and promazine, in rat, 336
Aqueous humour, outflow from eye, effect of intravitreous sympathomimetic amines on, and action of phentolamine and sympathetic denervation, 374
——, ——, effect of phentolamine on, 277
Arecoline, analgesia induced by, effect of amitriptyline, chlorpromazine, chlorprothixene, imipramine and promazine on, 344
——, effect on conditioned reflex, action of amitriptyline, atropine, desmethylimipramine and imipramine, in rat, 344
D- *and* L-**Asparagine,** effect on cortical neurones, 317
Asparagine^1-oxytocin, response of uterus to, in man, 176
D- *and* L-**Aspartic acid,** excitation of cortical neurones by, 313
Ataractic agents, effect on ganglion-blocking action of adrenaline and mescaline, 235
Ataxia, induction by organophosphorus compounds, in hen, 296
Atrium, response to nicotine and quaternary methyl derivative of dopamine, and effect of atropine and hexamethonium on, 62
Atropine, and its methonitrate, effect on acetylcholine in brain, in rat, 124
——, effect on action of arecoline on conditioned reflex, in rat, 344
——, effect on action of hexamethonium on response of blood pressure to AHR602, dimethylphenylpiperazinium, McN-A-343, noradrenaline and physostigmine, in rat, 36
——, effect on action of phenoxybenzamine and phentolamine on response of blood pressure to adrenaline and noradrenaline, 593
——, effect on action of physostigmine on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 545
——, effect on action of sympathomimetic amines on flow through bile duct, 106
——, effect on bronchoconstrictor action of slow-reacting substance produced in anaphylaxis, 205
——, effect on ganglion potentials and block produced by acetylcholine and tetramethylammonium, 84
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 262
——, effect on imipramine-induced tachycardia, in reserpinized rat, 337
——, effect on peristalsis, in rat, 27
——, ——, in small intestine from normal rat, 22
——, ——, in small intestine from tryptophan-deficient rat, 24
——, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 600
——, effect on response of atrium to nicotine and quaternary methyl derivative of dopamine, 62
——, effect on response of blood pressure to AHR602, McN-A-343 and physostigmine, in rat, 36
——, effect on response of blood vessels to adrenaline and noradrenaline, 596
——, effect on response of decentralized nictitating membrane to SK&F 90,109, 491
——, effect on response of heart beat to butyrylcholine, 401
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 601
——, ——, and action of physostigmine, 545
——, effect on response of toad large intestine to acetylcholine and nerve stimulation, 158, 160
——, ganglion-blocking action of, 243
——, mydriatic action of, effect of reserpine on, in mouse, 342
Auricles, ionic content of, effect of composition of organ bath on, 75
Autonomic blocking agents, effect on transmission in vas deferens, electrophysiological investigation of, 600
Autonomic functions, effect of antidepressants and tranquillizers on, 330
Azacyclonal, effect on ganglion-blocking action of adrenaline and mescaline, 235
——, effect on ganglionic transmission, 226
——, ganglion-blocking action of, and relation to anaesthetic action, 241
6-Azauridine, site of antimetabolitic action of, 90

B

Barbitone, ganglion-blocking action of, and relation to anaesthetic action, 241
——, response of blood pressure to, 249
Barbiturates, response of blood pressure and respiration to, 249
Barium ions, effect on response of potassium-depressed phrenic nerve-diaphragm preparation to electrical stimulation, 193
Behaviour, effect of amphetamine on, action of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in rat, 335
——, effect of apomorphine on, action of chlorpromazine, imipramine and promazine, in rat, 336
——, effect of SK&F 90,109 and 90,238 on, in mouse, 497
——, effect of *N*-substituted tryptamines on, in animals, 49
Bemegride, effect on ganglion-blocking action of amylobarbitone, 252
——, effect on ganglionic transmission, in cat, 250
Benactyzine, effect on ganglionic transmission, 226
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 262
——, ganglion-blocking action of, and relation to anaesthetic action, 241
1 - (1,4 - Benzodioxan - 2 - ylmethyl) - 1 - benzylhydrazine, effect on action of reserpine on urinary excretion of catechol amines, in normal rat and rat without adrenal medullae, 532
N-Benzyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Bethanidine, block of baroreceptor reflex by, in man, 118
——, effect on response of peripheral blood flow to noradrenaline, in man, 118
——, response of peripheral circulation to, and effect of phenoxybenzamine on, in man, 115
——, sympathetic blocking action of, 117
Betz cells, antidromic invasion of, effect of γ-aminobutyric acid and 3-aminopropane-1-sulphonic acid on, 323
Bile, excretion of intramuscular colistin and polymyxins and their sulphomethyl derivatives in, 567
——, excretion of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 291
Bile duct, flow through, effect of dichloroisoprenaline and glucose on, 106
——, ——, effect of sympathomimetic amines on, and action of atropine, dibenamine, dichloroisoprenaline and vagotomy, 103
——, terminal end of, response to sympathomimetic amines, 104
αα′-Bipyridyl (*αα′-dipyridyl*):
——, effect on kininase activity of human erythrocytes, plasma and saliva, 442
Biventer cervicis nerve–muscle preparation, chick, response to electrical stimulation, effect of polymethylenebis-(triethylammonium) salts on, 139
——, ——, response to hexamethylenebis(dialkylamine) salts and polymethylenebis(trialkylammonium) salts, 138
Blood, active substances in, assay of, using isolated organs, 360
——, angiotensin in, in nephrectomized and normal rats, 355
Blood, angiotensin in (*cont.*)
——, ——, effect of renin on, in nephrectomized rat, 355
——, effect on sensitivity and tone of isolated tissues, 362
——, localization of intramuscular colistin and polymyxins and their sulphomethyl derivatives in, 562
——, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 288
Blood flow, peripheral, response to noradrenaline, effect of bethanidine on, in man, 118
——, ——, response to sympathetic stimulation, effect of SK&F 90,109 and 90,238 on, 493
Blood plasma, human, kininase activity of, effect of various inhibitors on, 442
Blood pressure, response to acetylcholine, adrenaline, carbachol, isoprenaline, histamine, methacholine, noradrenaline and vagal stimulation, effect of pronethalol on, 594
——, response to acetylcholine, dimethylphenylpiperazium and histamine, effect of desmethylimipramine on, 340
——, response to acetylcholine and vagal stimulation, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 342
——, response to adrenaline, carotid occlusion and noradrenaline, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 334, 340
——, response to adrenaline, AHR602, dimethylphenylpiperazinium, McN-A-343, noradrenaline and physostigmine, effect of P-286 on, in rat, 38
——, response to adrenaline, isoprenaline and noradrenaline, effect of chlorpromazine on, and action of dichloroisoprenaline, 514
——, response to adrenaline and noradrenaline, effect of chlorpromazine on, and action of cocaine and hexamethonium, 513
——, ——, effect of phenoxybenzamine and phentolamine on, and action of atropine, 593
——, response to adrenaline and sympathetic stimulation, effect of SK&F 90,109 and 90,238 on, 496
——, response to AHR602, dimethylphenylpiperazinium, McN-A-343, noradrenaline and physostigmine, effect of hexamethonium on, and action of atropine and cocaine, in rat, 35
——, ——, effect of nicotine on, in rat, 38
——, response to AHR602, McN-A-343 and noradrenaline, effect of atropine on, in rat, 36
——, response to AHR602, McN-A-343 and physostigmine, effect of cocaine on, in rat, 37
——, response to γ-aminobutyric acid, 384
——, response to amylobarbitone, mebutamate and urethane, and effect of physostigmine and pilocarpine on, 541
——, response to barbiturate and tetraethylammonium, 249
——, response to carotid occlusion, effect of γ-aminobutyric acid on, 384, 386
——, response to choline and ethyltrimethylammonium, and effect of hexamethonium on, 62
——, response to cobalt salts, 459
——, response to dopamine, noradrenaline and tyramine and their quaternary methyl derivatives and nicotine, 57
——, response to isoprenaline, and effect of chlorpromazine on, 513
——, response to methylpentynol and its carbamate, 244

Blood pressure (*cont.*)
——, response to nerve stimulation, effect of SK&F 90,109 and 90,238 on, 494
——, response to noradrenaline, effect of γ-aminobutyric acid on, 386
——, response to P-286, in rat, 37
——, response to physostigmine, effect of hexamethonium, nicotine and tetramethylammonium on, 547
——, response to quaternary methyl derivatives of dopamine, noradrenaline and tyramine, effect of hexamethonium on, 57
——, response to SK&F 90,109 and 90,238, 493
——, response to *N*-substituted tryptamines, 51
See also Hypotensive action *and* Pressor action *and* Reflex, baroreceptor
Blood vessels, peripheral, response to bethanidine, in man, 115
——, response to adrenaline and noradrenaline, effect of atropine, evisceration, phenoxybenzamine, phentolamine and pronethalol on, 594
See also Vasoconstrictor action *and* Vasodilator action
Bradycardia, induction by reserpine, effect of imipramine on, 336
Bradykinin, bronchoconstrictor action of, 203, 206
——, ——, effect of acetylsalicylate on, 206
——, ——, effect of analgesics, anti-inflammatory agents, antimalarials, antipyretics, antirheumatic agents and corticosteroids on, 208
——, detection in blood, 369
——, effect on spontaneous activity and response of large intestine to angiotensin, 355
——, release from tissues by contact with glass and by trypsin, 369
——, response of human bronchus to, 207
——, response of large and small intestine and stomach strip to, 352
——, response of small intestine and stomach strip to, 369
——, response of trachea to, 207
Brain, acetylcholine in, effect of atropine and its methonitrate, homatropine and hyoscine on, in rat, 123
——, ——, effect of JB 330, JB 336, JB 8035 and JB 8099 on, in rat, 127
——, enzymes in, effect of organophosphorus compounds on, in hen, 301
——, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine, in rat, 290
Breeding performance, of mouse, 522
Bretylium, effect on ganglionic and nervous transmission selectivity of, 273
——, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 450
——, effect on imipramine-induced tachycardia, in reserpinized rat, 337
——, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 602
——, effect on response of hypogastric nerve–vas deferens preparation to acetylcholine, nerve stimulation and noradrenaline, 602
——, effect on response of toad large intestine to nerve stimulation and noradrenaline, 158, 160
(2-Bromoethyl)ethyl(naphth-1-ylmethyl)amine, intravenous, distribution and excretion of, and relation to antiadrenaline action, in rat, 285
(2-Bromoethyl)ethyl(naphth-1-yl[^{14}C]methyl)amine, synthesis of, 293
2-Bromolysergic acid diethylamide, effect on action of parenteral gastrin and histamine on acid gastric secretion, in rat, 481
——, effect on bronchoconstrictor action of slow-reacting substance produced in anaphylaxis, 205
——, effect on peristalsis, in rat, 27
——, ——, in small intestine from normal rat, 22
——, ——, in small intestine from tryptophan-deficient rat, 24
——, effect on response of human taenia coli preparation to 5-hydroxytryptamine, 170
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 411
Bronchoconstrictor action, of bradykinin, effect of acetylsalicylate on, 206
——, ——, effect of analgesics, anti-inflammatory agents, antimalarials, antipyretics, antirheumatic agents and corticosteroids on, 208
——, of bradykinin, histamine and slow-reacting substance produced in anaphylaxis, 203, 206
——, of histamine, effect of acetylsalicylate on, 208
——, of prostaglandin, effect of acetylsalicylate on, 206
——, of slow-reacting substance produced in anaphylaxis, and effect of analgesics, anti-inflammatory agents, antimalarials, antipyretics, antirheumatic agents and corticosteroids on, 201
——, ——, and effect of atropine, bromolysergic acid diethylamide and mepyramine on, 205
——, ——, effect of hexamethonium on, 206
——, of substance P, effect of acetylsalicylate on, 205
Bronchus, human, response to acetylcholine, bradykinin and slow-reacting substance produced in anaphylaxis, 207
Bufo marinus, large intestine of, blood supply and innervation of, 151
N-Butyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Butyrylcholine, response of heart beat to, and effect of atropine, cocaine, dexamphetamine, ephedrine, hexamethonium, levamfetamine, pronethalol, pseudoephedrine and tyramine on, 401
——, ——, effect of propranolol on, 404

C

Caffeine, effect on action of adrenaline on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 193
——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin and pronethalol, 188, 192
——, response of heart beat to, and effect of potassium and sodium concentrations on, 75
Calcium ions, effect on action of adrenaline and ouabain on heart beat, 66
——, effect on heart beat, and action of potassium and sodium concentrations on, 67
——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin and pronethalol, 188, 192
Captodiame, effect on ganglionic transmission, 244
Carbachol, ganglion-stimulating action of, effect of central depressants, procainamide and tetraethylammonium on, 258
——, ——, effect of centrally active agents and other drugs on, 262

Carbachol (*cont.*)
——, response of blood pressure to, effect of pronethalol on, 594
Carbromal, ganglion-blocking action of, and relation to anaesthetic action, 241
Cardiac output, effect of SK&F 90,109 on, 495
Carotid occlusion, release of catechol amines from tissues by, 370
——, response of blood pressure to, effect of γ-aminobutyric acid on, 384, 386
——, ——, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 334, 340
Catechol amines, peripheral stores of, effect of amphetamine and reserpine on, mechanism of, 536
——, release from adrenals, effect of SK&F 90,109 and 90,238 on, 496
——, release from tissues by carotid occlusion, 370
——, release from tissues by histamine, and effect of adrenalectomy, hexamethonium and mepyramine on, 367
——, release from tissues by nicotine and phenethylamine, 366
Central depressants, effect on ganglionic transmission, 222
Centrally active agents, effect on ganglionic transmission, mechanism of, 257
Chloral hydrate, effect on ganglionic transmission, 244
Chlorbutol, ganglion-blocking action of, 243
Chlorisondamine, effect on imipramine-induced tachycardia, in reserpinized rat, 337
Chlormethylenecycline, stability of, possible relation to deposition in foetal skeleton and induction of malformations, 445
N-*p*-Chlorobenzyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
5-Chlorocoumaran-3-one, synthesis of, 502, 504
(5-Chlorocoumaran-3-yl)ethyldimethylammonium, effect on adrenergic neurone transmission, 497
——, synthesis of, 501
N-(5-Chlorocoumaran-3-yl)guanidine, adrenergic neurone-blocking action of, 497
——, synthesis of, 505
(5-Chlorocoumaran-3-yl)trimethylammonium, effect on adrenergic neurone transmission, 497
——, synthesis of, 501
5-Chloro-3-dimethylaminocoumaran, effect on adrenergic neurone transmission, 497
——, synthesis of, 501, 505
5-Chloro-2-ethoxycarbonylcoumaran-3-one, synthesis of, 504
p-Chloromercuribenzenesulphonic acid, effect on kininase activity of human erythrocytes, plasma and saliva, 442
4-(*m*-Chlorophenylcarbamoyloxy)-2-butynyltrimethylammonium, response of blood pressure to, effect of atropine on, in rat, 36
——, ——, effect of cocaine on, in rat, 37
——, ——, effect of hexamethonium on, and action of atropine and cocaine, in rat, 36
——, ——, effect of nicotine and P-286 on, in rat, 38
Chloroquine, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Chlorpromazine, effect in various tests involving autonomic functions and reserpine antagonism, comparison with imipramine and other drugs, 330
——, effect on action of parenteral gastrin and histamine on acid gastric secretion, in rat, 481

Chlorpromazine (*cont.*)
——, effect on adrenergic activity, in rat, 96
——, effect on ganglion-blocking action of adrenaline and mescaline, 235
——, effect on ganglionic transmission, 226
——, ——, and action of mescaline, 235
——, effect on response of aortic strip to adrenaline and noradrenaline, 508
——, effect on response of blood pressure to adrenaline and noradrenaline, and action of cocaine, dichloroisoprenaline and hexamethonium, 513
——, effect on response of blood pressure to isoprenaline, and action of dichloroisoprenaline, 513
——, effect on response of seminal vesicles to adrenaline and noradrenaline, 508
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 414
——, hyperglycaemic action of, effect of adrenalectomy, ambient temperature, dibenamine, phentolamine and reserpine on, in rat, 93
——, ——, relation to hypothermic action, in rat, 97
Chlorprothixene, and its *cis*-isomer, effect on ganglionic transmission, 228
——, effect in various tests involving autonomic functions and reserpine antagonism, comparison with chlorpromazine, imipramine and other drugs, 330
Chlortetracycline, stability of, possible relation to deposition in foetal skeleton and induction of malformations, 445
Cholesterol. *See* Hypercholesterolaemia
Choline, detection in blood, 368
——, response of blood pressure to, and effect of hexamethonium on, 62
——, response of rat stomach strip to, effect of blood on, 362
Choline acetylase activity, in brain, effect of hyoscine on, in rat, 126
——, ——, estimation of, 124
Choline xylyl ether. *See* Xylocholine
Cholinergic agents, effect on response of toad large intestine to acetylcholine and nerve stimulation, 157
Cholinolytic agents, centrally acting, effect on acetylcholine in brain, in rat, 123
Cinchophen, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Cobalt compounds, as antidotes for hydrocyanic acid, 455
——, effect on action of cyanide on oxygen utilization, 468
——, effect on inhibition of cytochrome oxidase system by cyanide, 460
——, effect on kininase activity of human erythrocytes, plasma and saliva, 442
——, effect on response of small intestine to cyanide, 460
——, intravenous, distribution in tissues, 459
——, response of blood pressure, large and small intestine and respiration to, 459
——, toxicity of, 457
Cobinamide, as antidote for hydrocyanic acid, 455
Cocaine, effect on action of chlorpromazine on response of blood pressure to adrenaline and noradrenaline, 514
——, effect on action of hexamethonium on response of blood pressure to AHR602, dimethylphenylpiperazinium, McN-A-343, noradrenaline and physostigmine, in rat, 36
——, effect on action of SK&F 90,109 and 90,238 on response of nictitating membrane to sympathetic stimulation, 489

Cocaine (*cont.*)
——, effect on response of heart beat to butyrylcholine, 401
——, effect on uptake of histamine, 5-hydroxytryptamine and noradrenaline by mast cells, 413
Colistin, and sulphomethyl derivatives of, antibacterial and pharmacological actions, constitution and toxicity of, 552
——, ——, electrophoretic analysis of, 568
——, ——, intramuscular, distribution and excretion of, in dog and man, 562
Colomycin. *See* Colistin, sulphomethyl derivatives of
Compound 48/80, release of histamine from tissues by, 368
Conditioned reflex, effect of amitriptyline, chlorpromazine, chlorprothixene and imipramine on, in rat, 344
——, effect of arecoline on, action of amitriptyline, atropine, desmethylimipramine and imipramine, in rat, 344
Conductance, molar, of polymethylenebis(trialkylammonium) salts, 136
Corticosteroids. *See* Steroids, cortico-
Coumaran, derivatives of, adrenergic neurone-blocking and other pharmacological actions and toxicity of, 486
Coumaran-3-ones, synthesis of, 502
N-Coumaran-3-ylguanidine, adrenergic neurone-blocking action of, 497
——, synthesis of, 505
Coumaran-3-yltrimethylammonium, effect on adrenergic neurone transmission, 497
——, synthesis of, 501
Cyanide, antidote for, cobalt compounds as, 455
——, ——, thiosulphate as, 462
——, effect on cytochrome oxidase system, action of cobalt compounds, 460
——, effect on kininase activity of human erythrocytes, plasma and saliva, 442
——, effect on oxygen utilization, and action of cobalt compounds, 468
——, response of small intestine to, effect of cobalt compounds on, 460
——, toxicity of, 457
Cytochrome oxidase system, inhibition by cyanide, effect of cobalt compounds on, 460

D

DEF. *See* Tributyl phosphorotrithiolate
Demethylchlortetracycline, stability of, possible relation to deposition in foetal skeleton and induction of malformations, 445
Depressants, central, effect on ganglionic transmission, 222, 241
——, ——, effect on ganglion-stimulating action of acetylcholine and carbachol, 260
——, ——, ganglion-blocking action of, mechanism of, 257
Desamino[1]-oxytocin, response of uterus to, in man, 176
Design of experiments, for detecting teratogenic effects of drugs, 312
Desmethylimipramine, effect in various tests involving autonomic functions and reserpine antagonism, comparison with chlorpromazine, imipramine and other drugs, 330
Desmethylpromazine, effect in various tests involving autonomic functions and reserpine antagonism, comparison with chlorpromazine, imipramine and other drugs, 330
Dexamethasone, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Dexamphetamine, effect on response of heart beat to butyrylcholine, noradrenaline and tyramine, 401
——, effect on urinary excretion of catechol amines, and action of mecamylamine and reserpine, in normal rat and rat without adrenal medullae, 533
See also Amphetamine *and* Levamfetamine
Diamine oxidase, effect on gastrin, 482
Diamine-oxidase inhibitors, effect on action of parenteral gastrin on acid gastric secretion, in rat, 481
Dibenamine, effect on chlorpromazine-induced hyperglycaemia, in rat, 96
——, effect on response of smooth muscle at junction of bile duct with duodenum to sympathomimetic amines, 108
NN-Dibenzyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
NN-Dibutyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Dichloroisoprenaline, effect on action of chlorpromazine on response of blood pressure to adrenaline, isoprenaline and noradrenaline, 514
——, effect on action of sympathomimetic amines on response of normal and potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 187, 191
——, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 451
——, effect on response of smooth muscle at junction of bile duct with duodenum to sympathomimetic amines, 106
——, effect on response of toad large intestine to acetylcholine and nerve stimulation, 158, 160
——, effect on uptake of histamine, 5-hydroxytryptamine and noradrenaline by mast cells, 414
N-Diethylaminoethyl-*N*-isopentyl-*N'N'*-di-isopropylurea, effect on response of blood pressure to adrenaline, AHR602, dimethylphenylpiperazinium, McN-A-343, noradrenaline and physostigmine, in rat, 37
——, response of blood pressure and heart rate to, in rat, 37
Diethyl(*m*-hydroxyphenyl)methylammonium, effect on curarized endplate potentials, relation to anticurare action, 575
Diethylmethyl(7-methylcoumaran-3-yl)ammonium, adrenergic neurone-blocking action of, 497
——, synthesis of, 501
Diethylmethyl(2-xylyloxyethyl)ammonium, adrenergic neurone-blocking action of, 497
NN-Diethyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Dihydrochlorprothixene, effect on ganglionic transmission, 228
Dihydroergotamine, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 451
[2-(3,4-Dihydroxyphenyl)ethyl]trimethylammonium, pharmacological actions of, comparison with quaternary methyl derivatives of noradrenaline and tyramine, 55
(±)-[2-(3,4-Dihydroxyphenyl)-2-hydroxyethyl]-trimethylammonium, pharmacological actions of, comparison with quaternary methyl derivatives of dopamine and tyramine, 55
NN-Di-isobutyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43

NN-Di-isopropyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
3-Dimethylaminocoumarans, synthesis of, 502, 505
3-Dimethylamino-7-methylcoumaran, effect on adrenergic neurone transmission, 497
5-(1,3-Dimethylbut-2-enyl)-5-ethylbarbituric acid, effect on ganglionic transmission, in cat, 250
1,1-Dimethyl-4-phenylpiperazinium, antagonism of, by SK&F 90,109, 497
——, response of blood pressure to, effect of desmethylimipramine on, 340
——, ——, effect of hexamethonium on, and action of atropine and cocaine, in rat, 36
——, ——, effect of nicotine and P-286 on, in rat, 38
——, response of human taenia coli preparation to, effect of hexamethonium, physostigmine, procaine and pronethalol on, 166
3,4-Dimethylpiperazin-1-yl *N*-propylbenzilate, effect on acetylcholine in brain, in rat, 127
1,1-Dimethylpiperid-3-yl benzilate, effect on acetylcholine in brain, in rat, 127
NN-Dimethyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Dimethyl(2-xylyloxyethyl)amine, effect on adrenergic neurone transmission, 497
NN-Dipropyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
aa'-Dipyridyl. *See aa'*-Bipyridyl
Dodecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Dopamine, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin, 188
——, response of toad large intestine to, 157
Dopamine methobromide. *See* [2-(3,4-Dihydroxyphenyl)ethyl]trimethylammonium
Duodenum, at junction with bile duct, response to dichloroisoprenaline, 106
——, ——, response to sympathomimetic amines, and effect of dichloroisoprenaline on, 101

E

Edetic acid, cobalt complex of, as antidote for hydrocyanic acid, and effect of thiosulphate on, 455
——, ——, toxicity of, 460
——, sodium salt, effect on kininase activity of human erythrocytes, plasma and saliva, 442
Edrophonium, effect on neuromuscular blocking action of quaternary methyl derivatives of dopamine and tyramine, 61
Eicosamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Enzymes, in brain and spinal cord, inhibition of, by organophosphorus compounds, in hen, 301
Ephedrine, effect on response of heart beat to butyrylcholine, 401
——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of pronethalol, 188
Epithelial cells, squamous, of human oral mucous membranes, kininase and kinin-forming activities of, 441
Ergotamine, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 607
Ergotoxine, effect on ganglion-blocking action of adrenaline, 235
——, effect on ganglionic transmission, 235
Erythrocytes, human, kininase activity of, effect of various inhibitors on, 442
Escherichia coli, activity of colistin and polymyxins and their sulphomethyl derivatives against, 557
***Escherichia coli* infections**, experimental, effect of colistin and polymyxins and their sulphomethyl derivatives in, in mouse, 559
Esterases, in brain and spinal cord, inhibition of, by organophosphorus compounds, in hen, 301
Ethanol. *See* Alcohol
Ethinamate, ganglion-blocking action of, 242
Ethyl alcohol. *See* Alcohol
Ethyl 4-chloro-2-methoxycarbonylphenoxyacetate, synthesis of, 504
Ethyldimethyl(5-*and* 6-methylcoumaran-3-yl)ammonium, effect on adrenergic neurone transmission, 497
——, synthesis of, 501
Ethyldimethyl(7-methylcoumaran-3-yl)ammonium, adrenergic neurone-blocking and other pharmacological actions and toxicity of, 486
——, synthesis of, 501
Ethyldimethyl(2-xylyloxyethyl)ammonium, adrenergic neurone-blocking action of, 497
Ethyl(2-hydroxyethyl)naphth-1-yl[^{14}C]methylamine, synthesis of, 293
N-Ethylnoradrenaline, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin, 188
1-Ethylpyrrolidin-2-ylmethyl α-cyclopentyl-α-phenylglycollate, effect on acetylcholine in brain, in rat, 127
Ethyltrimethylammonium, response of blood pressure to, and effect of hexamethonium on, 62
N-Ethyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Eye, anterior chamber of, localization of intravenous (2-bromoethyl)ethyl(naphth-1-ylmethyl)amine in, in rat, 290
——, outflow of aqueous humour from, effect of intravitreous sympathomimetic amines on, and action of phentolamine and sympathetic denervation, 374
——, ——, effect of phentolamine on, 377

F

Fat, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 290
Fatty acids, esterified, in serum, effect of intraperitoneal surface-active agent on, and action of adrenolytics and sympatholytics on, in rat, 450
Flufenamic acid, sodium salt, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Fluoride, effect on action of adrenaline on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 193
——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 193
Foetus, localization of (2-bromoethyl)ethyl(naphth-1-ylmethyl)amine in, after injection into maternal blood, in rat, 290
——, skeleton of, induction of malformations by tetracyclines in, possible relation to stability of drugs, 445
——, skeleton and teeth of, induction of malformations by sulphamoprine in, in mouse and rat, 305
3-Formamidocoumarans, synthesis of, 502

G

Ganglion, superior cervical, transmission in, effect of polymethylene bis-onium salts on, 142
Ganglion-blocking action, of acetylcholine and tetramethylammonium, and effect of atropine on, 80
——, of atropine, bretylium, central depressants, hexamethonium, mephenesin, nicotine, procaine, tetraethylammonium and tubocurarine, in rat, 273
——, of central depressants, mechanism of, 257
——, of central depressants and other drugs, 222
——, of centrally active agents, and relation to anaesthetic action, 241
——, of polymethylenebis(trialkylammonium) salts, 142
——, of SK&F 90,109 and 90,238, 497
Ganglion-blocking agents, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 160
Ganglionic pathway, in mediation of pressor action of physostigmine, in rat, 34
Ganglionic transmission, effect of acetylcholine and carbachol on, action of central depressants, procainamide and tetraethylammonium, 258
——, effect of atropine, bretylium, central depressants, hexamethonium, mephenesin, nicotine, procaine, tetraethylammonium and tubocurarine on, in rat, 273
——, effect of central depressants on, mechanism of, 257
——, effect of central depressants and other drugs on, 222
——, effect of central depressants and stimulants on, in cat, 241
Ganglion-stimulating action, of acetylcholine and carbachol, effect of central depressants, procainamide and tetraethylammonium on, 258
——, of acetylcholine, carbachol and potassium chloride, effect of centrally active agents and other drugs on, 262
Gastric secretion, acid, effect of parenteral gastrin and histamine on, and action of aminoguanidine, bromolysergic acid diethylamide, chlorpromazine and iproniazid, in rat, 476
Gastrin, assay of, 477
——, effect of diamine and monoamine oxidases on, 482
——, parenteral, effect on acid gastric secretion, and action of aminoguanidine, bromolysergic acid diethylamide, chlorpromazine and iproniazid, in rat, 476
——, purification of, 479
Gentisic acid, sodium salt, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Glucagon, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin and pronethalol, 188, 192
Glucose, in blood. *See* Hyperglycaemia
D- *and* L-**Glutamic acid,** excitation of cortical neurones by, 313
Glutethimide, effect on ganglionic transmission, 244
Glyoxylamides, substituted, pharmacological actions, preparation and toxicity of, 43
Guanethidine, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 450
——, effect on imipramine-induced tachycardia, in reserpinized rat, 337
——, effect on noradrenaline in heart, 496
——, effect on response of hypogastric nerve–vas deferens preparation to intramural nerve stimulation, 605
Guanethidine (*cont.*)
——, effect on response of toad large intestine to nerve stimulation and noradrenaline, 158, 160
——, effect on uptake of histamine, 5-hydroxytryptamine and noradrenaline by mast cells, 414
Guanidinoacetic acid, depression of cortical neurones by, 313
β-Guanidinopropionic acid, depression of cortical neurones by, 313

H

Hallucinogenic agents, effect on ganglionic transmission, 233
Heart, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
——, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 290
——, noradrenaline in, effect of guanethidine, reserpine, and SK&F 90,109 and 90,238 on, 496
See also Atrium
Heart beat, effect of anoxia and calcium, potassium and sodium concentrations on, 67
——, response to adrenaline, nerve stimulation and noradrenaline, effect of SK&F 90,109 and 90,238 on, 492
——, response to adrenaline and ouabain, effect of calcium, potassium and sodium concentrations on, 66
——, response to γ-aminobutyric acid, 387
——, response to aminophylline and caffeine, effect of potassium and sodium concentrations on, 75
——, response to amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in reserpinized rat, 337
——, response to butyrylcholine, and effect of atropine, cocaine, ephedrine, levamfetamine, pronethalol and pseudoephedrine on, 401
——, response to butyrylcholine, noradrenaline and tyramine, and effect of dexamphetamine, hexamethonium and pronethalol on, 401
——, ——, effect of propranolol on, 404
——, response to P-286, in rat, 37
See also Bradycardia *and* Cardiac output *and* Tachycardia
Heneicosamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Heptadecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Hexadecamethylenebis(dialkylamine) salts, pharmacological actions and molar conductances of, 136
Hexadecamethylenebis[(2 - hydroxyethyl)dimethylammonium], pharmacological actions and molar conductances of, 136
Hexadecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Hexamethonium, effect on action of chlorpromazine on response of blood pressure to adrenaline and noradrenaline, 514
——, effect on ganglion potentials and block produced by acetylcholine and tetramethylammonium, 84
——, effect on ganglionic transmission, 226
——, effect on ganglionic and nervous transmission, selectivity of, 273

Hexamethonium (*cont.*)
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 262
——, effect on release of catechol amines from tissues by histamine, 367
——, effect on response of atrium to quaternary methyl derivative of dopamine, 62
——, effect on response of blood pressure to AHR602, dimethylphenylpiperazinium, McN-A-343, noradrenaline and physostigmine, and action of atropine and cocaine, in rat, 26
——, effect on response of blood pressure to choline and ethyltrimethylammonium, 62
——, effect on response of blood pressure to physostigmine, 547
——, effect on response of blood pressure to quaternary methyl derivatives of dopamine, noradrenaline and tyramine, 57
——, effect on response of decentralized nictitating membrane to SK&F 90,109, 491
——, effect on response of heart beat to butyrylcholine, noradrenaline and tyramine, 401
——, effect on response of human taenia coli preparation to acetylcholine, 165
——, effect on response of human taenia coli preparation to dimethylphenylpiperazinium and nicotine, 166
——, effect on response of human taenia coli preparation to histamine, 168
——, effect on response of human taenia coli preparation to 5-hydroxytryptamine, 170
——, effect on response of large intestine to angiotensin, 355
——, effect on response of nictitating membrane to quaternary methyl derivatives of dopamine, noradrenaline and tyramine, 59
——, effect on response of nictitating membrane to sympathetic stimulation, 59
——, effect on response of skeletal muscle to quaternary methyl derivatives of dopamine, noradrenaline and tyramine, 61
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 160
——, ganglion-blocking action of, 243
Hexosephosphates, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin and pronethalol, 188, 192
——, role in increased contractions induced in skeletal muscle by sympathomimetic amines and other drugs affecting carbohydrate metabolism, 197
Histamine, bronchoconstrictor action of, 203, 206
——, ——, effect of acetylsalicylate on, 208
——, formation in various tissues, from intravenous histidine, effect of liothyronine on, in rat, 433
——, parenteral, effect on acid gastric secretion, and action of aminoguanidine, bromolysergic acid diethylamide, chlorpromazine and iproniazid, in rat, 480
——, release from tissues by Compound 48/80, 368
——, release of catechol amines from tissues by, and effect of adrenalectomy, hexamethonium and mepyramine on, 367
——, response of blood pressure to, effect of desmethylimipramine on, 340
——, ——, effect of pronethalol on, 594
——, response of human taenia coli preparation to, and effect of hexamethonium, hyoscine, mepyramine, physostigmine, procaine and pronethalol on, 168
Histamine (*cont.*)
——, response of large intestine to, 352
——, ——, effect of mepyramine on, 355
——, response of rat stomach strip to, 367
——, ——, effect of blood on, 362
——, response of toad large intestine to, 157
——, response of trachea to, 207
——, uptake by mast cells, and effect of bromolysergic acid diethylamide, chlorpromazine, cocaine, dichloroisoprenaline, guanethidine, imipramine, lysergic acid diethylamide, mepyramine, methysergide, *p*H, phenoxybenzamine, promethazine, pronethalol and temperature on, 405
——, ——, and effect of histamine, 5-hydroxytryptamine, noradrenaline and tyramine on, 415
——, urinary excretion of, effect of intravenous histidine on, and action of liothyronine, in rat, 434
L-Histidine, intravenous, conversion to histamine in various tissues, effect of liothyronine on, in rat, 433
——, ——, effect on urinary excretion of histamine, and action of liothyronine, in rat, 434
Homatropine, effect on acetylcholine in brain, in rat, 124
DL-Homocysteic acid, excitation of cortical neurones by, 313
Hormones, in blood, assay of, using isolated organs, 360
Hycantoin, ganglion-blocking action of, 243
Hydergine, effect on response of human taenia coli preparation to isoprenaline and noradrenaline, 166
Hydrocortisone, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Hydrocyanic acid. *See* Cyanide
Hydroxocobalamin, as antidote for hydrocyanic acid, and effect of thiosulphate on, 455
γ-Hydroxybutyric acid, effect on cortical neurones, 313
3-Hydroxycrotophen, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
[2-(4-Hydroxyphenyl)ethyl]trimethylammonium, pharmacological actions of, comparison with quaternary methyl derivatives of dopamine and noradrenaline, 55
Hydroxy-L-proline, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 193
5-Hydroxytryptamine, detection in blood, 368
——, effect on peristalsis, in normal and tryptophan-deficient rats, 24
——, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 193
——, in intestinal mucosa, effect of tryptophan-free diet on, in rat, 17
——, intraluminal and serosal, effect on peristalsis, in small intestine from normal rat, 20
——, ——, ——, in small intestine from tryptophan-deficient rat, 23
——, relation to peristaltic reflex, in rat, 14
——, response of human taenia coli preparation to, and effect of bromolysergic acid diethylamide, hexamethonium, procaine and pronethalol on, 170
——, response of large intestine to, effect of methysergide on, 355
——, response of large and small intestine and stomach strip to, 352
——, response of rat stomach strip to, effect of blood on, 362
——, response of toad large intestine to, 157
——, response of trachea to, 207

5-Hydroxytryptamine (*cont.*)
——, response of uterus to very small amounts of, 617
——, uptake by mast cells, and effect of bromolysergic acid diethylamide, chlorpromazine, cocaine, dichloroisoprenaline, guanethidine, imipramine, lysergic acid diethylamide, mepyramine, methysergide, pH, phenoxybenzamine, promethazine, pronethalol and temperature on, 405
5-Hydroxytryptophan, effect on peristalsis, in rat, 27
——, in diet, effect on weight and 5-hydroxytryptamine level of intestinal mucosa, in rat, 17
——, intraluminal and serosal, effect on peristalsis, in small intestine from normal rat, 21
——, ——, ——, in small intestine from tryptophan-deficient rat, 24
Hydroxyzine, effect on ganglionic transmission, 226
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, ganglion-blocking action of, and relation to anaesthetic action, 241
Hyoscine, and related alkaloids, effect on acetylcholine in brain, in rat, 124
——, effect on choline acetylase activity in brain, in rat, 126
——, effect on response of human taenia coli preparation to acetylcholine, 165
——, effect on response of human taenia coli preparation to histamine, 168
——, effect on response of large intestine to acetylcholine and angiotensin, 355
——, effect on spontaneous activity and response of large intestine to angiotensin, 353
Hypercholesterolaemia, induced by intraperitoneal surface-active agent, effect of adrenolytics and sympatholytics on, in rat, 450
Hyperglycaemia, induced by chlorpromazine, effect of adrenalectomy, ambient temperature, dibenamine, phentolamine and reserpine on, in rat, 93
——, induced by chlorpromazine, perphenazine, thioridazine and trifluprazine, relation to drug-induced hypothermia, in rat, 97
Hyperglycaemic action, of chlorpromazine, mechanism of, 93
Hyperlipaemia, induced by intraperitoneal surface-active agent, effect of adrenolytics and sympatholytics on, in rat, 449
α-Hypertensin. *See* Angiotensin
Hypertensive action. *See* Pressor action
Hypogastric nerve–vas deferens preparation, guinea-pig, membrane potentials before and during nerve stimulation, effect of atropine, bretylium, guanethidine, procaine and yohimbine on, 600
——, ——, ——, effect of ergotamine, phentolamine, phenoxybenzamine, piperoxan and tolazoline on, 607
——, ——, response to acetylcholine, nerve stimulation and noradrenaline, effect of bretylium on, 602
——, ——, response to intramural nerve stimulation, effect of guanethidine on, 605
——, ——, response to nerve stimulation, effect of atropine on, 601
——, ——, ——, effect of atropine, amylobarbitone, mebutamate and urethane on, and action of physostigmine, 542
——, ——, ——, effect of physostigmine on, and action of atropine, amylobarbitone, mebutamate and urethane, 542
Hypogastric nerve–vas deferens preparation, guinea-pig (*cont.*)
——, ——, response to noradrenaline, effect of amylobarbitone, mebutamate and urethane on, 546
Hypotensive action, of noradrenaline, mechanism of, 592
Hypothermia, induced by chlorpromazine, perphenazine, thioridazine and trifluprazine, relation to drug-induced hyperglycaemia, in rat, 97
See also Temperature, body

I

2596 I.S. *See* 1-(1,4-Benzodioxan-2-ylmethyl)-1-benzylhydrazine
Ibufenac, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Imipramine, effect in various tests involving autonomic functions and reserpine antagonism, comparison with chlorpromazine and other drugs, 330
——, effect on uptake of histamine, 5-hydroxytryptamine and noradrenaline by mast cells, 414
——, induction of tachycardia by, and effect of atropine, bretylium, chlorisondamine, guanethidine, methyldopa, phenoxybenzamine and pronethalol on, in reserpinized rat, 336
Inderal. *See* Propranolol
Indol-3-yl-*N*-benzylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-butylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-*p*-chlorobenzylglyoxylamide, pharmacological actions, preparation and toxicity of, 48
Indol-3-yl-*NN*-dibenzylglyoxylamide, preparation of, 43
Indol-3-yl-*NN*-dibutylglyoxylamide, preparation of, 43
Indol-3-yl-*NN*-diethylglyoxylamide, pharmacological actions, preparation and toxicity of, 43
Indol-3-yl-*NN*-di-isobutylglyoxylamide, preparation of, 43
Indol-3-yl-*NN*-di-isopropylglyoxylamide, preparation of, 43
Indol-3-yl-*NN*-dimethylglyoxylamide, preparation of, 43
Indol-3-yl-*NN*-dipropylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-ethylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-isobutylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-isopropylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-*p*-methoxybenzylglyoxylamide, pharmacological actions, preparation and toxicity of, 48
Indol-3-yl-*N*-α-methylbenzylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-methylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-phenethylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-propylglyoxylamide, preparation of, 43
Indol-3-yl-*N*-s-butylglyoxylamide, preparation of, 43
Indomethacin, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Inflammation, induction by irritant substances, and production of anti-inflammatory agent at site of injection, 420
Insulin, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin and pronethalol, 188, 192
Intestine, goldfish, response to tissue extracts and uridine in very small quantities, 617
——, large, chicken, response to adrenaline, isoprenaline and noradrenaline, 364
——, ——, from reserpine-treated toad, response to acetylcholine, nerve stimulation and noradrenaline, 160

Intestine, large (*cont.*)
——, ——, response to acetylcholine and angiotensin, effect of hyoscine on, 355
——, ——, response to aldosterone, histamine, nicotine, oxytocin, renin, substance P, uridine and vasopressin, 352
——, ——, response to angiotensin, effect of adrenaline, bath composition, bradykinin, hyoscine, isoprenaline, noradrenaline, pH, pronethalol and temperature on, 353
——, ——, response to angiotensin and histamine, effect of mepyramine on, 355
——, ——, response to angiotensin and 5-hydroxytryptamine, effect of methysergide on, 355
——, ——, response to polypeptides, 355
——, ——, spontaneous activity of, effect of adrenaline, bradykinin, hyoscine, isoprenaline, noradrenaline and pronethalol on, 353
——, ——, ——, effect of bath composition and temperature on, 353
——, ——, toad, blood supply and innervation of, 151
——, ——, ——, response to acetylcholine, effect of adrenergic blocking agents, cholinergic agents, ganglion-blocking agents and reserpine on, 157
——, ——, ——, response to adrenaline, dopamine, histamine and 5-hydroxytryptamine, 157
——, ——, ——, response to nerve stimulation, 157
——, ——, ——, response to nerve stimulation, effect of adrenergic blocking agents, atropine, cholinergic agents, ganglion-blocking agents and reserpine on, 157
——, ——, ——, response to noradrenaline, and effect of adrenergic blocking agents and ganglion-blocking agents on, 157
See also Taenia coli preparation
——, large and small, from various species, response to acetylcholine, adrenaline, angiotensin, bradykinin, 5-hydroxytryptamine and noradrenaline, 352
——, ——, response to cobalt salts, 459
——, response to angiotensin, effect of hexamethonium, morphine, phenoxybenzamine and reserpine on, 355
——, small, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
——, ——, localization of intravenous (2-bromoethyl)-ethyl(naphth-1-ylmethyl)amine in, in rat, 291
——, ——, mucosa of, weight and 5-hydroxytryptamine in, effect of tryptophan-free diet on, in rat, 17
——, ——, response to acetylcholine, effect of polymethylenebis(triethylammonium) salts on, 144
——, ——, response to adrenaline, bradykinin and noradrenaline, 369
——, ——, response to adrenaline and periarterial nerve stimulation, effect of SK&F 90,109 and 90,238 on, 491
——, ——, response to choline, 369
——, ——, response to cyanide, effect of cobalt compounds on, 460
——, ——, response to 5-hydroxytryptamine, 368
——, ——, response to noradrenaline, effect of phenoxybenzamine on, 598
——, ——, response to periarterial nerve stimulation, effect of choline xylyl ethers and coumaran derivatives on, 498
——, ——, response to SK&F 90,109 and 90,238, 497
See also Duodenum *and* Peristalsis
Iodoacetate, effect on action of adrenaline on response of normal and potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 187
Iodoacetate (*cont.*)
——, effect on action of tetanus on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 191
Iproniazid, effect on action of parenteral gastrin on acid gastric secretion, in rat, 481
——, effect on ganglionic potentials, 235
N-Isobutyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
3-(2-Isoindol-2′-ylethyl)indole, metabolism, pharmacological actions, preparation and toxicity of, 43
Isoleucine[1]-oxytocin, response of uterus to, in man, 176
Isophthalic acid, sodium salt, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Isoprenaline, effect on response of phrenic nerve-diaphragm preparation to electrical stimulation, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine, potassium chloride and pronethalol, 187
——, effect on spontaneous activity and response of large intestine to angiotensin, 353
——, intravitreous, effect on pupil diameter and outflow of aqueous humour from eye, and action of phentolamine, 374
——, response of blood pressure to, effect of chlorpromazine on, and action of dichloroisoprenaline, 513
——, ——, effect of pronethalol on, 594
——, response of human taenia coli preparation to, and effect of Hydergine and pronethalol on, 166
——, response of smooth muscle at junction of bile duct with duodenum to, and effect of dichloroisoprenaline on, 101
(−)- *and* (±)-Isoprenaline, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of dichloroisoprenaline, phentolamine and pronethalol, 187, 191
Isopropyldopamine, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin, 188
***N*-Isopropylmethoxamine**, effect on action of sympathomimetic amines on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 191
N-Isopropyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43

J

JB 330. *See* 1,1-Dimethylpiperid-3-yl benzilate
JB 336. *See* 1-Methylpiperid-3-yl benzilate
JB 8035. *See* 3,4-Dimethylpiperazin-1-yl *N*-propylbenzilate
JB 8099. *See* 1-Ethylpyrrolidin-2-ylmethyl α-cyclopentyl-α-phenylglycollate

K

Kidney, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
——, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 290
Kininase activity, in human erythrocytes, plasma and saliva, effect of various inhibitors on, 442
——, in human saliva, character and origin of, 440
Kinin-forming activity, in human saliva, character and origin of, 440

Klebsiella pneumoniae, activity of colistin and polymyxins and their sulphomethyl derivatives against, 558

L

Leptazol, effect on ganglion-blocking action of amylobarbitone and troxidone, 252
——, effect on ganglionic transmission, in cat, 250
Leucocytes, cultures of, demonstration of site of antimetabolic action of 6-azauridine by, 90
Levamfetamine, effect on response of heart beat to butyrylcholine, 401
See also Amphetamine *and* Dexamphetamine
Liothyronine, effect on action of intravenous histidine on urinary excretion of histamine, in rat, 434
——, effect on conversion of intravenous histidine to histamine in various tissues, in rat, 433
Lipids. *See* Hyperlipaemia
Liver, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
——, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 290
Lungs, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
See also Bronchoconstrictor action
Lysergic acid diethylamide, effect on ganglionic transmission, 233
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 411

M

McN481. *See* 5-(1,3-Dimethylbut-2-enyl)-5-ethylbarbituric acid
McN-A-343. *See* 4-(*m*-Chlorophenylcarbamoyloxy)-2-butynyltrimethylammonium
Magnesium ions, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 193
Manganese salts, effect on kininase activity of human erythrocytes, plasma and saliva, 442
Mast cells, uptake of histamine and 5-hydroxytryptamine by, and effect of bromolysergic acid diethylamide, chlorpromazine, cocaine, dichloroisoprenaline, guanethidine, imipramine, lysergic acid diethylamide, mepyramine, methysergide, pH, phenoxybenzamine, promethazine, pronethalol and temperature on, 405
——, ——, and effect of histamine, 5-hydroxytryptamine, noradrenaline and tyramine on, 415
——, uptake of noradrenaline by, and effect of cocaine, dichloroisoprenaline, guanethidine, imipramine, phenoxybenzamine and pronethalol on, 405
——, uptake of tyramine by, 405
Mebutamate, effect on action of physostigmine on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 544
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, and action of physostigmine, 544
——, effect on response of hypogastric nerve–vas deferens preparation to noradrenaline, 546
——, effect on response of splenic nerve–spleen preparation to nerve stimulation and noradrenaline, 546
——, response of blood pressure to, and effect of physostigmine and pilocarpine on, 541
Mecamylamine, effect on action of dexamphetamine on urinary excretion of catechol amines, in normal rat and rat without adrenal medullae, 534
Mecamylamine (*cont.*)
——, effect on action of reserpine on urinary excretion of catechol amines, in normal rat and rat without adrenal medullae, 532
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 160
——, effect on urinary excretion of adrenaline, in normal rat and rat without adrenal medullae, 532
Meferamic acid, sodium salt, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Mephenesin, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, ganglion-blocking action of, and relation to anaesthetic action, 241
Mephobarbitone, ganglion-blocking action of, and relation to anaesthetic action, 241
Meprobamate, effect on ganglion-blocking action of mescaline, 235
——, effect on ganglionic transmission, 226, 244
Mepyramine, effect on bronchoconstrictor action of slow-reacting substance produced in anaphylaxis, 205
——, effect on release of catechol amines from tissues by histamine, 367
——, effect on response of human taenia coli preparation to acetylcholine and histamine, 168
——, effect on response of large intestine to angiotensin and histamine, 355
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 412
Mercury salts, effect on kininase activity of human erythrocytes, plasma and saliva, 442
Merphos. *See* Tributyl phosphorotrithioite
Mescaline, effect on ganglion-blocking action of chlorpromazine, 235
——, effect on ganglionic transmission, 233
——, ——, and action of ataractic agents on, 235
Metabolism, of *N*-substituted tryptamines, 53
Methacholine, response of blood pressure to, effect of pronethalol on, 594
Methoxamine, effect on action of sympathomimetic amines on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 191
N-*p*-Methoxybenzyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Methyl methanesulphonate, induction of heritable partial sterility by, 521
N-Methyl-D-aspartic acid, excitation of cortical neurones by, 313
N-α-Methylbenzyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Methylcoumaran-3-ones, synthesis of, 501, 503, 504
N-(5- *and* 6-Methylcoumaran-3-yl)guanidine, adrenergic neurone-blocking action of, 497
——, synthesis of, 501
N-(7-Methylcoumaran-3-yl)guanidine, adrenergic neurone-blocking and other pharmacological actions and toxicity of, 486
——, synthesis of, 501
Methyldopa, effect on imipramine-induced tachycardia, in reserpinized rat, 337
N-Methylolchlortetracycline. *See* Chlormethylenecycline
Methylpentynol, effect [on ganglionic transmission, 226

Methylpentynol (*cont.*)
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on ganglion-stimulating action of acetylcholine and carbachol, 260
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, ganglion-blocking action of, and relation to anaesthetic action, 241
——, response of blood pressure and respiration to, 244
Methylpentynol carbamate, effect on ganglionic transmission, 226
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, ganglion-blocking action of, and relation to anaesthetic action, 241
——, response of blood pressure and respiration to, 244
1-Methylpiperid-3-yl benzilate, effect on acetylcholine in brain, in rat, 127
N-Methyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Methyprylone, ganglion-blocking action of, 242
Methysergide, effect on response of large intestine to angiotensin and 5-hydroxytryptamine, 355
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 411
Microbath, improved, 613
Miotic action, of intravitreous phentolamine, 377
Monoamine oxidase, effect on gastrin, 482
Monoamine-oxidase inhibitors, effect on action of parenteral gastrin on acid gastric secretion, in rat, 481
——, effect on action of reserpine on urinary excretion of catechol amines, in normal rat and rat without adrenal medullae, 532
Morphine, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
——, effect on response of large intestine to angiotensin, 355
Muscle, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 290
——, plain, response to active substances in very small volumes of liquid, improved microbath for study of, 617
——, skeletal, curarized, endplate potentials of, relation to anticurare action of quaternary ammonium compounds, 575
——, ——, response to electrical stimulation, effect of sympathomimetic amines and other drugs affecting carbohydrate metabolism on, 184
——, ——, response to quaternary methyl derivatives of dopamine, noradrenaline and tyramine and nicotine, and effect of hexamethonium on, 60
——, smooth, at junction of bile duct and duodenum, response to dichloroisoprenaline, 106
——, ——, ——, response to sympathomimetic amines, and effect of dibenamine and dichloroisoprenaline on, 101
Mydriatic action, of adrenaline and isoprenaline, effect of phentolamine on, 377
——, of amitriptyline, atropine, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, and effect of reserpine on, in mouse, 342
——, of noradrenaline, and effect of phentolamine on, 375
——, of SK&F 90,109 and 90,238, 497

N

N720. *See* Dihydrochlorprothixene
N714C. *See* Chlorprothixene, *cis*-isomer
Naphth-1-yl[^{14}C]methanol, synthesis of, 293
Naphth-1-yl[^{14}C]methyl chloride, synthesis of, 293
Nephrectomy, effect on angiotensin in blood, 355
Nerves, enzymatic and histological changes induced in, by organophosphorus compounds, in hen, 296
Nerve impulses, transmission of, effect of atropine, bretylium, central depressants, hexamethonium, mephenesin, nicotine, procaine, tetraethylammonium, and tubocurarine on, in rat, 273
——, ——, effect of central depressants and other drugs on, 222
——, ——, effect of SK&F 90,109 and 90,238 on, 497
——, ——, in isolated vas deferens, effect of autonomic blocking agents on, 600
Nervous system, peripheral, junctional transmission in, effect of long-chain polymethylene bis-onium salts on, 131
Neuromuscular blocking action, of polymethylenebis-(trialkylammonium) salts, 140
——, of quaternary methyl derivatives of dopamine and tyramine, 61
Neuromuscular transmission, effect of quaternary methyl derivatives of dopamine, noradrenaline and tyramine on, 60
Neurones, cortical, excitation and depression of, by amino-acids, 313
Neurone-blocking action, adrenergic, of bethanidine, 115
——, ——, of choline xylyl ethers and coumaran derivatives, 486
Nickel salts, effect on kininase activity of human erythrocytes, plasma and saliva, 442
Nicotine, effect on ganglion-blocking action of amylobarbitone, 251
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on response of blood pressure to AHR602, dimethylphenylpiperazinium, McN-A-343, noradrenaline and physostigmine, in rat, 38
——, effect on response of blood pressure to physostigmine, 547
——, release of catechol amines from tissues by, 367
——, response of human taenia coli preparation to, and effect of hexamethonium, physostigmine and procaine on, 166
——, response of large intestine to, 352
——, response of rat stomach strip to, 367
Nicotine-like action, of quaternary methyl derivatives of dopamine, noradrenaline and tyramine, 63
Nictitating membrane, response to adrenaline, effect of SK&F 90,109 and 90,238 on, 489
——, response to choline xylyl ethers and coumaran derivatives, 498
——, response to quaternary methyl derivatives of dopamine, noradrenaline and tyramine and nicotine, and effect of hexamethonium on, 59
——, response to SK&F 90,109, effect of decentralization and denervation on, 491
——, response to SK&F 90,109 and 90,238, and effect of decentralization on, 489
——, response to sympathetic stimulation, effect of γ-aminobutyric acid on, 386
——, ——, effect of central depressants on, 258
——, ——, effect of centrally active agents on, in cat, 242
——, ——, effect of choline xylyl ethers and coumaran derivatives on, 498

Nictitating membrane, response to sympathetic stimulation (*cont.*)
——, ——, effect of polymethylenebis(trialkylammonium) salts on, 142
——, ——, effect of quaternary methyl derivatives of dopamine, noradrenaline and tyramine and hexamethonium on, 59
——, ——, effect of SK&F 90,109 on, 493
——, ——, effect of SK&F 90,109 and 90,238 on, and action of cocaine, 489
——, ——, effect of SK&F 90,238 on, 493, 496
Nonadecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Noradrenaline, assay of, in admixture with adrenaline, isoprenaline and phenethylamine, 363
——, effect on response of phrenic nerve–diaphragm preparation to electrical stimulation, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine, potassium chloride and pronethalol, 187
——, effect on spontaneous activity and response of large intestine to angiotensin, 353
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 415
——, in heart, effect of guanethidine, reserpine and SK&F 90,109 and 90,238 on, 496
——, intravitreous, effect on pupil diameter and outflow of aqueous humour from eye, and action of phentolamine and sympathetic denervation, 374
——, output from spleen, effect of splanchnic nerve stimulation on, action of SK&F 90,109 and 90,238, 495
——, response of aortic strip to, and effect of chlorpromazine on, 510
——, response of blood pressure to, effect of γ-aminobutyric acid on, 386
——, ——, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 334, 340
——, ——, effect of chlorpromazine on, and action of cocaine, dichloroisoprenaline and chlorpromazine, 513
——, ——, effect of hexamethonium on, and action of atropine and cocaine, in rat, 36
——, ——, effect of nicotine and P-286 on, in rat, 38
——, ——, effect of phenoxybenzamine and phentolamine on, and action of atropine, 593
——, ——, effect of pronethalol on, 594
——, response of blood vessels to, effect of atropine, evisceration, phenoxybenzamine, phentolamine and pronethalol on, 594
——, response of heart beat to, and effect of dexamphetamine, hexamethonium and pronethalol on, 401
——, ——, effect of propranolol on, 404
——, ——, effect of SK&F 90,109 and 90,238 on, 492
——, response of human taenia coli preparation to, and effect of Hydergine and pronethalol on, 166
——, response of hypogastric nerve–vas deferens preparation to, effect of amylobarbitone, mebutamate and urethane on, 546
——, ——, effect of bretylium on, 602
——, response of large and small intestine and stomach strip to, 352
——, response of peripheral blood flow to, effect of bethanidine on, in man, 118
——, response of rat stomach strip to, effect of blood on, 362
Noradrenaline (*cont.*)
——, response of seminal vesicles to, and effect of chlorpromazine on, 513
——, response of small intestine to, effect of phenoxybenzamine on, 598
——, response of smooth muscle at junction of bile duct with duodenum to, and effect of atropine, dichloroisoprenaline and vagotomy on, 101
——, response of splenic nerve–spleen preparation to, effect of amylobarbitone, mebutamate and urethane on, 546
——, response of toad large intestine to, and effect of adrenergic blocking agents, ganglion-blocking agents and reserpine on, 157
——, uptake by mast cells, and effect of cocaine, dichloroisoprenaline, guanethidine, imipramine, phenoxybenzamine and pronethalol on, 405
——, urinary excretion of, effect of dexamphetamine on, and action of mecamylamine and reserpine, in normal rat and rat without adrenal medullae, 533
——, ——, effect of reserpine on, and action of mecamylamine and a monoamine-oxidase inhibitor, in normal rat and rat without adrenal medullae, 529
(+)-, (−)- *and* (±)-Noradrenaline, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of dichloroisoprenaline, phentolamine and pronethalol, 187, 191
Noradrenaline methochloride. *See* (±) - [2 - (3,4 - Dihydroxyphenyl) - 2 - hydroxyethyl]trimethylammonium

O

Octadecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Organ bath, micro-, improved, 613
Organophosphorus compounds, clinical responses and neurological disturbances induced by, in hen, 295
Ouabain, response of heart beat to, effect of calcium, potassium and sodium concentrations on, 66
Oxygen utilization, effect of cyanide on, and action of cobalt compounds, 468
Oxyphenbutazone, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Oxytocic action, of oxytocin and related neurohypophysial peptides, in man, 176
Oxytocin, and related neurohypophysial peptides, response of uterus to, in man, 176
——, response of large intestine to, 352

P

P-286. *See* *N*-Diethylaminoethyl-*N*-isopentyl-*N'N'*-diisopropylurea
Paracetamol, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Paraldehyde, effect on ganglionic transmission, 226
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on ganglion-stimulating action of acetylcholine and carbachol, 260
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, ganglion-blocking action of, and relation to anaesthetic action, 241

Paramethazone, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Parasympathomimetic action, of Tremorine, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 343
Pecazine, ganglion-blocking action of, 244
Pentadecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Pentobarbitone, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, ganglion-blocking action of, and relation to anaesthetic action, 241
——, response of blood pressure to, 249
Pentolinium, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 160
Peristalsis, and effect of atropine, bromolysergic acid diethylamide, 5-hydroxytryptamine and 5-hydroxytryptophan on, in normal and tryptophan-deficient rats, 24
——, in small intestine from normal rat, effect of acetylcholine, atropine and bromolysergic acid diethylamide on, 22
——, ——, and effect of 5-hydroxytryptamine and 5-hydroxytryptophan on, 18
——, in small intestine from tryptophan-deficient rat, effect of acetylcholine, atropine and bromolysergic acid diethylamide on, 24
——, ——, and effect of 5-hydroxytryptamine and 5-hydroxytryptophan on, 22
——, methods of recording, in rat, 15
Perphenazine, effect on ganglionic transmission, 226
——, ganglion-blocking action of, 244
——, hyperglycaemic action of, relation to hypothermic action, in rat, 97
1,10-Phenanthroline, effect on kininase activity of human erythrocytes, plasma and saliva, 442
Phenazone, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Phenethylamine, release of catechol amines from tissues by, 366
——, response of rat stomach strip to, 366
N-Phenethyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Phenobarbitone, response of blood pressure to, 249
Phenoxybenzamine, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 450
——, effect on imipramine-induced tachycardia, in reserpinized rat, 337
——, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 607
——, effect on response of blood pressure to adrenaline and noradrenaline, and action of atropine, 593
——, effect on response of blood vessels to adrenaline and noradrenaline, 595, 596
——, effect on response of blood vessels to bethanidine, in man, 117
——, effect on response of decentralized nictitating membrane to adrenaline and SK&F 90,109, 491
——, effect on response of large intestine to angiotensin, 355
——, effect on response of small intestine to noradrenaline, 598
Phenoxybenzamine (*cont.*)
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 158
——, effect on uptake of histamine, 5-hydroxytryptamine and noradrenaline by mast cells, 413
Phentolamine, effect on action of sympathomimetic amines on response of normal and potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 187, 191
——, effect on chlorpromazine-induced hyperglycaemia, in rat, 96
——, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 450
——, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 607
——, effect on response of blood pressure to adrenaline and noradrenaline, and action of atropine, 593
——, effect on response of blood vessels to adrenaline and noradrenaline, 595, 596
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 158
——, intravitreous, effect on action of intravitreous sympathomimetic amines on outflow of aqueous humour from eye and pupil diameter, 375
——, ——, effect on outflow of aqueous humour from eye, 377
Phenyl *p*-aminosalicylate, serum-aminosalicylate level after oral administration of, in man, 1
Phenylbutazone, sodium derivative, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Phenylephrine, response of smooth muscle at junction of bile duct with duodenum to, and effect of atropine, dichloroisoprenaline and vagotomy on, 101
Phenylethylamine, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 190
α-*p*-Phenylphenoxypropionic acid, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Phenytoin, ganglion-blocking action of, 243
Phloridzin, effect on action of calcium chloride, caffeine, dopamine, ephedrine, ethylnoradrenaline, glucagon, hexosephosphates, insulin, isopropyldopamine, theophylline and tyramine on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 192
——, effect on action of tetanus on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 191
Phrenic nerve–diaphragm preparation, rat, potassium-depressed, response to electrical stimulation, effect of adrenaline on, action of caffeine, sodium fluoride and theophylline, 193
——, ——, ——, response to electrical stimulation, effect of adrenaline on, action of L-thyroxine sodium, 192
——, ——, ——, response to electrical stimulation, effect of amphetamine and phenylethylamine on, 190
——, ——, ——, response to electrical stimulation, effect of barium and magnesium ions on, 194
——, ——, ——, response to electrical stimulation, effect of caffeine, calcium chloride, glucagon, hexosephosphate, insulin and theophylline on, and action of phloridzin and pronethalol, 188

Phrenic nerve–diaphragm preparation, rat, potassium-depressed (*cont.*)
——, ——, ——, response to electrical stimulation, effect of dopamine, ephedrine, ethylnoradrenaline, isopropyldopamine and tyramine on, and action of pronethalol, 188
——, ——, ——, response to electrical stimulation, effect of hydroxy-L-proline, 5-hydroxytryptamine and sodium fluoride on, 193
——, ——, ——, response to electrical stimulation, effect of sympathomimetic amines on, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine and pronethalol, 187
——, ——, ——, response to electrical stimulation, effect of sympathomimetic amines on, and action of isopropylmethoxamine and methoxamine, 191
——, ——, ——, response to electrical stimulation, effect of tetanus on, and action of iodoacetate, oxygen-lack, phloridzin and pronethalol, 191
——, ——, response to electrical stimulation, effect of adrenaline, isoprenaline and noradrenaline on, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine, potassium chloride and pronethalol, 187
——, ——, ——, effect of polymethylenebis(trialkylammonium) salts on, 140
——, ——, ——, effect of quaternary methyl derivatives of dopamine, noradrenaline and tyramine and nicotine on, 61
3-(2-Phthalimidoethyl)indole, preparation of, 46
Physostigmine, effect on action of amylobarbitone, mebutamate and urethane on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 542
——, effect on ganglion-blocking action of amylobarbitone, 251
——, effect on response of blood pressure to amylobarbitone, mebutamate and urethane, 541
——, effect on response of human taenia coli preparation to acetylcholine, 165
——, effect on response of human taenia coli preparation to dimethylphenylpiperazinium and nicotine, 166
——, effect on response of human taenia coli preparation to histamine, 168
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, and action of atropine, amylobarbitone, mebutamate and urethane, 542
——, effect on neuromuscular-blocking action of quaternary methyl derivatives of dopamine and tyramine, 61
——, effect on response of toad large intestine to acetylcholine and nerve stimulation, 157
——, pressor action of, mechanism of, 540
——, ——, unusual ganglionic pathway in mediation of, in rat, 34
——, response of blood pressure to, effect of atropine on, in rat, 36
——, ——, effect of cocaine on, in rat, 37
——, ——, effect of hexamethonium on, and action of atropine and cocaine, in rat, 35
——, ——, effect of hexamethonium, nicotine and tetramethylammonium on, 547
——, ——, effect of nicotine and P-286 on, in rat, 38
Pilocarpine, effect on response of blood pressure to amylobarbitone, mebutamate and urethane, 541
Pilomotor action, of sympathetic stimulation, effect of SK&F 90,109 and 90,238 on, 493
Piperoxan, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 607
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 158
Pipradrol, effect on ganglionic transmission, 227
Polymethylenebis(triethylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Polymethylenebis(trimethylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Polymyxin A, antidiuretic action and nephrotoxicity of, 562
Polymyxin B, and sulphomethyl derivatives of, antibacterial and pharmacological actions, constitution and toxicity of, 552
——, ——, electrophoretic analysis of, 568
——, ——, intramuscular, distribution and excretion of, in dog and man, 562
Polymyxin E, and sulphomethyl derivatives of, antibacterial and pharmacological actions, constitution and toxicity of, 552
——, ——, intramuscular, distribution and excretion of, in dog and man, 562
Polypeptides, response of large intestine to, 355
Potassium chloride, effect on action of sympathomimetic amines on response of phrenic nerve–diaphragm preparation to electrical stimulation, 187
——, ganglion-stimulating action of, effect of centrally active agents and other drugs on, 262
Potassium ions, effect on response of heart beat to adrenaline, 74
——, effect on response of heart beat to aminophylline and caffeine, 75
——, effect on response of heart beat to calcium, 68
——, effect on response of heart beat to ouabain, 72
——, in auricles, effect of composition of organ bath on, 75
——, response of heart beat to, 67
Potentials, action, effect of SK&F 90,109 and 90,238 on, 496
——, ——, pre- and post-ganglionic, effect of central depressants and other drugs on, 222
——, endplate, of curarized muscle, effect of quaternary ammonium compounds on, relation to anticurare action, 575
——, ganglion, produced by acetylcholine and tetramethylammonium, and effect of atropine and hexamethonium on, 80
——, membrane, in vas deferens before and during hypogastric and intramural nerve stimulation, effect of atropine, bretylium, guanethidine, procaine and yohimbine on, 600
Pregnancy. *See* Teratogenic effect
Pressor action, of physostigmine, mechanism of, 540
——, ——, unusual ganglionic pathway in mediation of, in rat, 34
See also Blood pressure
Procainamide, effect on ganglionic transmission, 258
——, effect on ganglion-stimulating action of acetylcholine and carbachol, 258
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 262
Procaine, effect on ganglionic transmission, 226
——, effect on ganglionic and nervous transmission, selectivity of, 273

Procaine (*cont.*)
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 609
——, effect on response of human taenia coli preparation to acetylcholine and histamine, 168
——, effect on response of human taenia coli preparation to adrenaline and 5-hydroxytryptamine, 170
——, effect on response of human taenia coli preparation to dimethylphenylpiperazinium and nicotine, 166
Prochlorperazine, effect on ganglionic transmission, 226
Promazine, effect in various tests involving autonomic functions and reserpine antagonism, comparison with chlorpromazine, imipramine and other drugs, 330
——, effect on ganglionic transmission, 226
Promethazine, effect on ganglionic transmission, 226
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 412
Pronethalol, effect on action of calcium chloride, caffeine, glucagon, hexosephosphates, insulin and theophylline on response of potassium-depressed phrenic nerve-diaphragm preparation to electrical stimulation, 192
——, effect on action of sympathomimetic amines on response of normal and potassium-depressed phrenic nerve-diaphragm preparation to electrical stimulation, 187, 191
——, effect on action of tetanus on response of potassium-depressed phrenic nerve-diaphragm preparation to electrical stimulation, 191
——, effect on imipramine-induced tachycardia, in reserpinized rat, 337
——, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 452
——, effect on response of blood pressure to acetylcholine, adrenaline, carbachol, isoprenaline, histamine, noradrenaline and vagal stimulation, 594
——, effect on response of blood vessels to adrenaline and noradrenaline, 596
——, effect on response of heart beat to butyrylcholine, noradrenaline and tyramine, 401
——, effect on response of human taenia coli preparation to adrenaline, isoprenaline, nicotine and noradrenaline, 166
——, effect on response of human taenia coli preparation to histamine, 168
——, effect on response of human taenia coli preparation to 5-hydroxytryptamine, 170
——, effect on spontaneous activity and response of large intestine to angiotensin, 355
——, effect on uptake of histamine, 5-hydroxytryptamine and noradrenaline by mast cells, 414
Propranolol, effect on response of heart beat to butyrylcholine, noradrenaline and tyramine, 404
N-Propyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Prostaglandin, bronchoconstrictor action of, effect of acetylsalicylate on, 206
Pseudoephedrine, effect on response of heart beat to butyrylcholine, 401
Pseudomonas aeruginosa, activity of colistin and polymyxins and their sulphomethyl derivatives against, 557
Ptosis, induced by reserpine, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 338

R

Reflex, baroreceptor, block of, by bethanidine, in man, 118
——, patellar, effect of γ-aminobutyric acid on, 392
——, peristaltic, 5-hydroxytryptamine in relation to, in rat, 14
——, somatic, non-specific depressant action of γ-aminobutyric acid on, 391
Renin, response of large intestine to, 352
Reserpine, effect on action of alcohol on sleeping time, action of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in mouse, 339
——, effect on action of dexamphetamine on urinary excretion of catechol amines, in normal rat and rat without adrenal medullae, 535
——, effect on chlorpromazine-induced hyperglycaemia, in rat, 96
——, effect on mydriatic action of amitriptyline, atropine, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in mouse, 342
——, effect on noradrenaline in heart, 496
——, effect on response of decentralized and normal nictitating membranes to SK&F 90,109, 491
——, effect on response of large intestine to angiotensin, 355
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 160
——, effect on urinary excretion of catechol amines, and action of mecamylamine and monoamine-oxidase inhibitor, in normal rat and rat without adrenal medullae, 529
——, induction of bradycardia by, effect of imipramine on, 336
——, induction of ptosis by, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 337
——, response of blood vessels, heart beat and large intestine to, in toad, 160
Respiration, response to amylobarbitone and tetraethylammonium, 249
——, response to cobalt salts, 459
——, response to methylpentynol and its carbamate, 244
——, response to SK&F 90,109 and 90,238, 497

S

SK&F 90,010. *See* Diethylmethyl(2-xylyloxyethyl)-ammonium
SK&F 90,011. *See* Ethyldimethyl(2-xylyloxyethyl)-ammonium
SK&F 90,038. *See* 3-Amino-7-methylcoumaran
SK&F 90,039. *See* 3-Dimethylamino-7-methylcoumaran
SK&F 90,040. *See* Trimethyl(7-methylcoumaran-3-yl)-ammonium
SK&F 90,102. *See* Coumaran-3-yltrimethylammonium
SK&F 90,109. *See* Ethyldimethyl(7-methylcoumaran-3-yl)ammonium
SK&F 90,158. *See* Diethylmethyl(7-methylcoumaran-3-yl)ammonium
SK&F 90,238. *See N*-(7-methylcoumaran-3-yl)guanidine
SK&F 90,367. *See* 5-Chloro-3-dimethylaminocoumaran
SK&F 90,370. *See N*-(5-Chlorocoumaran-3-yl)guanidine
SK&F 90,371. *See* (5-Chlorocoumaran-3-yl)trimethylammonium

Phrenic nerve–diaphragm preparation, rat, potassium-depressed (*cont.*)
——, ——, ——, response to electrical stimulation, effect of dopamine, ephedrine, ethylnoradrenaline, isopropyldopamine and tyramine on, and action of pronethalol, 188
——, ——, ——, response to electrical stimulation, effect of hydroxy-L-proline, 5-hydroxytryptamine and sodium fluoride on, 193
——, ——, ——, response to electrical stimulation, effect of sympathomimetic amines on, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine and pronethalol, 187
——, ——, ——, response to electrical stimulation, effect of sympathomimetic amines on, and action of isopropylmethoxamine and methoxamine, 191
——, ——, ——, response to electrical stimulation, effect of tetanus on, and action of iodoacetate, oxygen-lack, phloridzin and pronethalol, 191
——, ——, response to electrical stimulation, effect of adrenaline, isoprenaline and noradrenaline on, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine, potassium chloride and pronethalol, 187
——, ——, ——, effect of polymethylenebis(trialkylammonium) salts on, 140
——, ——, ——, effect of quaternary methyl derivatives of dopamine, noradrenaline and tyramine and nicotine on, 61
3-(2-Phthalimidoethyl)indole, preparation of, 46
Physostigmine, effect on action of amylobarbitone, mebutamate and urethane on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 542
——, effect on ganglion-blocking action of amylobarbitone, 251
——, effect on response of blood pressure to amylobarbitone, mebutamate and urethane, 541
——, effect on response of human taenia coli preparation to acetylcholine, 165
——, effect on response of human taenia coli preparation to dimethylphenylpiperazinium and nicotine, 166
——, effect on response of human taenia coli preparation to histamine, 168
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, and action of atropine, amylobarbitone, mebutamate and urethane, 542
——, effect on neuromuscular-blocking action of quaternary methyl derivatives of dopamine and tyramine, 61
——, effect on response of toad large intestine to acetylcholine and nerve stimulation, 157
——, pressor action of, mechanism of, 540
——, ——, unusual ganglionic pathway in mediation of, in rat, 34
——, response of blood pressure to, effect of atropine on, in rat, 36
——, ——, effect of cocaine on, in rat, 37
——, ——, effect of hexamethonium on, and action of atropine and cocaine, in rat, 35
——, ——, effect of hexamethonium, nicotine and tetramethylammonium on, 547
——, — —, effect of nicotine and P-286 on, in rat, 38
Pilocarpine, effect on response of blood pressure to amylobarbitone, mebutamate and urethane, 541
Pilomotor action, of sympathetic stimulation, effect of SK&F 90,109 and 90,238 on, 493
Piperoxan, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 607
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 158
Pipradrol, effect on ganglionic transmission, 227
Polymethylenebis(triethylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Polymethylenebis(trimethylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Polymyxin A, antidiuretic action and nephrotoxicity of, 562
Polymyxin B, and sulphomethyl derivatives of, antibacterial and pharmacological actions, constitution and toxicity of, 552
——, ——, electrophoretic analysis of, 568
——, ——, intramuscular, distribution and excretion of, in dog and man, 562
Polymyxin E, and sulphomethyl derivatives of, antibacterial and pharmacological actions, constitution and toxicity of, 552
——, ——, intramuscular, distribution and excretion of, in dog and man, 562
Polypeptides, response of large intestine to, 355
Potassium chloride, effect on action of sympathomimetic amines on response of phrenic nerve–diaphragm preparation to electrical stimulation, 187
——, ganglion-stimulating action of, effect of centrally active agents and other drugs on, 262
Potassium ions, effect on response of heart beat to adrenaline, 74
——, effect on response of heart beat to aminophylline and caffeine, 75
——, effect on response of heart beat to calcium, 68
——, effect on response of heart beat to ouabain, 72
——, in auricles, effect of composition of organ bath on, 75
——, response of heart beat to, 67
Potentials, action, effect of SK&F 90,109 and 90,238 on, 496
——, ——, pre- and post-ganglionic, effect of central depressants and other drugs on, 222
——, endplate, of curarized muscle, effect of quaternary ammonium compounds on, relation to anticurare action, 575
——, ganglion, produced by acetylcholine and tetramethylammonium, and effect of atropine and hexamethonium on, 80
——, membrane, in vas deferens before and during hypogastric and intramural nerve stimulation, effect of atropine, bretylium, guanethidine, procaine and yohimbine on, 600
Pregnancy. *See* Teratogenic effect
Pressor action, of physostigmine, mechanism of, 540
——, ——, unusual ganglionic pathway in mediation of, in rat, 34
See also Blood pressure
Procainamide, effect on ganglionic transmission, 258
——, effect on ganglion-stimulating action of acetylcholine and carbachol, 258
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 262
Procaine, effect on ganglionic transmission, 226
——, effect on ganglionic and nervous transmission, selectivity of, 273

Procaine (*cont.*)
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 263
——, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 609
——, effect on response of human taenia coli preparation to acetylcholine and histamine, 168
——, effect on response of human taenia coli preparation to adrenaline and 5-hydroxytryptamine, 170
——, effect on response of human taenia coli preparation to dimethylphenylpiperazinium and nicotine, 166
Prochlorperazine, effect on ganglionic transmission, 226
Promazine, effect in various tests involving autonomic functions and reserpine antagonism, comparison with chlorpromazine, imipramine and other drugs, 330
——, effect on ganglionic transmission, 226
Promethazine, effect on ganglionic transmission, 226
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 412
Pronethalol, effect on action of calcium chloride, caffeine, glucagon, hexosephosphates, insulin and theophylline on response of potassium-depressed phrenic nerve-diaphragm preparation to electrical stimulation, 192
——, effect on action of sympathomimetic amines on response of normal and potassium-depressed phrenic nerve-diaphragm preparation to electrical stimulation, 187, 191
——, effect on action of tetanus on response of potassium-depressed phrenic nerve-diaphragm preparation to electrical stimulation, 191
——, effect on imipramine-induced tachycardia, in reserpinized rat, 337
——, effect on hyperlipaemia and hypercholesterolaemia induced by surface-active agent, in rat, 452
——, effect on response of blood pressure to acetylcholine, adrenaline, carbachol, isoprenaline, histamine, noradrenaline and vagal stimulation, 594
——, effect on response of blood vessels to adrenaline and noradrenaline, 596
——, effect on response of heart beat to butyrylcholine, noradrenaline and tyramine, 401
——, effect on response of human taenia coli preparation to adrenaline, isoprenaline, nicotine and noradrenaline, 166
——, effect on response of human taenia coli preparation to histamine, 168
——, effect on response of human taenia coli preparation to 5-hydroxytryptamine, 170
——, effect on spontaneous activity and response of large intestine to angiotensin, 355
——, effect on uptake of histamine, 5-hydroxytryptamine and noradrenaline by mast cells, 414
Propranolol, effect on response of heart beat to butyrylcholine, noradrenaline and tyramine, 404
N-Propyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Prostaglandin, bronchoconstrictor action of, effect of acetylsalicylate on, 206
Pseudoephedrine, effect on response of heart beat to butyrylcholine, 401
Pseudomonas aeruginosa, activity of colistin and polymyxins and their sulphomethyl derivatives against, 557
Ptosis, induced by reserpine, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 338

R

Reflex, baroreceptor, block of, by bethanidine, in man, 118
——, patellar, effect of γ-aminobutyric acid on, 392
——, peristaltic, 5-hydroxytryptamine in relation to, in rat, 14
——, somatic, non-specific depressant action of γ-aminobutyric acid on, 391
Renin, response of large intestine to, 352
Reserpine, effect on action of alcohol on sleeping time, action of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in mouse, 339
——, effect on action of dexamphetamine on urinary excretion of catechol amines, in normal rat and rat without adrenal medullae, 535
——, effect on chlorpromazine-induced hyperglycaemia, in rat, 96
——, effect on mydriatic action of amitriptyline, atropine, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in mouse, 342
——, effect on noradrenaline in heart, 496
——, effect on response of decentralized and normal nictitating membranes to SK&F 90,109, 491
——, effect on response of large intestine to angiotensin, 355
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 160
——, effect on urinary excretion of catechol amines, and action of mecamylamine and monoamine-oxidase inhibitor, in normal rat and rat without adrenal medullae, 529
——, induction of bradycardia by, effect of imipramine on, 336
——, induction of ptosis by, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 337
——, response of blood vessels, heart beat and large intestine to, in toad, 160
Respiration, response to amylobarbitone and tetraethylammonium, 249
——, response to cobalt salts, 459
——, response to methylpentynol and its carbamate, 244
——, response to SK&F 90,109 and 90,238, 497

S

SK&F 90,010. *See* Diethylmethyl(2-xylyloxyethyl)-ammonium
SK&F 90,011. *See* Ethyldimethyl(2-xylyloxyethyl)-ammonium
SK&F 90,038. *See* 3-Amino-7-methylcoumaran
SK&F 90,039. *See* 3-Dimethylamino-7-methylcoumaran
SK&F 90,040. *See* Trimethyl(7-methylcoumaran-3-yl)-ammonium
SK&F 90,102. *See* Coumaran-3-yltrimethylammonium
SK&F 90,109. *See* Ethyldimethyl(7-methylcoumaran-3-yl)ammonium
SK&F 90,158. *See* Diethylmethyl(7-methylcoumaran-3-yl)ammonium
SK&F 90,238. *See N*-(7-methylcoumaran-3-yl)guanidine
SK&F 90,367. *See* 5-Chloro-3-dimethylaminocoumaran
SK&F 90,370. *See N*-(5-Chlorocoumaran-3-yl)guanidine
SK&F 90,371. *See* (5-Chlorocoumaran-3-yl)trimethylammonium

SK&F 90,372. *See* (5-Chlorocoumaran-3-yl)ethyldimethylammonium
SK&F 90,396. *See* 3-Amino-6-methylcoumaran
SK&F 90,397. *See N*-(6-Methylcoumaran-3-yl)guanidine
SK&F 90,411. *See* Trimethyl(6-methylcoumaran-3-yl)ammonium
SK&F 90,412. *See* 3-Amino-5-methylcoumaran
SK&F 90,427. *See N*-(5-Methylcoumaran-3-yl)guanidine
SK&F 90,430. *See* Ethyldimethyl(6-methylcoumaran-3-yl)ammonium
SK&F 90,452. *See* Ethyldimethyl(5-methylcoumaran-3-yl)ammonium
SK&F 90,504. *See* Coumaran-3-ylguanidine
SY 28. *See* (2-Bromoethyl)ethyl(naphth-1-ylmethyl)amine
Salicylamide, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Salicylic acid, sodium salt, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Saliva, human, kininase and kinin-forming activities of, character and origin of, 440
See also Sialogenous action
N-s-butyltryptamine, metabolism, pharmacological actions, preparation and toxicity of, 43
Sciatic nerve–tibialis preparation, cat, response to electrical stimulation, effect of quaternary methyl derivatives of dopamine, noradrenaline and tyramine, nicotine and suxamethonium on, and action of edrophonium and physostigmine, 61
Seminal vesicles, rat, response to adrenaline and noradrenaline, and effect of chlorpromazine on, 513
Serine^{1}-isoleucine^{8}-oxytocin, response of uterus to, in man, 176
Sialogenous action, of adrenaline and nerve stimulation, effect of SK&F 90,109 and 90,238 on, 492
Skin, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
Skull, abnormalities in, induction by administration of sulphamoprine to dam during pregnancy, in mouse and rat, 305
Sleeping time, effect of alcohol on, action of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, in mouse, 341
——, ——, action of reserpine, and effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine, in mouse, 339
Slow-reacting substance, produced in anaphylaxis, bronchoconstrictor action of, and effect of analgesics, anti-inflammatory agents, antimalarials, antipyretics, antirheumatic agents and corticosteroids on, 201
——, ——, ——, and effect of atropine, bromolysergic acid diethylamide and mepyramine on, 205
——, ——, ——, effect of hexamethonium on, 206
——, ——, preparation and purification of, 202
——, ——, response of guinea-pig tracheobronchial preparation to, 207
——, ——, response of human bronchus to, 207
——, ——, response of trachea to, and effect of acetylsalicylate on, 207
Sodium acetylsalicylamide-*o*-acetate, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Sodium fluoride. *See* Fluoride
Sodium gentisate. *See* Gentisic acid, sodium salt
Sodium ions, effect on response of heart beat to calcium, 69
Sodium ions (*cont.*)
——, effect on response of heart beat to aminophylline and caffeine, 75
——, in auricles, effect of composition of organ bath on, 75
——, response of heart beat to, 69
Sodium isophthalate. *See* Isophthalic acid, sodium salt
Sodium salicylate. *See* Salicylic acid, sodium salt
Spinal cord, compression of, vasomotor responses to, effect of γ-aminobutyric acid on, 387
——, enzymes in, effect of organophosphorus compounds on, in hen, 301
Spleen, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
——, localization of intravenous (2-bromoethyl)ethyl-(naphth-1-ylmethyl)amine in, in rat, 290
——, noradrenaline output of, effect of splanchnic nerve stimulation on, action of SK&F 90,109 and 90,238, 495
Splenic nerve–spleen preparation, cat, response to nerve stimulation and noradrenaline, effect of amylobarbitone, mebutamate and urethane on, 546
Sterility, partial, induction by methyl methanesulphonate, in mouse, 521
Steroids, cortico-, effect on bronchoconstrictor action of bradykinin and slow-reacting substance produced in anaphylaxis, 209
Stimulants, central, effect on ganglionic transmission, in cat, 241
Stomach, glandular, conversion of intravenous histidine to histamine in, and effect of liothyronine on, in rat, 434
See also Gastric secretion
Stomach strip, rat, response to acetylcholine, adrenaline, angiotensin, bradykinin, 5-hydroxytryptamine and noradrenaline, 352
——, ——, response to acetylcholine, adrenaline, choline, histamine, 5-hydroxytryptamine and noradrenaline, effect of blood on, 362
——, ——, response to adrenaline, bradykinin and noradrenaline, 369
——, ——, response to choline, 369
——, ——, response to histamine and nicotine, 367
——, ——, response to 5-hydroxytryptamine, and effect of blood on, 368
——, ——, response to phenethylamine, 366
Substance P, bronchoconstrictor action of, effect of acetylsalicylate on, 205
——, response of large intestine to, 352
Sulphadimethoxypyrimidine. *See* Sulphamoprine
Sulphamoprine, teratogenic effect of, in mouse and rat, 305
Surface-active agents, intraperitoneal, hyperlipaemia and hypercholesterolaemia induced by, effect of adrenolytics and sympatholytics on, in rat, 449
Sweating, induction by sympathetic stimulation, effect of SK&F 90,109 and 90,238 on, 493
Sympathetic blocking action, of bethanidine, 117
Sympathomimetic amines, effect on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, and action of dichloroisoprenaline, iodoacetate, oxygen-lack, phentolamine and pronethalol, 187, 191
——, response of smooth muscle at junction of bile duct and duodenum to, and effect of dibenamine and dichloroisoprenaline on, 101
Sympathomimetic effects, on heart, inhibition of, 399

T

TM10. *See* Xylocholine
TTM 10. *See* Dimethyl(2-xylyloxyethyl)amine
Tachycardia, induction by imipramine, and effect of atropine, bretylium, chlorisondamine, guanethidine, methyldopa, phenoxybenzamine and pronethalol on, in reserpinized rat, 336
Taenia coli preparation, human, pharmacology of, 164
Taurine, depression of cortical neurones by, 313
Teeth, abnormalities in, induced by administration of sulphamoprine to dam during pregnancy, in mouse and rat, 305
Temperature, ambient, effect on chlorpromazine-induced hyperglycaemia, in rat, 95
——, body, effect of substituted glyoxylamides on, in rabbit, 48
——, ——, effect of *N*-substituted tryptamines on, in rabbit, 51
See also Hypothermia
Teratogenic action, of sulphamoprine, in mouse and rat, 305
——, of tetracyclines, possible relation to stability of drugs, 445
——, possible method of testing drugs for, 527
Tetracycline, stability of, possible relation to deposition in foetal skeleton and induction of malformations, 445
Tetracyclines, stability of, possible relation to deposition in foetal skeleton and induction of malformations, 445
Tetradecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Tetraethylammonium, effect on curarized endplate potentials, relation to anticurare action, 575
——, effect on ganglionic transmission, 226, 258
——, effect on ganglionic and nervous transmission, selectivity of, 273
——, effect on ganglion-stimulating action of acetylcholine and choline, 258
——, effect on ganglion-stimulating action of acetylcholine, carbachol and potassium chloride, 262
——, ganglion-blocking action of, 243
——, response of blood pressure and respiration to, 249
Tetramethylammonium, effect on response of blood pressure to physostigmine, 547
——, ganglion potentials and block produced by, and effect of atropine and hexamethonium on, 80
——, response of adrenals and sympathetic ganglia to, effect of SK&F 90,238 on, 496
Thalidomide, effect on ganglionic transmission, 244
Theophylline, effect on action of adrenaline on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 193
——, effect on response of potassium-depressed phrenic nerve diaphragm–preparation to electrical stimulation, and action of phloridzin and pronethalol, 188, 192
Thioridazine, hyperglycaemic action of, relation to hypothermic action, in rat, 97
Thiosulphate, as antidote for hydrocyanic acid, 462
——, effect on antidotal action of cobalt compounds on hydrocyanic acid, 462, 464, 467
L-Thyroxine sodium, effect on action of adrenaline on response of potassium-depressed phrenic nerve–diaphragm preparation to electrical stimulation, 192
Tibialis preparation, cat, response to electrical stimulation, effect of polymethylenebis(trialkylammonium) salts on, 141
Toad, large intestine of, blood supply and innervation of, 151
Tolazoline, effect on potentials in vas deferens before and during hypogastric and intramural nerve stimulation, 607
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 158, 160
Trachea, response to acetylcholine and slow-reacting substance produced in anaphylaxis, and effect of acetylsalicylate on, 207
——, response to bradykinin, histamine and 5-hydroxytryptamine, 207
Tracheobronchial preparation, guinea-pig, response to acetylcholine and slow-reacting substance produced in anaphylaxis, 207
Tranquillizers, effect on autonomic functions and reserpine antagonism, 330
Tremors, induction by Tremorine, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 343, 348
Tremorine, induction of peripheral parasympathomimetic effects and tremors by, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 343, 348
Tributyl phosphorotrithioite, clinical responses and neurological disturbances induced by, in hen, 295
Tributyl phosphorotrithiolate, clinical responses and neurological disturbances induced by, in hen, 295
Tridecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Triethyl(*m- and p*-hydroxyphenyl)ammonium, effect on curarized endplate potentials, relation to anticurare action, 575
Triethylphenylammonium, effect on curarized endplate potentials, relation to anticurare action, 575
Triflupromazine, hyperglycaemic action of, relation to hypothermic action, in rat, 97
Trimethyl(6- *and* 7-methylcoumaran-3-yl)ammonium, adrenergic neurone-blocking action of, 497
——, synthesis of, 501
Trimethyl(2-xylyloxyethyl)ammonium. *See* Xylocholine
Troxidone, ganglion-blocking action of, 243
——, ——, and effect of leptazol on, 251
Trypsin, release of bradykinin from tissues by, 369
Tryptamines, *N*-substituted, metabolism, pharmacological actions, preparation and toxicity of, 43
Tubocurarine, effect on curarized endplate potentials, 584
——, effect on ganglionic transmission, 229
——, effect on ganglionic and nervous transmission, selectivity of, 273
Tyloxapol, intraperitoneal, hyperlipaemia and hypercholesterolaemia induced by, effect of adrenolytics and sympatholytics on, in rat, 449
Tyramine, effect on response of heart beat to butyrylcholine, 401
——, effect on response of potassium–depleted phrenic nerve–diaphragm preparation to electrical stimulation, and action of phloridzin, 188
——, effect on uptake of histamine and 5-hydroxytryptamine by mast cells, 415
——, response of heart beat to, and effect of dexamphetamine, hexamethonium and pronethalol on, 401
——, ——, effect of propranolol on, 404
——, uptake by mast cells, 405

Tyramine methiodide. *See* [2-(4-Hydroxyphenyl)ethyl]-trimethylammonium

U

Undecamethylenebis(trialkylammonium) salts, biochemical properties, pharmacological actions and molar conductances of, 131
Urethane, effect on action of physostigmine on response of hypogastric nerve–vas deferens preparation to nerve stimulation, 543
——, effect on response of hypogastric nerve–vas deferens preparation to nerve stimulation, and action of physostigmine, 543
——, effect on response of hypogastric nerve–vas deferens preparation to noradrenaline, 546
——, effect on response of splenic nerve–spleen preparation to nerve stimulation and noradrenaline, 546
——, response of blood pressure to, and effect of physostigmine and pilocarpine on, 541
Uridine, response of goldfish intestine to very small amounts of, 617
——, response of large intestine to, 352
Urine, excretion of (2-bromoethyl)ethyl(naphth-1-ylmethyl)amine in, in rat, 291
——, excretion of colistin and polymyxins and their sulphomethyl derivatives in, 565
——, excretion of histamine in, effect of intravenous histidine on, and action of liothyronine, in rat, 434
Uterus, human, *in-vivo* response to oxytocin and related hypophysial peptides, 176
——, response to adrenaline and hypogastric nerve stimulation, effect of SK&F 90,109 and 90,238 on, 491
——, response to 5-hydroxytryptamine in very small amounts, 617
——, response to SK&F 90,109 and 90,238, 491

V

Vagotomy, effect on action of sympathomimetic amines on flow through bile duct, 106
Vagus nerve, stimulation of, response of blood pressure to, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 342
——, ——, ——, effect of pronethalol on, 594
Vas deferens. *See* Hypogastric nerve–vas deferens preparation
Vasoconstrictor action. *See* Blood vessels
Vasodilator action. *See* Blood vessels
Vasopressin, response of large intestine to, 352

X

Xylocholine, adrenergic neurone-blocking action of, 497

Y

Yohimbine, effect on potentials in vas deferens during hypogastric and intramural nerve stimulation, 606
——, effect on response of toad large intestine to acetylcholine, nerve stimulation and noradrenaline, 158, 160
——, toxicity of, effect of amitriptyline, chlorpromazine, chlorprothixene, desmethylimipramine, desmethylpromazine, imipramine and promazine on, 336

Z

Zinc salts, effect on kininase activity of human erythrocytes, plasma and saliva, 442